

PRO ARMOR



WHEELS & TIRES



POLARIS

2026 BROCHURE

TIRES



TREAD DEPTH	11-17MM GRADUATED
PLY RATING	8
SIDEWALL BELTS	3

TREKKER

- Specialized tread design provides a quiet ride
- Graduated lug depth maximizes the contact patch for ultimate predictability
- 8-ply, triple belted nylon construction

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
12"	26" x 10" R12	5418673	29 lbs	1,020 lbs
14"	27" x 10" R14	5418674	30 lbs	1,080 lbs
14"	29" x 10" R14	5418675	32 lbs	1,205 lbs
15"	30" x 10" R15	5418676	34 lbs	1,235 lbs
15"	32" x 10" R15	5418677	37 lbs	1,390 lbs
15"	33" x 10" R15	5418678	40 lbs	1,520 lbs



TREAD DEPTH	16MM
PLY RATING	8
SIDEWALL BELTS	3

X TERRAIN

- Built to perform through the toughest obstacles on any trail
- Durability-driven design to provide a comfortable, confident ride
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
14"	FRONT 27" x 9" R14	5418330	26 lbs	805 lbs
14"	REAR 27" x 11" R14	5418331	31 lbs	965 lbs
14"	FRONT 29" x 9" R14	5418332	30 lbs	1,100 lbs
14"	REAR 29" x 11" R14	5418333	35 lbs	1,320 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



CLICK OR SCAN FOR FITMENT DETAILS.



TREAD DEPTH	16MM
PLY RATING	10
SIDEWALL BELTS	3

HARVESTER

- All-around work horse with tread life of 5,000 miles / 8,047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
12"	FRONT 26" x 8" R12	5416396	24 lbs	855 lbs
12"	REAR 26" x 10" R12	5415966	32 lbs	1,355 lbs
14"	FRONT/REAR 27" x 10" R14	5415965	32 lbs	1,320 lbs
14"	FRONT/REAR 28" x 10" R14	5416347	34 lbs	1,390 lbs
15"	FRONT/REAR 30" x 10" R15	5417529	37 lbs	1,320 lbs
15"	FRONT/REAR 32" x 10" R15	5418256	44 lbs	1,650 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



TREAD DEPTH	16 MM
PLY RATING	10
SIDEWALL BELTS	3

PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
12"	FRONT 26" x 8" R12	5416403	24 lbs	855 lbs
12"	REAR 26" x 10" R12	5416402	28 lbs	1,320 lbs
14"	FRONT/REAR 27" x 10" R14	5416348	28 lbs	1,390 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



X TERRAIN



TREAD DEPTH	20MM
PLY RATING	8
SIDEWALL BELTS	3

CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
FRONT/REAR	14" 30" x 10" R14	5415616	38 lbs	1,280 lbs
	15" 28" x 10" R15	5416346	33 lbs	1,100 lbs
	15" 30" x 10" R15	5416397	39 lbs	1,280 lbs
	15" 32" x 10" R15	5416699	42 lbs	1,390 lbs
	15" 33" x 10" R15	5418255	44 lbs	1,520 lbs
	16" 32" x 10.5" R16	5416401	44 lbs	1,420 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



TREAD DEPTH	18MM
PLY RATING	8
SIDEWALL BELTS	3

CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
FRONT/REAR	15" 30" x 10" R15	5417534	36 lbs	1,280 lbs
	15" 32" x 10" R15	5417535	39 lbs	1,390 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



TREAD DEPTH	16MM
PLY RATING	8
SIDEWALL BELTS	3

CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
FRONT/REAR	14" 28" x 10" R14	5415536	32 lbs	1,140 lbs
	15" 30" x 10" R15	5418254	37 lbs	1,280 lbs
	15" 32" x 10" R15	5416114	39 lbs	1,390 lbs
	15" 33" x 10" R15	5417174	39 lbs	1,390 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



TREAD DEPTH	20MM
PLY RATING	8
SIDEWALL BELTS	3

CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
FRONT/REAR	15" 30" x 10" R15	5418329	38 lbs	1,280 lbs
	15" 32" x 10" R15	5418110	42 lbs	1,390 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



CRAWLER XG



TREAD DEPTH	25MM
PLY RATING	10
SIDEWALL BELTS	3

ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

		PART NUMBER	TIRE WEIGHT	LOAD RATING
FRONT/REAR	15" 28" x 10" R15	5416344	32 lbs	1,110 lbs
	15" 30" x 10" R15	5416345	38 lbs	1,235 lbs
	15" 32" x 10" R15	5418252	44 lbs	1,390 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



DUAL-THREAT



TREAD DEPTH	16MM
PLY RATING	10
SIDEWALL BELTS	3

DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

		PART NUMBER	TIRE WEIGHT	LOAD RATING
14"	FRONT 26" x 9" R14	5416340	27 lbs	910 lbs
	REAR 26" x 11" R14	5416341	30 lbs	1,110 lbs
14"	FRONT 29" x 9" R14	5416342	30 lbs	1,110 lbs
	REAR 29" x 11" R14	5416343	35 lbs	1,320 lbs
15"	FRONT/REAR 32" x 10" R15	5416753	38 lbs	1,990 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



TREAD DEPTH	23MM
PLY RATING	8
SIDEWALL BELTS	3

ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

		PART NUMBER	TIRE WEIGHT	LOAD RATING
14"	FRONT 26" x 9" R14	5415613	28 lbs	910 lbs
14"	REAR 26" x 11" R14	5415614	32 lbs	1,320 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



TREAD DEPTH	14MM
PLY RATING	8
SIDEWALL BELTS	3

PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

		PART NUMBER	TIRE WEIGHT	LOAD RATING
FRONT/REAR	15" 30" x 9" R15	5417531	30 lbs	1,170 lbs
	15" 32" x 9.5" R15	5417532	36 lbs	1,390 lbs
	15" 33" x 9.5" R15	5417533	38 lbs	1,480 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



ATTACK 2.0



TREAD DEPTH	31.7MM
PLY RATING	10
SIDEWALL BELTS	3/1 ARAMID

XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
12" FRONT	26" x 9" R12	5415756	28 lbs	855 lbs
12" REAR	26" x 11" R12	5415757	32 lbs	1,100 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



TREAD DEPTH	31.75MM
PLY RATING	10
SIDEWALL BELTS	3/1 ARAMID

HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
14" FRONT/REAR	29" x 10" R14	5417507	40 lbs	1,320 lbs



CLICK OR SCAN FOR FITMENT DETAILS.



MUD XC



TREAD DEPTH	30MM
PLY RATING	10
SIDEWALL BELTS	3

MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

	TIRE SIZE	PART NUMBER	TIRE WEIGHT	LOAD RATING
14" FRONT	27" x 9" R14	5416947	30 lbs	1,170 lbs
14" REAR	27" x 11" R14	5416948	32 lbs	1,320 lbs
14" FRONT/REAR	29" x 10" R14	5416946	39 lbs	1,390 lbs
15" FRONT/REAR	30" x 10" R15	5418253	39 lbs	1,280 lbs



CLICK OR SCAN FOR FITMENT DETAILS.





SAND 16XT



PLY RATING	4
SIDEWALL BELTS	2

SAND 16XT

- Unique 3-tier concave design on front tires
- Wider rear tires with additional paddles for more traction, better grip and flotation on the sand
- 16 paddles for optimized performance and traction on turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

	TIRE SIZE	PART NUMBER	TREAD DEPTH	TIRE WEIGHT	LOAD RATING
15" FRONT	30" x 11" R15	5416951	13mm	23 lbs	855 lbs
15" REAR	30" x 14" R15	5416953	28mm	34 lbs	925 lbs
15" FRONT	32" x 12" R15	5416952	13mm	27 lbs	1,020 lbs
15" REAR	32" x 15" R15	5416950	28mm	36 lbs	1,280 lbs



FRONT

REAR



CLICK OR SCAN FOR FITMENT DETAILS.



SIDEWALL BELTS	2
----------------	---

SAND 12XT

- Unique 3-tier concave design on front tires
- Wider rear tires for more traction, plus better grip and flotation on the sand
- 12 paddles for optimized performance on non-turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

	TIRE SIZE	PART NUMBER	TREAD DEPTH	TIRE WEIGHT	PLY RATING	LOAD RATING
14" FRONT	30" x 11" R14	5415251	12.8mm	22 lbs	8	855 lbs
14" REAR	30" x 13" R14	5416949	28mm	25 lbs	4	1,050 lbs



FRONT

REAR



CLICK OR SCAN FOR FITMENT DETAILS.



WHITEOUT



SIDEWALL BELTS	2
----------------	---

WHITEOUT

- Extra wide tires for flotation in snow
- Cross-hatched tread pattern designed for superior snow traction with limited digging
- 2-ply sidewall designed to balloon for maximum use of its 15" wide contact patch
- Stud compatible

	TIRE SIZE	PART NUMBER	TREAD DEPTH	TIRE WEIGHT	PLY RATING	LOAD RATING
14" FRONT	27" x 14" R14	5416032	16mm	24 lbs	8	935 lbs
15" FRONT/REAR	30" x 15" R15	5416395	17mm	46 lbs	2	1,170 lbs



CLICK OR SCAN FOR FITMENT DETAILS.

WHEELS



15" 50-SERIES

14" 40-SERIES

A 5201 RGR RZR GRL

WEIGHT: 17.1 LBS LOAD RATING: 1,300 LBS OFFSET: +4

MATTE BLACK FRONT/REAR 15" x 7" 1523184-458

B 5202 RGR RZR GRL

WEIGHT: 17.8 LBS LOAD RATING: 1,300 LBS OFFSET: +4

ACCENT FRONT/REAR 15" x 7" 1523102-266

MATTE BLACK FRONT/REAR 15" x 7" 1523102-458

C 5203 BEADLOCK RGR RZR GRL

WEIGHT: 16 LBS LOAD RATING: 1,300 LBS OFFSET: +38

MATTE BLACK FRONT/REAR 15" x 7" 1522435-458

D 5205 RZR

FRONT WEIGHT: 15 LBS LOAD RATING: 900 LBS OFFSET: -4

REAR WEIGHT: 20 LBS LOAD RATING: 900 LBS OFFSET: -38

MATTE BLACK FRONT 15" x 8" 1523727-458

REAR 15" x 10" 1523728-458

E 5207/5303 RZR

FRONT WEIGHT: 16 LBS LOAD RATING: 1,260 LBS OFFSET: -4

REAR WEIGHT: 19 LBS LOAD RATING: 1,670 LBS OFFSET: -38

MATTE BLACK FRONT 15" x 8" 1524043

REAR 15" x 10" 1524042

F 5208 RZR

WEIGHT: 12.8 LBS LOAD RATING: 1,200 LBS OFFSET: +55

MATTE BLACK FRONT/REAR 15" x 7" 1525454

G 5301 BEADLOCK RGR RZR GRL

WEIGHT: 17 LBS LOAD RATING: 1,600 LBS OFFSET: +38

ACCENT FRONT/REAR 15" x 7" 1523282

MATTE BLACK FRONT/REAR 15" x 7" 1523266

H 5302 BEADLOCK RZR XPD

WEIGHT: 16.5 LBS LOAD RATING: 1,670 LBS OFFSET: +55

MATTE BLACK FRONT/REAR 15" x 7" 1524038

I 5304 BEADLOCK RGR RZR XPD

WEIGHT: 16 LBS LOAD RATING: 1,600 LBS OFFSET: +62

MATTE BLACK FRONT/REAR 15" x 7" 1525420

J 5305 BEADLOCK RZR

WEIGHT: 18.5 LBS LOAD RATING: 1,650 LBS OFFSET: +38

MATTE BLACK FRONT/REAR 15" x 7" 1525455

K 5306 RGR RZR XPD

WEIGHT: 15 LBS LOAD RATING: 1,740 LBS OFFSET: +62

MATTE BLACK FRONT/REAR 15" x 7" 1525684-458

L 5307 RGR RZR XPD

WEIGHT: 16 LBS LOAD RATING: 1,740 LBS OFFSET: +62

MATTE BLACK FRONT/REAR 15" x 7" 1525686-458

M 5307 BEADLOCK RGR RZR XPD

WEIGHT: 18 LBS LOAD RATING: 1,740 LBS OFFSET: +62

MATTE BLACK FRONT/REAR 15" x 7" 1525688-458

N 4101 SPM

WEIGHT: 14.5 LBS LOAD RATING: 800 LBS OFFSET: -35

MATTE BLACK FRONT/REAR 14" x 10" 1522958

O 4202 RGR RZR GRL SPM

FRONT WEIGHT: 12.8 LBS LOAD RATING: 900 LBS OFFSET: +4

REAR WEIGHT: 13.5 LBS LOAD RATING: 1,300 LBS OFFSET: -9

ACCENT FRONT 14" x 7" 1522544-266

REAR 14" x 8" 1522545-266

MATTE BLACK FRONT 14" x 7" 1522544-458

REAR 14" x 8" 1522545-458

P 4204 RGR RZR GRL SPM

FRONT WEIGHT: 13 LBS LOAD RATING: 900 LBS OFFSET: +4

REAR WEIGHT: 14 LBS LOAD RATING: 1,300 LBS OFFSET: -9

ACCENT FRONT 14" x 7" 1522546-266

REAR 14" x 8" 1522547-266

MATTE BLACK FRONT 14" x 7" 1522546-458

REAR 14" x 8" 1522547-458

Q 4302 BEADLOCK RZR

WEIGHT: 15 LBS LOAD RATING: 1,600 LBS OFFSET: +58

MATTE BLACK FRONT/REAR 14" x 7" 5418036

R 4303 RZR

WEIGHT: 13 LBS LOAD RATING: 1,200 LBS OFFSET: +58

MATTE BLACK FRONT/REAR 14" x 7" 5418037

S HD DUAL BEADLOCK RGR RZR GRL SPM

WEIGHT: 40 LBS LOAD RATING: 1,600 LBS OFFSET: +28

MATTE BLACK FRONT/REAR 14" x 7" 1524022-458

KNOW YOUR WHEELS

STEP 1: SELECT SERIES

Determine the correct wheel height based on the size of your tire.

14" 4 = 40-SERIES 15" 5 = 50-SERIES

STEP 2: CHOOSE LOAD RATING

Carry everything you need. The more you haul, the greater the load rating.

- 1 = <800 LBS
- 2 = 801 - 1,300 LBS
- 3 = 1,301 - 1,600+ LBS

STEP 3: PICK STYLE

Make your ride unique by selecting a custom style.

OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK
= NARROWER STANCE

DECREASE OFFSET FROM STOCK
= WIDER STANCE

FORGED BEADLOCK RINGS



14" FORGED BEADLOCK RINGS

4203 BEADLOCK & HD DUAL BEADLOCK (Includes Bolts)
MACHINED: 1522244-266

4301 BEADLOCK REPLACEMENT & HD DUAL BEADLOCK
MATTE BLACK: 1523146-458

15" FORGED BEADLOCK RINGS

5203 BEADLOCK (Includes Bolts)
MACHINED: 1522240-266

5301 BEADLOCK REPLACEMENT
MATTE BLACK: 1523147-458

CAST vs FLOW FORMED vs FORGED: THE REAL DIFFERENCE



CAST ALUMINUM

Industry standard for aluminum wheel construction. Appropriate for majority of customer's riding style.



FLOW FORMED

Heat and pressure used to spin forge cast aluminum. Lighter, stronger wheels than standard cast aluminum.



FORGED ALUMINUM

Strongest, most premium construction. All Pro Armor beadlock rings are forged aluminum.

POLARIS EXCLUSIVE 2 WAYS TO PURCHASE

1 INDIVIDUAL WHEELS & TIRES

OR

2 COMPLETE SETS AS LISTED



CLICK OR SCAN TO SHOP AND VERIFY FITMENT

Exclusively at Polaris Authorized Dealers or Polaris.com/ProArmor

PRO ARMOR



POLARIS

VISIT [POLARIS.COM/PROARMOR](https://www.polaris.com/proarmor)
FOR MORE INFORMATION ON PRO ARMOR WHEELS & TIRES