# PERARIS *FIELD* ACCESSORIES + APPAREL

# THE RIGHT GEAR ALWAYS MATTERS

## ELEVATE YOUR ADVENTURE

The ultimate multi-purpose machine with unmatched performance, comfort and capabilities. When you customize with Polaris Engineered Accessories<sup>™</sup> you have the confidence to take command of any task and any trail.

## **2020 LINEUP**

SEE THE FULL LINEUP AT POLARIS.COM/GENERAL

## **XP 1000 DELUXE**



WALKER E SPORT ROO POLARIS® STAGE 1 AL SPORT LOV Convex re 30" PRO A KL FENDER



## DELUXE





PREMIUM PLUS: FOX" PODI SPORT ROOF CONVEX REAR VIEW MIRROR

## PREMIUM



BASE PLU AUTOMOT **MATTE BL** 27" MAXX SPORT LOV POLARIS® HD 4500 LB. WINCH

## BASE

.00 HP PRO 500 LB. DU TANDARD ELECTRON POLARIS® VERSATRA

## **4-SEAT**



BASE PLU AUTOMOT MATTE BL 27" DIRT C OX" PODI SPORT LO POLARIS®





## POLARIS GENERAL® XP 1000

KER EVANS" VELOCITY SHOCKS
TROOF
RIS" HD 4500 LB. WINCH
E 1 AUDIO SYSTEM BY ROCKFORD FOSGATE*
T LOW PROFILE FRONT BUMPER
EX REAR VIEW MIRROR
RO ARMOR <sup>®</sup> CRAWLER XG
NDER FLARES
TORY CHOICE STAGE 4 AUDIO KIT

## POLARIS GENERAL<sup>®</sup> 1000 DELUXE

UM X 2.0 QS3 SHOCKS			
	UM X 2.0	D QS3 SHOCKS	

TAGE 1 AUDIO SYSTEM BY ROCKFORD FOSGATI

v Available in Two Color Packages

## POLARIS GENERAL® 1000 PREMIUM

US:
IVE PAINT
ACK CAST ALUMINUM WHEELS
IS" CORONADO TIRES
W PROFILE FRONT BUMPER

## POLARIS GENERAL® 1000

OSTAR" ENGINE
UMPING BOX
) HALF DOORS
IC POWER STEERING (EPS)
LOCK & RIDE" COMPATIBLE
C TURF MODE

## POLARIS GENERAL<sup>®</sup> 4 1000

IS:
IVE PAINT
ACK CAST ALUMINUM WHEELS
COMMANDER 8-PLY TIRES
UM 2.0 QS3 SHOCKS
W PROFILE FRONT BUMPER
HD 4500 LB. WINCH

## CONTENTS

ACCESSORIES	08
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	16
HUNT	16
POLARIS NORTHSTAR® COOLERS	18
RIDE COMMAND & AUDIO	20
LIGHTING	22
WHEELS & TIRES	24
WINCHES	30
PLOWS & TRACKS	31

PARTS & GARAGE	32
OIL & LUBRICANTS	32
MAINTENANCE	34
HD PARTS	38
SERVICE PARTS	40
BATTERY & LIFTS	42
GARAGE & TRAILERING	44


APPAREL & HELMETS	46
OUTERWEAR & PROTECTION	46
LIFESTYLE APPAREL & CAPS	52
CAMO & GIFTS	54



BUILD YOUR OWN AT POLARIS.COM/GENERAL



# **KEEP YOUR** STANDARDS HIGH. WE DO.



Designed by the same people who designed your vehicle.

Extensively tested in the field so vou ride with 100% confidence.

65 years in the business. The #1 name in Off-Road.

POLARIS

## WE HOLD OUR PARTNERS TO THE SAME STANDARDS



WHEELS, TIRES & LIGHTING DESIGNED WITH POLARIS® TO MAXIMIZE PERFORMANCE



A GLOBAL LEADER IN AUDIO INNOVATION,

DESIGN & ENGINEERING

000

# ACCESSORIES BACKED BY A



PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE



MAKING PRODUCTS FOR AVID **SPORTSMEN SINCE 1943** 

# ENGINEERED TO TAKE ON THE ELEMENTS

## TESTED & PROVEN



POLARIS GENERAL<sup>®</sup> CABS PROVIDE THE INDUSTRY'S TIGHTEST SEAL

BETTER DUST SEAL THAN THE CAN-AM® COMMANDER®

BUILD YOUR CAB SYSTEM STARTING ON P. 08



## COMFORT YOU HAVE TO EXPERIENCE TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.

## POLARIS ENGINEERED\*\* ADVANTAGES



Contours built into the cage deliver the best sealing surface in the industry.



## PERFECT FIT: PERFECT SEA

LOCK & RIDE

A 360° gasket seal provides the tightest-sealing cab in the industry.

Adapt to your needs

exclusive tool-less,

& Ride<sup>®</sup> components.





PLUG & PLAY

ELECTRICAL



## EFFORTLESSLY ADD LIGHTS, HEAT, WIPERS & AUDIO.

A revolution in electrical accessory integration, the Polaris PULSE<sup>™</sup> Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories<sup>™</sup>.

Look for Maintify Polaris PULSE<sup>®</sup> ready accessories.


# BLAZE A NEW TRATL

Vented Windshield: P. 08 Hard Coat Poly Sport Poly - Roof: P. 12

**INCLUE** XL Fender Flares: P. 13 [NOT SHOWN] LOCK & RIDE Cargo Box: P. 15 RIGID<sup>®</sup> SR-Series Combo Light Bar: P. 22

Pro Armor Wheel & Tire Set: P. 29 29" Mud XC & 14" Shackle - Matte Black Winch: P. 30

LOCK & RIDE Full Vented Windshield: P. 08 Hard Coat Poly



ELEVATE YOUR ADVENTURE

High Clearance A-Arm Guards: P. 13 Front & Rear

LOCK & RIDE Rear Panel: P. 09

POLARIS.COM/ShopGENERAL





## **EXPERIENCE OFF-ROAD LUXURY**

🗆 Windshield & Rear Panel	P. 08
🗆 Doors	P. 10
🗆 Roof	P. 12
🗆 Cab Comfort	P. 16

## NEXT LEVEL VERSATILITY

🗆 Storage	P. 14
🗆 Lighting	P. 22
🗆 Wheels & Tires	P. 24
🗆 Winches	P. 30

## THE RIGHT STUFF TO MAINTAIN YOUR POLARIS GENERAL®

🗆 Oil & Lubricants	P. 32
🗆 Maintenance	P. 34

## **EVERYTHING YOU NEED TO GEAR UP**


🗆 Apparel	P. 46
🗆 Helmets	P. 48



## BUILD YOUR OWN AT **POLARIS**.com/GENERAL

Stage 4 Ride Command Audio Kit by Rockford Fosgate<sup>®</sup>: P. 21 RIGID<sup>®</sup> Lighting: P. 22 Pro Armor<sup>®</sup> Wheel & Tire Set: P. 29 30" Attack 2.0 & 15" Halo Accent







into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.



» 2881113 • \$369 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20

» 2881112 • **\$309** 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20

# DOORS

**COMPLETE YOUR CAB.** POLARIS GENERAL<sup>®</sup> comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris<sup>®</sup> options.





# REPLACE STOCK HALF DOORS

## PREMIUM POLY FULL DOORS

Impact and scratch-resistant tempered glass

PREMIUM

AND LINER

INTERIOR HANDLE

- Fully-sealed design keeps elements out for
- a premium in-cab environment
- Hinged window adjustability Soft-touch, easy to clean premium interior liner
- 2-SEAT
- Six-way glass window adjustability
- » 2883717 \$2,529 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20

• Kit includes B-pillar cover seal » 2883082 · \$2,679 99

• Push-out windows

4-SEAT

POLARIS GENERAL® XP 4 1000 '20 POLARIS GENERAL® 4 1000 '17-20



# ADD UPPER DOORS TO STOCK HALF DOORS

## **ZIP WINDOW UPPER DOORS**

- Durable, rugged canvas stitched over a robust steel frame
- Lightweight, UV-resistant construction
- Retention straps for increased strength
- Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

POLARIS ENGINEERED\*\* **ADVANTAGES** 





» 2882548 • **\$849** \*\* POLARIS GENERAL® XP 1000 '20 POLARIS GENERAL° 1000 '18-20

NOT SHOWN **4-SEAT** 

» 2883453 • \$**1,579** \*\* POLARIS GENERAL® XP 4 1000 '20 POLARIS GENERAL® 4 1000 '18-20

VHEELS & TIRES



Arm your POLARIS GENERAL® with Polaris Engineered® bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension.



GUARDS NOT SHOWN

POLARIS GENERAL® 1000/4 '16-20

TOUGH EXPANSION ANCHOR MOUNTS DESIGNE FOR POLARIS GENERAL® ALLOW FOR QUICK **INSTALL OF ROCK SLIDERS AND BUMPERS** WITHOUT DAMAGING THE VEHICLE'S FRAME



## 12 POLARIS.COM/ShopGENERAL





» 2880274 · \$209 99 POLARIS GENERAL® 1000/4 '16-20

» 2880171 • \$**209** 99





## XL NEW

» 2884220 • \$**209** 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20 Not compatible with Low Profile Rock Sliders

## HIGH CLEARANCE A-ARM GUARDS

## 

» 2884221 · \$209 9 POLARIS GENERAL® XP 1000/4 '20

## REAR

» 2884222 · \$209 99 POLARIS GENERAL® XP 1000/4 '20



## SPORT LOW PROFILE

» 2881094 · \$259 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20

## B SPORT UPPER

### » 2881525 • \$259 99

POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20 Requires Sport Low Profile Front Bumper



EXPANDED





COOLERS

6 AUDIO

# STORAGE

FRONT HOOD STORAGE RACK » 2882149 • **\$369** \*\* POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20 ONLY COMPATIBLE WITH STOCK BUMPER

> LOCK & RIDE BED EXTENDER

» 2881547 • **\$259** \*\* POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL° 1000/4 '16-20

LOCK & RIDE TIP-DOWN HEADACHE RACK

» 2882144 • **\$369** 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20

## CARGO BED MAT

» 2881933 · \$124 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20



LOCK & RIDE CARGO BOX

» 2881527 • **\$309** 99

POLARIS GENERAL° XP 1000/4 '20 POLARIS GENERAL° 1000/4 '16-20

Includes all mounting hardware for secure installation

LOCK & RIDE D-RINGS

» 2881545 • **\$30** 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20



LOCK & RIDE SPARE TIRE CARRIER

» 2881529 • **\$209** 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20



BEHIND SEAT STORAGE BAG

» 2882164 • **\*69** \*\* POLARIS GENERAL° XP 1000/4 '20 POLARIS GENERAL° 1000/4 '16-20




IN-DASH STORAGE BAG

» 2882165 • **\$46** 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20











» 2882158 • **\$84** 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20 Fits most 3.25" fire extinguishers (not included)





EASILY RECONFIGURE FOR ANY TASK **OR ANY TRAIL** 



LERS

ACC

SSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

# CAB COMFORT



» 2881316 • \$999 <sup>99</sup> POLARIS GENERAL<sup>®</sup> XP 1000/4 <sup>1</sup>20 POLARIS GENERAL<sup>®</sup> 1000/4 <sup>1</sup>16-20 Not Compatible with Rockford Fosgate<sup>®</sup> Stage 4 Audio Kits



WINDSHIELD WIPER & WASHER SYSTEM <sup>TOP SELLER</sup>

» 2881090 • **\*569 \*9** POLARIS GENERAL\* XP 1000/4 '20 POLARIS GENERAL\* 1000/4 '16-20



CONVEX REAR VIEW MIRROR

» 2881540 • **\*94** <sup>99</sup> POLARIS GENERAL<sup>®</sup> XP 1000/4 '20 POLARIS GENERAL<sup>®</sup> 1000/4 '16-20



FLOOR MATS

**PROTECT THE** 

LIVE THE LIFE

YOU LOVE.

GEAR YOU NEED.

» 2881934 • \$**124** 99

POLARIS GENERAL° XP 1000/4 '20 POLARIS GENERAL° 1000/4 '16-20



· LED dome light provides · Battery-operated, · F white, red, green and recharges when f blue lighting options vehicle is on a

» 2884047 • \$104 99 POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '19-20



PULSE POLARIS PULSE<sup>™</sup> LED LIGHT BAR HARNESS

• Required to easily add electric components

» 2883785 • <sup>\$</sup>84 <sup>99</sup> POLARIS GENERAL<sup>®</sup> XP 1000/4 '20 POLARIS GENERAL<sup>®</sup> 1000/4 '19-20



## KOLPIN STRONGHOLD<sup>®</sup> CASES



KOLPIN STRONGHOLD" GUN BOOTS

» XL TRANSPORT • 2882430\* • **\*99** POLARIS GENERAL\* XP 1000/4 '20 POLARIS GENERAL\* 1000/4 '16-20





KOLPIN STRONGHOLD<sup>®</sup> ICE ROD BOOT

» 2882428\* • • **119** <sup>99</sup> POLARIS GENERAL\* XP 1000/4 '20 POLARIS GENERAL\* 1000/4 '16-20



KOLPIN STRONGHOLD" ICE AUGER/ POP-UP BLIND BOOT

» 2882427\* • <sup>\$</sup>99 <sup>99</sup> POLARIS GENERAL<sup>®</sup> XP 1000/4 <sup>1</sup>20 POLARIS GENERAL<sup>®</sup> 1000/4 <sup>1</sup>16-20

## KOLPIN RHINO GRIPS<sup>®</sup> Ideal for bows & uncased guns




 2881575 • <sup>\$</sup>64 <sup>99</sup>

 POLARIS GENERAL\* XP 1000/4 '20

 POLARIS GENERAL\* 1000/4 '16-20



2884107 - \*79 99 POLARIS GENERAL' XP 1000/4 '20 POLARIS GENERAL' 1000/4 '16-20 » 2884108 • **\*69** <sup>99</sup> POLARIS GENERAL\* XP 1000/4 \*20 POLARIS GENERAL\* 1000/4 \*16-20



\*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)



 Remove to use as flashlight in and around vehicle



POLARIS ENGINEERED\*\*



# MADE EASY WITH PLUG & PLAY

- To install accessories, simply plug the harness into the Polaris PULSE<sup>®</sup> hub
- No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time

Look for  $\sqrt{P_{maximan}}$  to identify Polaris PULSE<sup>®</sup> ready accessories.





We would like to thank our partners Browning<sup>\*</sup> and Mathews<sup>\*</sup> for helping to deliver a successful and safe off-road experience when out in the field.

LOCK & RIDE RHINO GRIP" XL

» 2881574 • <sup>\$</sup>44 <sup>99</sup> POLARIS GENERAL<sup>®</sup> XP 1000/4 '20 POLARIS GENERAL<sup>®</sup> 1000/4 '16-20





RHINO GRIP<sup>®</sup> XL REPLACEMENT RUBBER STRAPS

» 2881621 • <sup>\$</sup>4 <sup>99</sup> POLARIS GENERAL<sup>®</sup> XP 1000/4 '20, POLARIS GENERAL<sup>®</sup> 1000/4 '16-20



» 2884109 • \$7 99 POLARIS GENERAL® XP 1000/4 '20, POLARIS GENERAL® 1000/4 '16-20



ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

COOLERS

RIDE COMMAND & AUDIO

LIGHTING

WINCHES & PLOWS



# **GRIZZLY TESTED.** POLARIS<sup>®</sup> APPROVED.



This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside.

Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.

POLARIS NORTHSTAR<sup>®</sup> COOLERS CAN SURVIVE JUST ABOUT ANYTHING -FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



30,60 8 105

» GRAPHITE • 2883426 • \$399 99

» DESERT • 2883392 • **\*399** \*\*

QUART FEATURES

ComfortCarry Handles

 $\langle Z \rangle$ 

TravelLock System



EasyOut Drain Systen

NoSlip Rubber Feet

~~~~

PolarWal

» GRAPHITE • 2883425 • \$309 99 » DESERT • 2881259 • \$309 99



IceLock Seal

30 QUART

» GRAPHITE • 2883424 • \$**239** \*\* » DESERT · 2881315 · \$239 \*\*







20 QUART SOFTSIDE » GRAPHITE • 2883390 • \$**159** \*\*

## ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO

| COOLER ACCESSORIES                      | 105 QUART                                                    | 60 QUART                                                           | 30 QUART                                                     | DON                                                                                         | 'T FORGET THESE ACCESS                                                                                                    | DRIES                               |
|-----------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| WIRE BASKET                             | 2883648 • <b>°41</b> **                                      | 2882185 • <b>*30</b> **                                            | 2882438 • <b>*25</b> **                                      | Q HOLINE                                                                                    | 0                                                                                                                         | -                                   |
| DIVIDERS<br>Doubles as<br>cutting board | 2883468 • <b>*30</b> <sup>99</sup><br>COMES WITH ONE DIVIDER | 2882184 • <sup>9</sup> 41 <sup>99</sup><br>COMES WITH TWO DIVIDERS | 2882186 • <b>*20</b> <sup>99</sup><br>COMES WITH ONE DIVIDER | 30 oz<br>TUMBLERS<br>» 30 0Z • 2883394 • <b>*25</b> **<br>» 20 0Z • 2883393 • <b>*20</b> ** | LOCK & RIDE<br>QUICKSTRAP<br>> 2882187 • <sup>6</sup> 41 <sup>99</sup><br>ALL COOLERS AND POLARIS<br>GENERAL' CARGO BOXES | <b>BOTT</b><br><b>2882</b><br>ALL C |
| SEAT CUSHION                            | NOT AVAILABLE                                                | 2882179 • <b>\$84</b> **                                           | 2882507 • <b>\$64</b> **                                     |                                                                                             | SENERAL SANGE BOXES                                                                                                       |                                     |
| WHEELS                                  | 2883967 • <b>*89</b> **                                      | 2882180 • * <b>94</b> **                                           | NOT AVAILABLE                                                |                                                                                             |                                                                                                                           |                                     |





CESSORIES

WINDSHIELDS & REAR PANELS

STORAGE, CAB COMFORT & HUNT

HOLDS ICE HOURS LONGER THAN YETI

\*YETI" is a registered trademark of YETI COOLERS. LL(



TTLE OPENER 382183 • **\$10** 99 L COOLERS

# RIDECOMMAND

# BUILT IN GPS WITH TOPOGRAPHY MAPS TO SEE YOUR LOCATION AND PLAN YOUR RIDE

- MEDIA PLAYER WITH BUILT IN AM/FM TUNER FOR ALL YOUR FAVORITE MUSIC
- GROUP RIDE FOR BUDDY TRACKING, TO SEE YOUR FRIENDS ON THE MAP, TRACK AND SHARE RIDE STATS ON THE DISPLAY OR RIDE COMMAND MOBILE APP

# **REVOLUTIONIZING THE OFF-ROAD** EXPERIENCE

### **RIDE COMMAND 7" DISPLAY**

- 7" High Bright Touchscreen visible in all conditions
- Displays critical vehicle information for fuel level, coolant temp and battery voltage
- Media player w/ built in AM/FM tuner Enhanced Group Ride capability to
- track and share your ride

## » 2884072 · \$1,549 99

POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20

TO VERIFY FITMENT FOR YOUR SPECIFIC MODEL & YEAR.

POLARIS.COM/ShopGENERAL

## • Dedicated shortcut buttons for

quick access to features Bluetooth" and USB smart phone connectivity

### Front camera support for better visibility on and off trai

POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '20

» 2884283 • **\$499** 99

Includes front camera

**N**NEW

RIDE COMMAND MOUNT KIT

• Mount Ride Command seamlessly into the dash for perfect fit & finish

· Comes with wiring harnesses needed and accessory components

VISIT POLARIS.COM/SHOPGENERAL



CHECK FOR FEATURE ENHANCEMENTS & UPDATES AT POLARIS.COM/RIDECOMMAND



## MODEL FITMENT: FACTORY INSTALLED

STOCK AUDTO **STAGE 1 AUDIO** KIT WITH PMX-P2

**STAGE 1** 

AUDIO KIT

**HEAD UNIT** 

STAGE 1

AUDIO KIT

PMX HEAD UNIT +

FRONT COAXIAL SPEAKERS

2884282 · \$899 99

PREMIUM

BASE

DELUXE

## PMX-P2 HEAD UNIT & FRONT COAXIAL SPEAKERS

• 2.7 inch full color display with AM/FM/WB tuner, Pandora" Control and Bluetooth" Connectivity • 50 Watt 6.5" front coaxial speakers

with enclosures and grilles

» 2884282 • \$**899** \*\*

**HEAD UNIT:** 

AUDIO:

NEW

POLARIS GENERAL® XP 1000/4 '20 POLARIS GENERAL® 1000/4 '16-20

PLUG

AND PLAY

ELEMENT

**READY**<sup>™</sup>

An industry first. A true factory installed integrated off-road audio

• REAR SPEAKERS, AMP & SUBWOOFER

Compatible with Stage 1 PMX-P2 Audio Kit

• 50 Watt 6.5" rear coaxial speakers with enclosures and grilles

• 200 Watt 10" subwoofe • 400 Watt 4-channel full range amplifier

» 2884544 • \$**1,199** 99

**bWX-b5** 

POLARIS GENERAL° XP 1000/4 '20 POLARIS GENERAL° 1000/4 '16-20







AUDIO



ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

COOLERS


LIGHTING

WHEELS & TIRES

WINCHES & PLOWS

RIDE CUMMA

21



2884437 · \$1.199 99

<sup>2</sup> jockford josqate.

NO LOSS OF

CARGO SPACE

**BLUETOOTH**<sup>®</sup>

CAPABLE



## ADVANCED TECH

RIGID<sup>®</sup> lights are driven by Aluminum PCB Smart Boards<sup>®</sup>, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac<sup>®</sup> UV protection polyester powdercoating.

## LIGHT BAR TYPES



## **SR-SERIES PRO**

Sleek, powerful, low-profile (under 2" tall). Lights extreme distances with low energy usage. Available in 10" & 32"

## LIGHT BAR OPTIONS

# output and efficiency.

ACCENT

OPTICS



Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot

POLARIS ENGINEERED\*\*

ADVANTAGES

RIGID<sup>®</sup> invests heavily in optical science

and has patented multiple optics and

optics systems, maximizing light



SEE THE RIGID® LIGHTING BUYERS GUIDE AT YOUTUBE.COM/POLARTSORV SEARCH "RIGID""

(25%10°)

SPOT (10°)/

**MOUNTS PERFECTLY** 

**RIGID<sup>®</sup> LIMITED** 

Designed for your Polaris Engineered™

bumper, roof or other mounting point

LIFETIME WARRANTY

we will replace or repair it for life.\*

If you own a RIGID<sup>®</sup> light and it breaks,

MAX PERFORMANCE Validated to work as hard as your machine does

**DOESN'T OVERTAX** Trust it to work when you need it to

## RUGGED CONSTRUCTION

Pro Armor<sup>®</sup> lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.






## **DUAL-ROW LED LIGHT BARS**

The most spread and farthest illumination downrange. Easy to mount. Available in Cube, 10", 20" & 30"

Powerful, compact, low-profile light bars with sleek look. Available in 11", 33" & 40"



## **BUILD YOUR** VISION

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.



## ADD A HARNESS TO MOUNT YOUR LIGHTS

|                                |                                                                                     | LIGHT BAR SET-UPS                                                                                                          |                                                                              |
|--------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| MODEL                          | 1 LIGHT IN<br>1 LOCATION ON<br>1 SWITCH                                             | 2 LIGHTS IN<br>2 LOCATIONS ON<br>1 SWITCH                                                                                  | 2 LIGHTS IN<br>2 LOCATIONS ON<br>2 SWITCHES                                  |
| <i>2019-2020</i><br>All Models | POLARIS PULSE™ LED<br>LIGHT BAR HARNESS<br>2883785   <sup>\$</sup> 84 <sup>99</sup> | POLARIS PULSE™ LED           LIGHT BAR HARNESS           2883785   \$84 99           Y-HARNESS           2879860   \$15 99 | POLARIS PULSE™ LED<br>LIGHT BAR HARNESS (x2)<br>2883785   \$84 <sup>99</sup> |

▲ No battery connection cables required on any model/model year POLARIS GENERAL" 1000.

■ \<u>PCULSE</u> All RIGID<sup>®</sup> and Pro Armor<sup>®</sup> lights are Polaris PULSE<sup>®</sup> ready.

COMPARE LIGHTS IN A REAL WORLD SETTING AT POLARIS.COM/LIGHTING

\* If RIGID® determines, in its sole discretion, that your product is defective in material or workmanship, RIGID® will honor your warranty claim. In some cases the product will replaced, depending on the specific timeframe of the purchase. If the product is repaired, all parts, labor, and return shipping may be covered by RIGID®

# **PROARMOR**.



MASSIVELY BRIGHT

Pro Armor<sup>®</sup> builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.






## SINGLE-ROW LED LIGHT BARS

## **CUBE LED LIGHTS**

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot

## SHOP & VERIFY VEHICLE FITMENT AT POLARIS.COM/ShopGENERAL







| COLOR           | PN                       |
|-----------------|--------------------------|
| RED (SET OF 4)  | 2880500 \$ <b>159</b> 99 |
| BLUE (SET OF 4) | 2880506 \$ <b>159</b> ** |



ACCESSORIES





# PROARMOR.

Each wheel and tire Pro Armor<sup>®</sup> designs for off-road vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris<sup>®</sup>.

## **TRIPLE-BELTED** SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor" makes tires with extra protection exactly where it's needed most - the sidewall

## 8 OR 10-PLY RATED

- Pro Armor<sup>®</sup> builds the toughest tires
- Higher ply ratings mean added protection

## INNOVATION

## **DUAL DUROMETER LUGS** (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- Soft durometer rubber on top of lug for sticky grip

## **DUAL COMPOUND TREAD** (Dual-Threat)

- Firm durometer rubber on center of tread for long wear life
- Soft durometer rubber on shoulders of tread for superior grip

# MILE RATED

Pile on the miles with Pro Armor<sup>®</sup> tires. Every tire is designed and constructed with longevity in mind. With ratings of 3,000 miles and beyond, you are assured long life and performance.

## KNOW YOUR TIRES

DIMENSIONS 28" × 9" R14

TREAD DEPTH A deeper tread means more grip in all conditions TIRE TIRE WHEEL HEIGHT WIDTH DIAMETER

WEIGHT performance

PLY RATING A lighter tire makes Indicates tire for improved vehicle puncture-resistance

SIDEWALL BELTS Increase your resistance to sidewall punctures


TIRE: DUAL-THREAT

LOAD RATING **Tires with higher** load ratings can handle more weight

WHEEL: BUCKLE ACCENT


• Extra deep treads Self-cleaning lugs

deal for both hard pack



|     |                                                       |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOA<br>RATI |
|-----|-------------------------------------------------------|----------------|----------------|----------------|---------------|-------------------|-------------|
| 14" | <b>28" × 10" R14</b><br>5415536 • \$199 <sup>99</sup> | FRONT/<br>REAR | 16mm           | <b>32</b> lbs  | 8             | 3                 | 1,140       |

|     |                                                                   |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATIN |
|-----|-------------------------------------------------------------------|----------------|----------------|----------------|---------------|-------------------|---------------|
| 14" | <b>30" × 10" R14</b><br>5415616 • \$229 <sup>99</sup>             |                |                | <b>38</b> lbs  |               | 3                 | 1,280         |
| 15" | <b>28" × 10" R15</b><br>5416346 • \$209 <sup>99</sup>             | FRONT/<br>REAR |                | 33 lbs         | 8             |                   | 1,100         |
| 15" | <b>30" × 10" R15</b><br>5416397 • <sup>\$</sup> 239 <sup>99</sup> |                |                | <b>39</b> lbs  |               |                   | 1,280         |





POLARIS.COM/ProArmorGENERAL

# BACKCOUNTRY/TRAIL



FRONT / REAR

## PRO ARMOR® MUD XC

• Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud

• Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life

• 10-ply construction, means added protection in the toughest terrain

|     |                                                       |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING   |
|-----|-------------------------------------------------------|----------------|----------------|----------------|---------------|-------------------|------------------|
| 14" | <b>29" × 10" R14</b><br>5416946 • \$209 <sup>99</sup> | FRONT/<br>REAR |                | <b>39</b> lbs  |               |                   | <b>1,390</b> lbs |
| 14" | <b>27" × 9" R14</b><br>5416947 • \$189 <sup>99</sup>  | FRONT          | 30mm           | <b>30</b> lbs  | 10            | 3                 | <b>1,170</b> lbs |
| 14" | <b>27" × 11" R14</b><br>5416948 • \$199 <sup>99</sup> | REAR           |                | <b>32</b> lbs  |               |                   | <b>1,320</b> lbs |



FRONT / REAR



## **PRO ARMOR® DUAL-THREAT**

• Dual-compound technology and radial construction offer performance in all terrains

· Softer durometer rubber on outer edge for overall superior grip and feel

Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

|     |                                                                   |       | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOA<br>RATI |
|-----|-------------------------------------------------------------------|-------|----------------|----------------|---------------|-------------------|-------------|
| 14" | <b>26" × 9" R14</b><br>5416340 • <sup>\$</sup> 169 <sup>99</sup>  | FRONT |                | <b>27</b> Ibs  |               |                   | 910         |
| 14" | <b>26" × 11" R14</b><br>5416341 • \$179 <sup>99</sup>             | REAR  | 10             | 30 lbs         | 10            | _                 | 1,110       |
| 14" | <b>29" × 9" R14</b><br>5416342 • \$209 <sup>99</sup>              | FRONT | 16mm           | 30 lbs         | 10            | 3                 | 1,110       |
| 14" | <b>29" × 11" R14</b><br>5416343 • <sup>\$</sup> 219 <sup>99</sup> | REAR  |                | 35 lbs         |               |                   | 1,320       |

## DUAL-COMPOUND = MORE GRIP + LONGER LIFE

# TRAIL DESERT SNOW

## **PRO ARMOR® ATTACK 2.0**

Engineered for excellent hard-pack performance

 Dual-compound technology and radial construction offer performance in all terrains

• Tight thread pattern for a quieter ride

|     |                                             |        | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING   |
|-----|---------------------------------------------|--------|----------------|----------------|---------------|-------------------|------------------|
| 15" | <b>28" × 10" R15</b><br>5416344 • \$209 \$9 | FRONT/ |                | <b>32</b> lbs  |               | _                 | <b>1,110</b> lbs |
| 15" | <b>30" × 10" R15</b><br>5416345 • \$239 99  | REAR   | 25mm           | 38 lbs         | 10            | 3                 | <b>1,235</b> lbs |

ATTACK 2.0 ATTACK

**TIGHTER TREAD PATTERN =** Better traction in hard pack

DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother

10-PLY RATED = Increased durability

LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction





## **PRO ARMOR® ATTACK**

• The best all-purpose tire for all-season traction in any terrain

Unique, full-face tread design

- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

|     |                                                       |        | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING   |
|-----|-------------------------------------------------------|--------|----------------|----------------|---------------|-------------------|------------------|
| 14" | <b>26" × 9" R14</b><br>5415613 • \$144 <sup>99</sup>  | FRONT  |                | 28 lbs         | 8             | 3                 | <b>910</b> lbs   |
| 14" | <b>26" × 11" R14</b><br>5415614 • \$159 <sup>99</sup> | - REAR | 23mm           | 32 lbs         |               |                   | <b>1,320</b> lb: |



## **PICKING THE RIGHT UTILITY TIRE**

5,000 Mile Rated Long life and performance Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches Turf-Friendly Easy on grass & farm yard Aramid Fiber Belt 5x times stronger than steel and lighter Wide Range of Sizes For exactly how you want to use your machine



FRONT / REAR

## **PRO ARMOR** HARVESTER®

FRON

REAR

FRONT

REAR

REAR

## **PRO ARMOR**<sup>®</sup> PRESERVE


TRAIL

**26" × 8" R12 •** FRONT • 5416396 • **\*179** \*\* 26" × 10" R12 • REAR • 5415966 • \$189 99 28" \* 10" R14 • FRONT/REAR • 5416347 • \$209 \*\* 27" \* 10" R14 • FRONT/REAR • 5415965 • \$189 \*\*









26" × 10" R12 • REAR • 5416402 • \$189 99 27" × 10" R14 • FRONT/REAR • 5416348 • \$189 99

| EIGHT            | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING   |
|------------------|---------------|-------------------|------------------|
| 4 <sub>Ibs</sub> |               |                   | 855 lbs          |
| 8 Ibs            | 10            | 3                 | <b>1,320</b> lbs |
| 9 Ibs            |               |                   | <b>1,320</b> lbs |
|                  |               |                   |                  |

|                  |       | TREAD<br>DEPTH | WEIGHT        | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING   |
|------------------|-------|----------------|---------------|---------------|-------------------|------------------|
| <b>12</b> "<br>↓ | FRONT | 31.7mm         | <b>28</b> lbs | 10            | 3/1<br>Aramid     | <b>855</b> lbs   |
| ↑<br>12"<br>↓    | REAR  | 31.7mm         | 32 lbs        | 10            | Aramid            | <b>1,100</b> lbs |
|                  |       |                |               |               |                   |                  |

## KNOW YOUR TERRAIN



## ldeal for both hard pack WHEEL & TIRE SETS UTILITY ROCK

💼 • Extra deep treads

Self-cleaning lugs

| T                                                      | TRAIL                             | MUD                           |                                  | UTILI                                        |
|--------------------------------------------------------|-----------------------------------|-------------------------------|----------------------------------|----------------------------------------------|
| <b>14</b> "<br>↓                                       | DUAL-THREAT<br>29"<br>3,000 Miles | MUD XC<br>29"<br>3,000 Miles  | ANARCHY<br>29.5"<br>3,000 Miles  | PRO ARMOF<br>HARVESTER<br>28"<br>5,000 Miles |
| AMPLIFY O                                              | 2883146                           | 2884265                       | 2882402                          | 2883225                                      |
| Accent                                                 | \$1,449 <sup>99</sup>             | \$1,429 <sup>99</sup>         | \$1,649 <sup>99</sup>            | \$1,449 <sup>99</sup>                        |
| AMPLIFY O                                              | 2883147                           | 2884266                       | 2882403                          | 2883226                                      |
| Matte Black                                            | \$1,339 <sup>99</sup>             | \$1, <b>329</b> <sup>99</sup> | \$1,549 <sup>99</sup>            | \$1,339 <sup>99</sup>                        |
| BUCKLE O                                               | 2883148                           | 2884260                       | 2881341                          | 2883220                                      |
| Accent                                                 | \$1,449 99                        | \$1,429 99                    | \$1,649 <sup>99</sup>            | \$1,449 <sup>99</sup>                        |
| BUCKLE O                                               | 2883149                           | 2884261                       | 2881342                          | 2883221                                      |
| Matte Black                                            | \$1,339 <sup>99</sup>             | \$1,329 <sup>99</sup>         | \$1,549 <sup>99</sup>            | \$ <b>1,339</b> <sup>99</sup>                |
| COMBAT<br>Accent<br>BEADLOCKS<br>PRE-MOUNTED           | 2883219<br>\$1,759 <sup>99</sup>  |                               |                                  |                                              |
| COMBAT<br>Matte Black<br>BEADLOCKS<br>PRE-MOUNTED      | 2883218<br>\$1,649 <sup>99</sup>  |                               |                                  |                                              |
| REBLR O<br>Matte Black<br>BEADLOCKS SOLD<br>SEPARATELY |                                   |                               | 2881385<br>\$1,649 <sup>99</sup> |                                              |
| SHACKLE O                                              | 2883150                           | 2884263                       | 2881353                          | 2883222                                      |
| Accent                                                 | \$1,449 <sup>99</sup>             | \$1,399 <sup>99</sup>         | \$1,649 <sup>99</sup>            | \$1,449 <sup>99</sup>                        |
| SHACKLE O                                              | 2883151                           | 2884264                       | 2881354                          | 2883223                                      |
| Matte Black                                            | \$1,339 <sup>99</sup>             | \$1,299 <sup>99</sup>         | \$1, <b>549</b> <sup>99</sup>    | \$ <b>1,339</b> <sup>99</sup>                |
| SIXR O<br>Luster                                       |                                   |                               |                                  |                                              |
| SIXR O                                                 | 2883152                           | 2884262                       | 2881369                          | 2883224                                      |
| Matte Black                                            | \$1,339 <sup>99</sup>             | \$1,299 <sup>99</sup>         | \$1,549 <sup>99</sup>            | \$ <b>1,339</b> <sup>99</sup>                |
| SPLIT O<br>Matte Black                                 |                                   |                               |                                  |                                              |

| 15"                                               | TRAIL                                    |                                  | ROCK                             |                                          |  |  |  |
|---------------------------------------------------|------------------------------------------|----------------------------------|----------------------------------|------------------------------------------|--|--|--|
| ÷                                                 | ATTACK 2.0                               | ATTACK 2.0                       | CRAWLER XG                       | CRAWLER X                                |  |  |  |
|                                                   | 28"                                      | 30"                              | 28"                              | 30"                                      |  |  |  |
|                                                   | 3,000 Miles                              | 3,000 Miles                      | 3,000 Miles                      | 3,000 Miles                              |  |  |  |
| CYCLONE                                           | 2883160                                  | 2883169                          | 2883188                          | 2883179                                  |  |  |  |
| Accent                                            | \$1,399 <sup>99</sup>                    | \$1,549 <sup>99</sup>            | \$1,399 <sup>99</sup>            | \$ <b>1,599</b> <sup>99</sup>            |  |  |  |
| CYCLONE                                           | 2883159                                  | 2883168                          | 2883187                          | 2883178                                  |  |  |  |
| Matte Black                                       | \$1,289 <sup>99</sup>                    | \$1,449 99                       | \$ <b>1,289</b> 99               | \$ <b>1,499</b> 99                       |  |  |  |
| FLARE                                             | 2883158                                  | 2883167                          | 2883186                          | 2883177                                  |  |  |  |
| Accent                                            | \$1,399 <sup>99</sup>                    | \$1,549 <sup>99</sup>            | \$1,399 <sup>99</sup>            | \$ <b>1,599</b> <sup>99</sup>            |  |  |  |
| FLARE                                             | 2883157                                  | 2883166                          | 2883185                          | 2883176                                  |  |  |  |
| Matte Black                                       | \$1,289 <sup>99</sup>                    | \$1,449 <sup>99</sup>            | \$1,289 <sup>99</sup>            | \$ <b>1,499</b> <sup>99</sup>            |  |  |  |
| HALO<br>Accent<br>BEADLOCKS<br>PRE-MOUNTED        | 2883162<br>\$ <b>1,699</b> <sup>99</sup> | 2883171<br>\$1,859 <sup>99</sup> | 2883190<br>\$1,699 <sup>99</sup> | 2883181<br>\$ <b>1,909</b> <sup>99</sup> |  |  |  |
| HALO<br>Matte Black<br>BEADLOCKS<br>PRE-MOUNTED   | 2883161<br>\$1,599 <sup>99</sup>         | 2883170<br>\$1,759 <sup>99</sup> | 2883189<br>\$1,599 <sup>99</sup> | 2883180<br>\$ <b>1,809</b> <sup>99</sup> |  |  |  |
| HEXLR O<br>Accent<br>BEADLOCKS<br>SOLD SEPARATELY | 2883154<br>\$ <b>1,599</b> <sup>99</sup> | 2883163<br>\$1,759 <sup>99</sup> | 2883182<br>\$1,599 <sup>99</sup> | 2883173<br>\$ <b>1,809</b> <sup>99</sup> |  |  |  |
| WYDE O                                            | 2883156                                  | 2883165                          | 2883184                          | 2883175                                  |  |  |  |
| Accent                                            | \$1,399 <sup>99</sup>                    | \$1,549 <sup>99</sup>            | \$1,399 <sup>99</sup>            | \$ <b>1,599</b> <sup>99</sup>            |  |  |  |
| WYDE O                                            | 2883155                                  | 2883164                          | 2883183                          | 2883174                                  |  |  |  |
| Matte Black                                       | \$1,289 <sup>99</sup>                    | \$1,44999                        | \$1,289 <sup>99</sup>            | \$ <b>1,499</b> 99                       |  |  |  |
| O LUG NUTS REQI                                   | O LUG NUTS REQUIRED                      |                                  |                                  |                                          |  |  |  |



## **AMPLIFY** O

FRONT WEIGHT: 13 lbs | LOAD RATING: 900 lbs | OFFSET: +4 REAR WEIGHT: 14 lbs | LOAD RATING: 1,300 lbs | OFFSET: -9 14" × 7" 1522956-266 **\$144<sup>99</sup>** ACCENT: FRONT RFAR 14" × 8" 1522957-266 \$15999 MATTE BLACK: FRONT 14" × 7" 1522956-458 \$12499 14" × 8" 1522957-458 \$1349 RFAR

## BUCKLE 0

| FRONT<br>REAR |        |               | • | FING: 900 lbs   (<br>ING: 1,300 lbs |                    |
|---------------|--------|---------------|---|-------------------------------------|--------------------|
| ACCEN         | T:     | FRONT<br>REAR |   | 1522544-266<br>1522545-266          |                    |
| MATTE         | BLACK: | FRONT<br>REAR |   | 1522544-458<br>1522545-458          | \$12499<br>\$13499 |

## **COMBAT** (BEADLOCK RINGS INCLUDED)

FRONT/REAR WEIGHT: 16 lbs | LOAD RATING: 1,600 lbs | OFFSET: +38 ACCENT: FRONT/REAR 14" × 7" 1523284 \$**199**99 MATTE BLACK: FRONT/REAR 14" × 7" 1523283 \$209<sup>99</sup>

|   | 14" FORGED BEADLOCK I<br>Only used on REBLR              | RINGS<br>PART # | MSRP               |
|---|----------------------------------------------------------|-----------------|--------------------|
|   | Voodoo Blue                                              | 1522244-619     | \$ <b>84</b> 99    |
| ₿ | Machined                                                 | 1522244-266     | \$ <b>84</b> 99    |
| C | White                                                    | 1522244-133     | \$ <b>84</b> 99    |
|   | Indy Red                                                 | 1522244-293     | \$ <b>84</b> 99    |
| E | Orange Crush                                             | 1522244-589     | \$ <b>84</b> 99    |
| F | Matte Black -<br>Replacement<br><i>Only used on HALO</i> | 1523146-458     | \$54 <sup>99</sup> |

15" FORGED BEADLOCK RINGS PART #

Matte Black -Replacement F 1523147-458 \$59 st

MSRP



REBLR O (REQUIRES BEADLOCK RINGS)

14" × 7" 1522238-458 **\$219**99

14" × 8" 1522239-458 \$219\*\*

14"×7" 1521507-521 **\$11499** 

14" × 8" 1521508-521 **\$124**99

14" × 7" 1521507-410 **\$144**99

14" × 8" 1521508-410 \$14999

14" × 6" 1522542-458 **\$124**\*\*

14" × 8" 1522543-458 **\$134**99

CYCLONE

## FRONT/REAR

WEIGHT: 17.1 lbs | LOAD RATING: 1,300 lbs | OFFSET: +4 ACCENT: FRONT/REAR 15" × 7" 1523184-266 **\$134**99 MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458 \$11499

**HALO** (BEADLOCK RINGS INCLUDED)

FRONT/REAR WEIGHT: 17 lbs | LOAD RATING: 1,600 lbs | OFFSET: +38 ACCENT: FRONT/REAR 15" × 7" 1523282

\$229<sup>99</sup> MATTE BLACK: FRONT/REAR 15" × 7" 1523266 \$2099

## FRONT/REAR WEIGHT: 13.5 lbs | LOAD RATING: 1,300 lbs | OFFSET: +55

FRONT/REAR 15" × 7" 1522550-266 \$209\*

MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458 \$189\*\*

WEIGHT: 17.8 lbs | LOAD RATING: 1,300 lbs | OFFSET: +4

WEIGHT: 16 lbs | LOAD RATING: 1,300 lbs | OFFSET: +38 ACCENT: FRONT/REAR 15" × 7" 1522435-458 \$239\*

HEXLR O (REQUIRES BEADLOCK RINGS)

ACCENT: FRONT/REAR 15" × 7" 1523102-266 \$134\*

MATTE BLACK: FRONT/REAR 15" × 7" 1523102-458 \$11499

ACCENT:

FRONT/REAR

FRONT/REAR

O LUG NUTS REQUIRED

REAR

FRONT

REAR

REAR

REAR

RFAR 14" × 8" 1522547-266 **\$144**99 14" × 7" 1522546-458 \$12499 14" × 8" 1522547-458 \$12499 RFAR

REAR WEIGHT: 14 lbs | LOAD RATING: 1,300 lbs | OFFSET: -9 ACCENT: 14" × 7" 1522546-266 **\$14499** FRONT MATTE BLACK: FRONT

## **SIXR** O

MATTE BLACK: FRONT

G SPLIT O

MATTE BLACK: FRONT

LUSTER:

MATTE BLACK: FRONT

SHACKLE O

FRONT WEIGHT: 10.5 lbs | LOAD RATING: 900 lbs | OFFSET: +4

REAR WEIGHT: 12.5 lbs | LOAD RATING: 1,300 lbs | OFFSET: -9

FRONT WEIGHT: 9.5 lbs | LOAD RATING: 900 lbs | OFFSET: +4

REAR WEIGHT: 10.75 lbs | LOAD RATING: 1,300 lbs | OFFSET: -9

REAR WEIGHT: 14.5 lbs | LOAD RATING: 1,300 lbs | OFFSET: -9

FRONT WEIGHT: 13 lbs | LOAD RATING: 900 lbs | OFFSET: +4



CRAWLER XG 💁

3.000 Miles

2882396

\$1,549 <sup>99</sup>

2882397

\$1,449 <sup>99</sup>

2881560

2881561

\$1,449 99

2883211

\$1,859 99

2883210

\$1,759 99

2881558

\$1 549 99

2881559

\$1,449 <sup>99</sup>

2881564 \$1,549 <sup>99</sup>

2881563 \$1,449 99

\$1.549 99

Industry leading anti-puncture side walls Purpose-built, long lasting tread pat

CRAWLER XR

3.000 Miles

288239/

288239

\$1,239 <sup>99</sup>

2881343

\$1.339 99

2881344

\$1,239 99

2883213

\$1,649 <sup>99</sup>

2883212

\$1,549 <sup>99</sup>

2881386 \$1,549 <sup>99</sup>

2881355

\$1,339,99

2881356

\$1,239 99

2881371

\$1,339 <sup>99</sup>

2881372

\$1,239 99

\$1.339 99



**POLARIS**<sup>®</sup>

MATTE

BLACK

LUSTER

MATTE

BLACK

MATTE

BLACK

MATTE

**BLACK** 

LUSTER

MATTE

BLACK

O LUG NUTS

REQUIRED

16 SPLINED LUG NUTS

**4 SPLINED LUG NUTS** 

WITHOUT WRENCH

12mm x 1.5 SPLINED

LUG WRENCH

WITH WRENCH ADAPTER

PRO ARMOR®

LUSTER AMPLIFY, BUCKLE,

HEXLR

LUSTER AMPLIFY, BUCKLE,

WYDE

COMBAT, CYCLONE FLARE, HALO, REBLR

THRASHER, HEXLR

12mm × 1.5 SPLINED LUG NUTS

SHACKLE, SIXR

COMBAT, CYCLONE

SHACKLE, SIXR

FLARE, HALO, REBLR

• Flexible "grippy" tread Aggressive side bite

1521509-410

1521509-521

1522243-410

1522243-458

G.

5453209-410

5453209-458

1523063-458

1523015-410

1523015-458

\$10 99

\$**10** 99

\$**20** 99

\$**2N** 99

\$10 99

\$**1N** 99

\$**1N** 99

\$**10** 99

\$10 99

2879332

\$**36** <sup>99</sup>

2879331

2204966

\$12 99

\$**R** 99

REPLACEMENT CAPS

|         | -        |
|---------|----------|
|         | 2        |
| R       | Г        |
| - m     | z        |
| Þ       |          |
| 5       | 3        |
| $\sim$  | ~        |
| ъ       | <u>+</u> |
| Þ       | Ξ        |
| ~       | m        |
| <u></u> | _        |
|         |          |
| ·       | ഗ        |
| ഗ       | ~        |
|         |          |

| Β  |
|----|
| 22 |
|    |



|   |   | ٠ |  |
|---|---|---|--|
|   |   | 1 |  |
| ۲ | T |   |  |

COLBY VALVE SHORT **ULTIMATE VALVE - 2 PACK** 

» 2883293 · \$36 99



COLBY COMBO VALVE KIT (16 PACK)

- Includes 8 ultimate valves and 8 emergency valves
- » 2883294 · \$579 99



**PURCHASE** COMPLETE SETS AS LISTED

VISIT Polaris.com/ProArmorGENERAL TO BUILD YOUR CUSTOM SET & VERIFY FITMENT Exclusively at Polaris<sup>®</sup> Authorized Dealers or Polaris.com/ProArmorGENERAL

# WINCHES

| STED 1,200+<br>LIS AT MAX LOAD                                        | FULLY         BUILT TO WITHSTAND                   |                                                                                                                   |                                                                                                    |                                                            |                                                                        | or 66" Blades »Choice of 17"                                                                                                                                                                                                      | R <sup>®</sup> Pro HD Gi                                                                                                                                     | IVES YOU<br>»Manual angle system standard                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FEATURES<br>ALL POLARIS ENGINEERED®<br>VINCHES COME WITH:             | HOOK WITH S                                        | HEAVY DUTY SERIES<br>DINNECTION TO POLARIS PULSE" SYSTEM<br>TRAP<br>ARS & SEALED DRIVETRAIN<br>ANENT MAGNET MOTOR | CREATE Y<br>PLOW SYS<br>MODELS<br>POLARIS GE<br>XP 1000/4<br>'20<br>POLARIS GE<br>1000/4<br>'16-20 | STEM         SELECT A MOUNT           MOUNT         NERAL* | T STEP 2<br>SELECT A FRAME<br>FRAME<br>2880260   \$46999<br>TOP SELLER | STEP 3                                                                                                                                                                                                                            | 2880270   <sup>\$</sup> 469 <sup>99</sup><br>66" Poly<br>2880269   <sup>\$</sup> 419 <sup>99</sup><br>66" Steel<br>2880268   <sup>\$</sup> 369 <sup>99</sup> | STEP 5           SELECT ACCESSORIES           ACCESSORIES           72" Blade Snow Deflector 2858541   \$64 <sup>99</sup> 72" HD Wear Bar 2879875   \$109 <sup>99</sup> 72" Wear Bar 2204976   \$54 <sup>99</sup> 66" Blade Snow Deflector 2879866   \$84 <sup>99</sup> 66" HD Wear Bar 2879868   \$104 <sup>99</sup> 66" Wear Bar 2879868   \$104 <sup>99</sup> 66" Wear Bar 2879868   \$104 <sup>99</sup> 66" Wear Bar 2872762   \$30 <sup>96</sup> 5kid Shoe 2205071   \$25 <sup>93</sup> Shear Pin 2205527   \$7 <sup>99</sup> Replacement T Shear Pin 2204829   \$5 <sup>99</sup> Extension for Tracks 2880267   \$259 <sup>93</sup> NEW Heavy Duty Deflector 2884160   \$149 <sup>98</sup> |
| Set Dial to ROPE RECOVERY (H)<br>for 5x Faster Rope Recovery          |                                                    | NOT AVAILABLE                                                                                                     |                                                                                                    | ACIER(H                                                    | 0                                                                      |                                                                                                                                                                                                                                   | CIER® HD GI<br>of poly or steel                                                                                                                              | <b>VES YOU</b><br>»Manual angle system standard                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| AUTO STOP TECHNOLOGY                                                  | WITH ALUMINUM FAIRLEAD                             | ADD AUTO STOP UPGRADE<br>2881288 • \$104 99<br>SYNTHETIC ROPE REQUIRED<br>WITH STEEL ROLLER FAIRLEAD              |                                                                                                    |                                                            |                                                                        | BEST FOR                                                                                                                                                                                                                          | POLY BLADE CORROSION RESISTANCE                                                                                                                              | <b>DURABLE BLADES</b><br>Choose a steel blade for longevity<br>and increased rigidity or a<br>lightweight non-stick, poly blade<br>that's easier on plowing surfaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| line stress and plow overlifting                                      |                                                    | ADD SYNTHETIC ROPE<br>2879187 • <b>*134 **</b>                                                                    | CREATE V<br>PLOW SYS<br>MODELS<br>POLARIS GE<br>XP 1000/4<br>'20                                   | STEM SELECT A MOUNT                                        | STEP 2<br>SELECT A FRAMEFRAME2882927   \$469\$                         | STEP 3       SELECT A LIFT METHOD       WINCHES       Polaris" HD 4500 lb. Winch       2883860   \$619 <sup>99</sup> PoLARIS GENERAL" XP 1000/4 '20       POLARIS GENERAL" 1000/4 '19                                             | STEP 4<br>SELECT A BLADE           BLADES           66" Poly<br>2880269   \$419 <sup>99</sup> 66" Steel                                                      | STEP 5           SELECT ACCESSORIES           ACCESSORIES           66" Blade Snow Deflector 2879866   \$8499           66" HD Wear Bar 2879868   \$10499           66" Wear Bar 2879867   \$5499           Plow Marker 2872726   \$3099                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| WIRELESS REMOTE                                                       |                                                    | ADD WIRELESS REMOTE<br>2881287 • <b>*134</b> 99                                                                   | <b>POLARIS GE</b><br><b>1000/4</b><br>'16-20                                                       | NERAL"                                                     |                                                                        | Polaris <sup>®</sup> HD 4500 lb. Winch           2881099   \$61989           Polaris GENERAL* 1000/4 '16-18           Polaris <sup>®</sup> HD 3500 lb. Winch           2881098   \$51989           Polaris GENERAL* 1000/4 '16-18 | 2880268   <sup>\$</sup> 369 <sup>99</sup>                                                                                                                    | Skid Shoe 2205071   <sup>\$</sup> 25 <sup>99</sup><br>Shear Pin 2205527   <sup>\$</sup> 7 <sup>99</sup><br>Replacement T Shear Pin 2204829   <sup>\$</sup> 5 <sup>99</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| MODEL<br>LARIS GENERAL" XP 1000/4 '20<br>LARIS GENERAL" 1000/4 '19-20 | 4,500 LB.<br><b>2883861</b><br>\$879 <sup>99</sup> | 4,500 LB.<br><b>2883860</b><br>\$619 99                                                                           |                                                                                                    |                                                            |                                                                        | OR PRO® TRACK MOUNTS                                                                                                                                                                                                              | ppeper                                                                                                                                                       | TOR PRO' TRACK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

• Install in place of tires and wheels.

Tracks sold separately.

# **PLOWS & TRACKS**



## PROSPECTOR PRO® TRACK MOUNTS

## PROSPECTOR PRO® TRACK

## » 2880758 • \$**4,999** \*\*

POLARIS GENERAL® 1000/4 '16-20 If using Glacier® Pro Plow System, Track Plow Extension is required (2880267)



# SPECIFIC NEEDS, SPECIFIC OILS

Polaris<sup>®</sup> invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performance-are the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris<sup>®</sup> lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must produce an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris<sup>®</sup> 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

## PS-4 FULL-SYNTHETIC OIL

PS-4 is optimal for ambient operating temperatures of -40° F to 100° F

### OUR FORMULATION

- Full-synthetic formula with wide, 5W-50 viscosity range
   Extreme cold weather flow and
- Extreme cold weather now and startup protection
   Maximum rust and corrosion protection
- Proprietary anti-wear additive system
- rioprietary anti-wear additive system

» 1 Gallon

2876245

» 1 Ouart

2876244

## All-weather engine protection Easy starting in all conditions

Internal engine protection from

YOUR ADVANTAGE

» 55 Gallon Drum 🔹 330 Gallon Tote

2878814

- extreme temperature fluctuations and periods of non-use or storage
- Reduced friction, protects cams, pistons, bearing and valvetrain components from wear

2876246

## PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

PS-4 Extreme Duty is optimal for ambient operating temperatures of 0° F to 130° F

» 16 Gallons

2879003

## OUR FORMULATION

- Extreme high-temperature
- engine protection Full-synthetic formula with strong, 10W-50 Viscosity Range
- Protects against rust and corrosion of internal engine parts during periods of non-use or storage

» 1 Gallon

2878919

- extreme heat, stress and sustained high RPM conditions Extremely shear stable, maintains
- viscosity under heat and stress
- Protects engine from moisture that can build up inside the engine as a result of extreme temperature fluctuations

YOUR ADVANTAGE

High-strength film protection withstands

# OIL CHANGE KITS

These convenient kits include everything you need to change your oil. The correct filter and oil volume for your vehicle.

| IPS-4       | PS-4                                                                  | EXTREME DUTY |
|-------------|-----------------------------------------------------------------------|--------------|
| PART NUMBER | VEHICLE FITMENT                                                       | PART NUMBER  |
| 2202166     | RANGER®/RZR®/SPORTSMAN® 570,<br>TWIN 600, TWIN 700, TWIN 800          | 2879004      |
| 2879323     | RANGER®, POLARIS GENERAL®, RZR®<br>900/1000, RS1                      | 2879324      |
| 2877473     | RANGER"/ SPORTSMAN" 300-500,<br>SPORTSMAN"/SCRAMBLER"<br>500/850/1000 | 2878924      |
| 2881696     | RZR° TURBO                                                            | 2881697      |
|             |                                                                       |              |

## OIL DEVELOPMENT

» 16 Gallons

2876247

POLARIS<sup>®</sup> INVESTS IN EACH OIL AT AND ABOVE THESE LEVELS. **12** DEDICATED TEAM MEMBERS

FOCUSED ON

POLARIS<sup>®</sup> OIL

»lOuart

2878920



2879002

DEVELOPMENT & TESTING

» 55 Gallon Drum » 330 Gallon Tote

2879001





DYNO TESTING FI





ENGINEERED PARTS & LUBRICANTS

## FOR THE LIFE OF YOUR RIDE ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants" that are tested and perfected to deliver excellent total engine protection for the life of your ride.

## WHAT COUNTS IN OIL TESTING:

Does it protect the engine at high temperatures?
 Does it keep the engine free from carbon and buildup?

3. Does the oil hold its viscosity over time?

## ENGINE CHECKPOINTS

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris<sup>®</sup> engineers focus on key areas within the engine, some of the most critical ones include:

**RING LANDS:** Poor oxidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of power, combustion blow by and fuel dilution of the oil.

**PISTON RINGS:** During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

**ROD BEARINGS:** Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

**CAMSHAFT:** Direct Acting Overhead Camshafts are used on many Polaris<sup>®</sup> Prostar<sup>®</sup> Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

# MAINTENANCE FLUIDS

### OIL

Maximum protection for your 4-cycle engine. Exclusive anti-wear additives protect your engine and extend the life of engine components.

Change every 100 hours, 6 months or 500 miles.

## AGL

Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or high heat environments

### Change every 100 hours, 12 months or 1000 miles

» 1 OT. • 2878068 » 1 GAL. • 2878069 » 2.5 GAL. • 2878070 » 55 GAL. • 2879594

PREMIUM GAS

SHOCK OIL

» 1 QT. • 2870995

» 2.5 GAL. • 2872279


FOX° REBUILDABLE

SHOCKS

### SUSPENSION/ U-JOINT GREASE

A heavy-duty lubricant formulated with molybdenum disulfide to accept the high shock applications of Polaris® ATV shaft drive universal joints.

» 3 OZ. • 2871515



CHAIN LUBRICANT » 16 OZ. AEROSOL 2872348

ALL-SEASON GREASE TUBE » 3 OZ. • 2871322 » 14 OZ. • 2871423



## ANGLE DRIVE FLUID »1 QT. • 2876160 » 2.5 GAL. • 2872276



# TIRE SEALANT

## HOW IT WORKS

Tire sealant remains liquefied inside your tire until a leak develops in the tire or wheel.

## DOT 4 BRAKE FLUID

A high-quality brake fluid designed for use in Polaris" hydraulic brakes. Superior high-temp characteristics plus anticorrosive additives extend the life of brake system components and provide consistent, positive braking.

Change every 200 hours, 2000 miles or every 2 years. » 12 OZ. • 2872189

»1 OT. • 2880514 »1 GAL. • 2880513 » 55 GAL. • 2880512

Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and promote positive engagement Change every 100 hours or yearly

» 1 QT. • 2877922 » 2.5 GAL. • 2877923

# CLEAN



Once a leak occurs, the tire sealant rushes out of the tire and quickly creates a permanent solid plug.

The plug maintains the pressure of the tire so you can continue your ride.

## Add every 50 hours, 3 months or 500 miles.

» 14 OZ. • 2871551

10WT GAS

SHOCK OIL

»1 QT. • 2874124

REBUILDABLE SHOCKS

WALKER EVANS



## ANTI-FREEZE

Organic acid technologies to prevent corrosion on metal components, eliminate scaling, and maximize cooling system performance.

### Change every 60 months.

## DEMAND DRIVE FLUID

## LUBRICANT ACCESSORIES

## GREASE GUN KIT

## » 2871312 • **\$39** 99

FITS 2871322 ALL-SEASON AND 2871322 U-JOINT 3 OZ.

### 2D BATTERY-OPERATED SIPHON PUMP

- Liquid transfer pumps 5-6 quarts/min suctioning power
- Use with gas, water, oil, and other non-corrosive liquids
- » 2830513 · \$16 99

### FLEX SPOUT

- Convenient easy pour flex spout fits all Polaris" quart, gallon, and 2.5 gallon bottles
- » 2871285 \$3 49

### PUMP

- Attaches to 1- or 2.5-gallon bottle for easy, no-drip dispensing
- » 2870465 · \$7 99

### ORV MAINTENANCE KIT

- Everything you need, in the correct fluid volumes, to maintain your drive train, and keep your vehicle in top operating condition
- Includes: 1.5 qts. AGL, 1 qt. Angle Drive Fluid, 1 pint Demand Drive Fluid, 1-3 oz. tube of All-Season Grease
- » 2880425

## CARBON

Prevents ethanol corrosion, stabilizes fuel, and cleans fuel injectors, piston ring lands, intake systems, and combustions chambers. Helps maintain peak HP and improves fuel economy

» 12 OZ. • 2881413

### ADVANCED FUEL TREATMENT

Prevents ethanol corrosion and stabilizes fuel for up to 2 years. Dual-antioxidant formula protects against gum and varnish for easy starting.

» 12 OZ. • 2881416 » 2.5 GAL. • 2881417

## **PREMIUM TIRE SEALANT**

- Instantly seals and repairs rim, bead leaks, and punctures up to 1/4" on standard tires, and 3/4" on heavy ply tires
- Helps maintain air pressure for the life of the tire
- Helps seal the tire bead against the whee • 100% water soluble for easy cleanup
- » 32 OZ. 2830484 \$**20** 99
- » 1 GALLON 2830485 \$72 99
- » 5 GALLON · 2830486 · \$298 99
- » 5 GALLON PUMP 2830487 \$133 99

- Will not rust, corrode, or pit wheels
- Creates permanent repair
- Remains fluid and effective in temperatures down to -45° F
- Easily installed through existing tire valve stem with valve core removed
- » 55 GALLON 2830489
- » 275 GALLON 2830488

# FOR THE LIFE OF YOUR RIDE

## MAINTENANCE TTP

## **BREAK-IN PERIOD**

The break-in period for your new GENERAL® is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

SEE OUR LATEST MAINTENANCE TIPS AT POLARIS.COM/MAINTENANCE-VIDEOS

## **AIR FILTERS**

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris<sup>®</sup> recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is subject to severe conditions

## **BRAKE PADS**

Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion or warning.

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be discarded and replaced.

Discs need to be cleaned with brake cleaner or alcohol based cleaner only.

## HALF SHAFT

Extreme elements can contribute to axle failure when grease escapes the joint. This usually occurs if the CV boot becomes compromised. Full replacement or part specific available.

## BATTERIES

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer\*, P. 42. Be sure to check for corrosion from the terminals to the ends of the cables.



CHANGE



ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRTVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

> EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



**BRAKE PADS** & FLUID: INSPECT & CLEAN REPLACE AS NEEDED

SPARK PLUGS: INSPECT REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



ENGINE OIL: CHANGE

BATTERY: TEST. CLEAN. & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TIRES: INSPECT CONDITION **8 PRESSURE** 

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



ENGINE OIL: CHANGE

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TRANSMISSION FLUID: CHANGE

EXHAUST SYSTEM: **INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

50 HRS/500 MI

MAINTENANCE SCHEDULE



EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

> DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

25 HRS/250 MI



ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & CLEAN REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

## POLARIS<sup>®</sup> ENGINEERS PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY.

We build our products so anyone with the right tools can maintain their vehicle from their own garage - and get them back on the trails where they belong.

## DRIVE BELTS

Polaris Engineered" belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

### BREAK-IN PERIOD

- Use lower gear (if available) while varying speeds and avoiding wide open throttle for 5-10 miles
- If no low gear is available, vary at moderate speeds while avoiding wide open throttle for 50 miles

### OUR INVESTMENT

& clutch engineers

## **VOUR ADVANTAGE**

• 20,000 miles of field testing Thousands of dvno hours

• 18+ months of development

(3,000+ design hours) per belt

• 1200+ vehicle validation hours

Collaboration with powertrain

- No clutch recalibration
- Less wear & tear due to heat
- · Ensure maximum vehicle performance
- More time riding, less time wrenching
- Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

## **OIL FILTERS**

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

500 HRS/5000 MI

MONTHS

ENGINE OIL:

AIR FILTER:

COOLANT:

INSPECT, CLEAN

REPLACE AS NEEDED

CHECK LEVEL

**GEARCASES:** 

**REPLACE EVERY 2 YEARS** 

CHECK OIL LEVEL

**EXHAUST SYSTEM:** 

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

**INSPECT & CLEAN** 

CHANGE


**OWNER'S MANUAL** FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-SPECIFIC TIMING PARTS & GARAGE

8 TRAILERING



All Polaris<sup>®</sup> parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts. These heavyduty parts are engineered for riders who want greater durability and enhanced performance. HD Parts are designed and tested to handle greater wear and tear under all weather conditions. This means longer ride times with less service interruptions and related costs.





DUST



MUD



**EXTREME** COLD DOWN TO -40° F

## SUSPENSION BOOTS\*

- Thicker, stronger boot material better withstands cuts and tears
- Prevents the intrusion of water and contaminants, increasing joint life
- More resistant to cracking due to aging

## BRAKE PADS<sup>\*</sup>

- Longer wear life
- Improved braking in wet & muddy conditions
  - mud and debris • Longer life between service and replacement
    - · Specifically designed for Polaris<sup>®</sup> vehicles

WHEEL

**BEARINGS**\*

• Utilizes a triple lip seal for

improved protection against



**EXTREME** HEAT UP TO 130° F

## LUBRICANTS\*

- Increased tread life
- Material and design for enhanced puncture resistance

TIRES\*

- protection • Increased rust and corrosion protection
- Reduced chance of thermal breakdown in high-temp environments

## POLARIS.COM/ShopGENERAL

38

- \*Claims made based off testing and performance of Polaris" HD Parts against standard OEM parts made by Polaris" and competitor brands under normal use.



## HEAVY PAYLOADS

High-temperature engine



**BATTERIES**\*

Improved starting in cold/poor conditions means increased performance of accessories and longer vehicle operation.

- Larger Capacity Measured in Ah (Ampere Hours) HD batteries store more energy
- Higher Output Measured in CCA (Cold Cranking Amps) HD batteries deliver more power when starting and power more auxiliary items

VISIT POLARIS.COM/HDPARTS TO LEARN MORE

# SERVICE PARTS

# Polaris Engineered<sup>™</sup> service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered<sup>™</sup> parts is a decision that pays off in the long run, because it ensures there is a long run.



## SHOP FOR SERVICE PARTS ONLINE OR VISIT YOUR POLARIS® DEALER.

## CHECK OUT OUR **PARTS FINDER ON POLARIS.COM** FOR EASY PARTS LOOK-UP, PARTS IDENTIFICATION, VIEWS OF ASSEMBLIES & MORE!



**STEP 1** 

Visit **Polaris.com/GENERAL** Click "**Parts & Service**" tab Click "**Service Parts**"



# **STEP 2**

Enter **vehicle year/model** or shop by **part number** 





# **STEP 3**

Clearly see what parts are required and **order** 



## DAVE THAN, FRONT HALF SHAFT - RISHO CLARK DENEMAL 1999 2PS (20 Room to Room Out 201828 © 2017 Polaris Indu 1215.00 -\*\*\* ..... ABACKINGS JOINT INS JOINT 12 id id -INTERCOLINATION AND INTERCOL Distant. 121144 -323476 Don't Phane 340.00 -ADD INVERION 1114.00 CRCA18044P9-208 1214 -CORDER NO.

DISIMU.

OHO.M.1 (002 24%-2010

CHEMICHERSON TRANSPORT

PARTS & GARAGE

IL & LUBRICANTS

MAINTENAN

HD PARTS

SERVICE PARTS

BATTERY & LIFTS

VEHICLE CARE & TRAILERING

41

-

\*\*\*

62.99

811.70



# **BatteryMINDer®**

## **ENSURE YOUR RIDE IS READY WHEN YOU ARE.**

- · Add years of capacity, power and range to new and older batteries, regardless of type or brand
- Never over- or under-charged in any temperature
- Leave your vehicle connected for months and return to fully charged and conditioned batteries

 Recover older or weak batteries that would normally need to be replaced

 Charge and maintain extra backup batteries as well as those in your vehicle

 Automatic turn-on, sleeps while keeping your batteries at full charge · Easy push-button selector to change battery type or time

|                                               |                                                                                   |                                                                                                                                                                                                                   | THE REAL PROPERTY IN CONTRACT OF CONTRACT. | S.                                                                                                                                                                                                                                                                                            | BATTERY<br>MAINTENANCE<br><b>TIPS</b>                                                                                                                                                                                                                                                                                                                                                                                      |  |
|-----------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| PART NUMBER   PRICE                           | 2012 AGM 2-AMP<br>2830438   <b>\$99</b> <sup>99</sup>                             | 2012 LEAD ACID<br>2 AMP<br>2830531   \$ <b>89</b> <sup>99</sup>                                                                                                                                                   | 1510 1.5 AMP<br>2830404   \$ <b>64</b> <sup>99</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 1.5 AMP<br>CONVERTIBLE<br>2830511   <b>°74</b> <sup>99</sup>                                                                                                                                                                                                                                  | Extend your battery life<br>with a BatteryMINDer®                                                                                                                                                                                                                                                                                                                                                                          |  |
| VOLTAGE   WARRANTY                            | 12 V   5 Years                                                                    | 12 V   5 Years                                                                                                                                                                                                    | 12 V   10 Years                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 12 V   5 Years                                                                                                                                                                                                                                                                                | and these tips.                                                                                                                                                                                                                                                                                                                                                                                                            |  |
| OVERCHARGE PROTECTION<br>BATTERIES MAINTAINED | 6 at o                                                                            | Yes Yes                                                                                                                                                                                                           | 4 at c                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | one time                                                                                                                                                                                                                                                                                      | <ol> <li>Store batteries in a cool,<br/>dry location.</li> <li>Check that the battery<br/>connections are tight. Cables</li> </ol>                                                                                                                                                                                                                                                                                         |  |
| BATTERY COMPATIBILITY                         | 12 V Sealed AGM Lead-Acid  • Non-fused battery clip cord set with Quick Connector | 12 V Flooded (filler ca<br>BC-2410: 2' Non-fused<br>battery clip cord set with<br>Quick Connector<br>RTA-2415: 2' Fused ring<br>terminal cord set with<br>Quick Connector<br>ATS-1: Ambient<br>Temperature Sensor | <ul> <li>Ambient<br/>temperature sensor<br/>(installed)</li> <li>12' power cord</li> <li>Battery clip cord set<br/>with Quick Connector</li> <li>Optional permanent<br/>mounting tab</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                            | <ul> <li>Auto-temp<br/>compensation sensor<br/>(installed)</li> <li>Optional permanent<br/>mounting brackets 6<br/>screws</li> <li>Battery clips<br/>(fully-insulated, aircraft<br/>grade, 15A replaceable fuse)</li> <li>Ring terminal assembly<br/>with 15A replaceable<br/>fuse</li> </ul> | <ul> <li>should not be able to be<br/>rotated or shifted by hand.</li> <li>3. If your battery has a drain<br/>tube, make sure it is free<br/>of clogs.</li> <li>4. Clean your battery - use a<br/>soft brush to scrub the top of<br/>the battery. Use baking soda<br/>to remove grease.</li> <li>5. Connect a BatteryMINDer<sup>*</sup><br/>after using your vehicle even<br/>if the vehicle is in regular use.</li> </ul> |  |
| KEY FEATURES                                  | Designed for high-<br>performance specialty AGM<br>sealed batteries               | Diagnoses battery's<br>condition - can predict<br>failing batteries                                                                                                                                               | Easy to use,<br>economical                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Convertible<br>on-vehicle<br>or bench top use                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                            |  |

## BatteryMINDer® ACCESSORIES

POLARIS.COM/ShopGENERAL



BatteryMINDer 12' CABLE

• Made with heavy-duty 16 gauge black zip cord featuring automotive SAE nectors bullet cor

» 2830410 • \$12 99

42



BatteryMINDer<sup>®</sup> BatteryMINDer<sup>®</sup> SPLITTER VPP-12:12/24 VOLT VEHICLE POWER PLUG

 Allows easy connection to Connect two batteries vehicle's battery through simultaneously for easy lighter or 12/24V power port battery maintenance with replaceable 15 amp fuse Cap includes a set of ring » 2830518 • **\$9** \*\*

terminals » 2830409 • \$24 99



### BattervMINDer<sup>®</sup> RING TERMINAL

 Features 24-inch long 18-gauge wire

Plug has standard 5/16" negative and 3/8" positive terminals

Replaceable 15 amp in-line fuse for circuit protection

» 2830437 • \$**9** \*\*



BattervMINDer<sup>®</sup> EZ CONNECT

 Allows for quick and easy connecting and disconnecting of your

BattervMINDe Includes a set of ring terminals

» 2830411 • \$34 99

POLARIS<sup>®</sup> 33" TELESCOPIC MAGNET

» BLACK • 2830435 • \$4 99



 12,000 mAh capacity. Two 5V/2.1A USB outputs, 200-lumen flashlight, and a digital battery life monitor. Includes storage case, smart jumper cables, car charger, wall charger, and user guide • 1-year limited warranty.

to be stored in your glovebox and holds its charge so you can count on it when it's needed.

» 2830495 • **\$119** \*\*

## SHOP ACCESSORIES



POLARIS® MAGNETIC

PARTS TRAY







remove grease nect a BatteryMINDer® fter using your vehicle even the vehicle is in regular use.

f your battery has a drain ıbe, make sure it is free of clogs. lean your battery - use a oft brush to scrub the top of he battery. Use baking soda



# 01I LUBRICANTS

# SERVICE PARTS

BATTERY & LIFTS

VEHICLE CARE & TRAILERING

# IT SECURELY IT SAFELY

## POLARIS<sup>®</sup> VEHICLE LIFT

- Get fast, easy access to the underside of your vehicle
- Manual and pneumatic operation available
- Raises vehicle up to 32" to make repairs and maintenance faster and eas

» 1200 LBS • 2830424 • \$699 99

## 32.25"

## LIFT ATTACHMENTS

- Add the appropriate attachment to use your lift for all your off-road vehicles
- » ATV/POLARIS ACE° 2830427 **\$169** 99 » SNOWMOBILE • 2830426 • \$169 99



42 5





## POLARIS<sup>®</sup> X3 CREEPER

- Three positions: flat, 45-degree angle or seated work stool
- Helps you perform any repair with ease
- · Stay dry and warm away from cold, wet cement floors
- Easily stores away when not in use

» BLACK • 2830429 • \$149 \*



POLARIS<sup>®</sup> 12" HI-TORQUE RATCHETING DRIVER

» BLACK / BLUE • 2830434 • \$19 98




POLARIS" LED POCKET FLASHLIGHT

» BLACK · 2830436 · \$24 99


# CV BOOT **REPAIR KIT**

- A quick trail side fix to increase trail time
- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- Universal fit works as a temporary fix for most powersports axles • All components fit inside the cone, and a cover is provided for
- compact durable storage
- · Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations

Refer to your owner's manual for further instructions and torque specifications.



# unner & lower hall inints



CLEANER

non-streak. foam

grease, dirt and film

leaving an invisible,

long-lasting results.

large end first. See package for outer hoot instructions \*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair

**Items shown are** 

contained inside cone



## PROFESSIONAL GRADE CLEANERS

## VEHICLE

VEHICLE & EQUIPMENT WASH

Concentrated professional grade formula powers through vehicle buildup, dirt and rough vehicle buildup, dirt and h a spot-free rinse. Treat up to

## SHOP

## ALL-PURPOSE CLEANER PLUS

## **& DEGREASER**

## TRAILERING






## ALUMINUM ARCHED LOADING RAMPS

»76" × 12" • 2,000 lb • 2875384 • \$219 99 »88" × 12" • 3,000 lb • 2875386 • \$359 98

 Capacity for up to 1,500 lb Safety straps included » 72" × 51" • 2875385 • \$**239** \*\*


HITCHES.







» 2" x 2" RECEIVER 2830522 • **\$39** \* » 1 1/4" x 1 1/4" RECEIVER 2830523 · \*39 \*\*







3/4" SHANK » 1 7/8" BALL • 2877602 • \$12 99

» 2" RECEIVER TONGUE 2875320 · \$41 99 » FRONT HTTCH RECEIVER 2878846 · \$124 9

# » 2" BALL • 2877603 • \$12 99

TRAILER BALL

## **COVERS**

HITCH



TRAILERABLE COVER BY POLARIS

» 2-SEAT · 2881841 · \$369 99 POLARIS GENERAL® 1000 '16-20 » 4-SEAT • 2881787 • \$419 99 POLARIS GENERAL® 4 1000 '17-20

### MUD SHIELD<sup>®</sup> PRE-TREATMENT **NEVER RUST SPRAY®** · Inhibits the adhesion of dirt, mud, and snow, making Synthetic formula highly resistant to water cleaning your vehicle faster and easier. protects against rust and corrosion while lubricating metal surfaces. » 16 OZ. AEROSOL • 2830208 • \$9 99 » 16 OZ. AEROSOL • 2830209 • \$10 95

CLEAN I

| XP WASH <sup>®</sup>                                                                                                               | XP SPRAY WASH                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul> <li>Foaming, highly-<br/>concentrated wash easily<br/>removes the most<br/>stubborn and intense dirt<br/>build-up.</li> </ul> | <ul> <li>Effortless biodegradable,<br/>high-performance wash<br/>ideal for removing dirt, oils<br/>and carbon-simply spray<br/>on, spray off and go.</li> </ul> |
| » 32 0Z. • 2830203 • \$ <b>10</b> 99                                                                                               | » 32 OZ. • 2830202 • \$ <b>12</b> \$\$                                                                                                                          |

## gradable e wash ng dirt, oils ply spray go. 12 . \$**1 2** 99

PRE-TREAT

## SHINE I

## POLARIS POLISH

 Easy protection and shine-spray on, wipe off, and go. For ideal use on painted and plastic surfaces.

Contains carnauba wax

» 12 OZ. • 2830207 • \$**7** 99


## SHINE & DETAILER

protects plastic and painted surfaces.

## **CLEAN YOUR SHOP**

## TOWELS

## POLARIS<sup>®</sup> SHOP TOWELS



» 200 CT WITH DISPENSER 2830402 • \$**22** 99 » 200 CT REFILL • 2830403 • \*15 \*\* » 64 CT REFILL • 2830440 • \$4 99





# INSTANT

Spray and wipe formula-cleans, polishes, and

» 16 OZ. • 2830204 • \$8 99

**POLARIS<sup>®</sup> HEAVY-DUTY** 

### ALL-PURPOSE GLASS CLEANER Professional grade, Heavy-duty foam non-streak formula cuts formula cuts through through grease, dirt.

dried bugs and film leaving a crystal clear dirt-resistant barrier for dirt-resistant barrier for ong-lasting results. » 16 OZ. • 2830205 • **\$9** 99 » 16 OZ. • 2830443 • \$**4** \*\*

1 GAL. • 2830417 • **\*16** \*\* » 5 GAL. • 2830422 • \$**59** \*\*

sional-grade formula re o stains from shop floo s, and other hard surfa

»1GAL.•2830414•\$**16** \*\* » 5 GAL.•2830416•\$**59** \*\*

HD CLEANER

al-grade, bio

»1GAL.•2830418•**\$19** \*\*

» 5 GAL. • 2830420 • \$**79** \*\*

# install clamps.

UTV CV BOOT

Kit includes the following items:

• (1) Expandable XL CV Boot

• (1) Reusable Cone Tool

(1) Tube of Silicone Lube


(2) CV Boot Clamps

(1) Grease Packet

» 2830526 · \$29 99

• (1) Cone Cover

REPAIR KIT



SEE HOW THE CV BOOT REPAIR KIT WORKS

AT POLARIS.COM/MAINTENANCE-VIDEOS

FIX ON THE GO | TEMPORARY COVERAGE

UTV TRAIL

BOOT ONLY

ATV

» 2830527 · \$14 99

» CV REPAIR KIT

2830528 · \$25 99


» TRAIL BOOT ONLY

2830529 · \$14 99

**CLEAN YOUR VEHICLE** 

Spread silicone lube on entire cone tool, Slide boot over cone tool, Side boot over cone tool, S





ANTS

MAINTENANCI

Н

PARTS

SERVICE

E PARTS

BATTERY & LIFTS

## LIGHTWEIGHT TRI-FOLD RAMPS

- Ramp folds up for transport
- » 82" × 51" 2875860 \$**279** \*\*



BRING IT

- Ramp folds up for transport
- Capacity up to 3,000 lb

EVERYWHERE

- Safety straps included
- »88" × 12" 2875387 \$**289** \*
- STRAPS & ROPES



RECOVERY STRAP

- 2" x 30' (18,000 lb)
- Comes with carry bag
- » 2884033 **\*54** \*\*



### RATCHET STRAP

- 1.5" x 15' straps, 2 Pack
- Heavy duty webbing
- 5,500 lb. maximum load, 1,833 lb. working load
- » 2884031 **\$41** 99



## RATCHET STRAP

- 2" x 20' Ratchet Straps
- Heavy duty webbing, floating D-rings, double J-hooks
- 10,000 lb. maximum load, 3,300 lb. working load
- » 2884032 **\$30** 99



## SHOCK STRAPS

- 1.5" 3000 lb breaking strength
- Keeps tension on tie-down straps to secure load, 2 Pack
- » 1.5" x 15' · 2883296 · \*79 99
- » 1.5" x 7' · 2883295 · \*69 \*\*



### POLARIS<sup>®</sup> SxS CAMO FIELD COVER

» 2882160 • \$**124** 99 POLARIS GENERAL® 1000/4 '16-20

# **RIDING JERSEYS & GLOVES**



ADVENTURE



## FABRIC TECHNOLOGY DESIGNED TO KEEP YOU COOL

Cooling fabric designed with sun protection in mind. Our chemical-free fabric Coolcore® reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest attainable, blocking 98% of harmful UV rays. Available in long and short sleeve.

## LAYERING

FULL ZIP MID LAYER S-3XL | \$74.99 BLACK/PINK | 2860564

· Enhanced fit for full range of movement · 280 grams of breathable fleece



S-3XL | 2860549

MEN'S GRAY/BLUE S-3XL | 2860548

S-3XL | 2868512



46

# **COOLING SHIRTS**

APPAREL & HELMETS

OUTERWEAR & PROTECTION

LIFESTYLE & CAPS

CAMO & GIFTS

WOMEN'S LONG SLEEVE COOLING SHIRT S-3XL | 2860640 | \$44.99

SHORT SLEEVE COOLING SHIRTS MEN'S WOMEN'S S-3XL | 2860634 | \$34.99 S-3XL | 2860636 | \$34.99





• Wind blocking layer on chest • 280 grams of breathable fleece

MEN'S BLACK

# **HELMETS**

# **FOR** POLARIS

## **509<sup>®</sup> ALTITUDE HELMET**

### \$**229**99 STYLISH, LIGHTWEIGHT HELMET WITH 509° FIT AND FINISH

| SHELL                                | FEATURES                                                                                              |
|--------------------------------------|-------------------------------------------------------------------------------------------------------|
| Thermoplastic poly alloy outer shell | <ul> <li>Revolutionary neck brace-ready shell profile</li> <li>Specially designed expanded</li> </ul> |
| WEIGHT                               | polyurethane chin insert<br>• Eight intake/exhaust vents                                              |
| • 1260 grams                         | Universal camera mount included                                                                       |

· Removable breath box included • Three outer shell molds across eight sizes for excellent fit DOT- and ECE 22.05-approved



S-4XL | 2868539



S-4XL | 2867819

\$**399**99

S-4XL | 2867818

S-4XL | 2867820

S-4XL | 2867817

## **509<sup>®</sup> ALTITUDE CARBON HELMET**

## DURABLE, ULTRA LIGHTWEIGHT, CARBON FIBER

## SHELL

 Full carbon fiber shell WEIGHT

• 1100 grams

- FEATURES Fidlock<sup>®</sup> magnetic chin strap technology, easy-on/off technology Revolutionary neck brace-ready shell profile • Removable breath box included • Universal camera mount included
- Eight intake /exhaust vent ports Fully convertible for winter and summer use Three outer shell molds across eight sizes for excellent fit • DOT- and ECE 22.05-approved



S-4XL | 2867815



## GOGGLES

## KINGPIN 509<sup>®</sup> DIRT GOGGLE

PREMIUM MATERIALS, ATTRACTIVE PRICE

FEATURES

· Oversized spherical lens delivers optimal peripheral vision



• Quick-Change technology allows you to run the best lens tint for conditions



\$**54**99

CARBON MATTE

S-4XL | 2867814



## **TENACITY HELMET**

## ALL THE STYLE & PROTECTION IN OUR MOST AFFORDABLE HELMET

FEATURES

| SHELL<br>• Injection-molded plastic |
|-------------------------------------|
| WEIGHT                              |
| • 1450 grams                        |

• Stay cool when pushing the limits with oversized mouth intake and top yents with six rear exits • Stay warm on cold days with optional breath deflect or insert (sold separately)



XS-2XL | 2868619

XS-2XL | 2868621



**TEKVEST**<sup>®</sup> ULTIMATE PROTECTION





**TEKVEST® SUPERSOFT** S-3XL | 2862190 |\$429.99

• Zip-off fleece collar diffuses rising body heat

to reduce fogging Large arm openings for unrestricted movement

 Drop-tail design for extended coverage 2-stage pockets

· Large arm openings for unrestricted movemen

· Use off-roading and/or snowmobiling

cooling airflow

2868670

OUTERWEAR & PROTECTION

LIFESTYLE & CAPS

CAMO & GIFTS

· Removable, machine-washable liner keeps

\$**109**99

- things fresh ride after ride
- DOT- and ECE 22.05-approved

RED GLOSS XS-2XL | 2868623

BLUE GLOSS XS-2XL | 2868622

**BLACK/GRAY** XS-2XL | 2868620

PINK GLOSS XS-2XL | 2868624



**TEKVEST® FREESTYLE** S-3XL | 2862189 |\$349.99

- Strong, protective ultra high molecular weight panels cover shoulders
- Front and rear mesh panels promote



TEKVEST® SHOULDER PADS S-3XL | 2862192 |\$99.99

- Strong and protective Ultra High Molecular Weight Polyethylene
- Adjustable bicep strap
- Quick-attach design for installation or removal in seconds



TEKVEST<sup>®</sup> YOUTH S-3XL | 2862191 | \$289.99

- Adjustable side straps and arm straps
- Strong, protective ultra high molecular weight panels cover shoulders
- Large arm openings for unrestricted movement

# OUTERWEAR



## NEW FLANNEL JACKET

Stylish and warm flannel shirt/jacket with front snap closure available in 2 colorways. Soft yet durable brushed flannel on the outside lined with warm Sherpa fleece on the inside. Available in Men's sizing S-3XL.

## Ample storage with 5 total pockets:

- External pockets include 2 chest and 2 hand pockets with snap closures
- One internal pocket with zip closure



BRONZE

S-3XL | 2860864

NEW WORK JACKET

This warm and rugged jacket was engineered to be tough enough for work and stylish enough for play. The outer fabric is crafted with Nylon 6, a durable, non-stretch woven fabric that is rugged and tear resistant but feels like a soft, comfortable material. Protection and warmth with 100% nylon shell coated with durable water repellency (DWR).

\$**159** 99

GREEN

S-3XL | 2860862

### External features:

- Superior Durable Water Repellent (DWR) treatment provides water-resistance in the elements • Four external pockets for maximum gear storage
- Customized fit with Velcro® wrist closure cuffs
- Internal features:
- 80 gram 3M® Thinsulate for warmth on chilly days Built in action back provides comfortable movement and
- increased range of motion
- Internal zipper pocket Brushed flannel trim





SOFTSHELL JACKET

\$**129** 99

LIGHTWEIGHT PERFORMANCE THAT'S SURPRISINGLY WARM AND PERFECT FOR EVERYDAY WEAR

WOMEN'S



## **HEATED VEST**



HEATED VESTS S-3XL | \$199.99 WOMEN'S GRAY | 2869923 MEN'S GRAY | 2869924



## **JACKETS**

**APPAREL & HELMETS** 

OUTERWEAR & PROTECTION

LIFESTYLE & CAPS

CAMO & GIFTS

NEW NAVY S-3XL | 2860545

· DWR prevents precipitation from saturating the jacket's exterior

- Three external and one internal pocket
- Lined with 280 grams of soft fleece for warmth
- Removable hood and underarm venting

S-3XL | 2869918

BLUE/ORANGE S-3XL | 2869919

**RAIN SUIT** 







RAIN JACKET GRAY S-3XL | 2869527 | \$99.99

RAIN PANTS GRAY S-3XL | 2869528 | \$84.99


- 100% waterproof lightweight and packable nylon
- YKK° Zippers
- Rain jacket has removable hood

# LIFESTYLE





S-3XL | \$54.99 GRAY/BLUE | 2860567 BLACK/PINK | 2860615



QUARTER ZIP S-3XL | \$59.99 WOMEN'S BLACK | 2860550 WOMEN'S PURPLE | 2860551 MEN'S BLACK | 2869535 MEN'S GRAY | 2869536

\_\_\_\_\_\_





WOMEN'S ROSEAU TEE S-3XL | \$24.99 BLACK | 2868586 **PURPLE FROST** | 2860591 GRAY FROST | 2869559

MEN'S ESTA TEE S-3XL | \$19.99 NEW OLIVE HEATHER | 2860589 CHARCOAL | 2869552 NAVY | 2869562

POLARIS

## **CAPS**



One-Size | \$24.99

**PINK** | 2860614

CAMO TRUCKER HAT PATCH CORE HAT BLACK | 2860613

DURING

\$24.99 BLACK S/M | 2868579 BLACK L/XL | 2868580 NAVY S/M | 2868581 NAVY L/XL | 2868582



PATCH TRUCKER HAT One-Size | \$24.99 BLACK | 2860597 NAVY | 2860598

RETRO TRUCKER HAT One-Size | \$24.99 GRAY/RED | 2869542 GRAY/BLUE | 2869543



POLARIS GENERAL<sup>®</sup> HAT \$24.99 GRAY S/M | 2868748 GRAY L/XL | 2868749

GENERAL

POLARIS GENERAL<sup>®</sup> TEE S-3XL | \$24.99 GRAY | 2868767



INCH FURTHER

DASH SNAPBACK HAT One-Size | \$24.99 BLACK | 2860595 GRAY | 2860596



KNIT PATCH BEANIE One-Size | \$19.99 BLACK | 2860601 **GRAY** | 2860602



CORE SNAPBACK HAT One-Size | \$24.99 BLACK | 2867762 NAVY | 2869544



FLEECE REVERSIBLE BEANIE One-Size | \$19.99 CAMO/GRAY | 2868648 CAMO/BLAZE ORANGE | 2867756


## CAMO








MEN'S CAMO TEE S-3XL | \$24.99 GRAY | 2860709 BLACK | 2860710



WOMEN'S CAMO TEE S-3XL | \$24.99 BLACK | 2860836 OLIVE | 2860837



CAMO HOODIE S-3XL | \$54.99 WOMEN'S | 2867898 MEN'S | 2867879

## BARWARE





POLARIS<sup>®</sup> FLASK WHISKEY ROCKS 2860812 | \$**24**99

POLARIS° WOODEN COASTERS WITH BOTTLE OPENER 2860869 | \$**24**99

# **RECREATION/GARAGE**

2860813 | \$**24**99





CARD DECK 2860816 | \$**14**99



POLARIS° WOOD SIGN (10.5"x 24") 2860866 | \$**74**99



54 POLARIS.COM/ShopGENERAL \_\_\_\_\_\_

## **GIFTS & BRANDED MERCHANDISE**







CREDIT CARD BOTTLE OPENER 2860818 | \$**14**99

BEER FLIGHT SAMPLER 2860814 | \$**49**99

PINT GLASS (Set of 2) 2860815 | \$**19**99



PREMIUM COOZIE 2860829 | \$**7**99



18 OZ STEEL CAMO WATER BOTTLE 2867962 | \$**19**99

POLARIS<sup>®</sup> STEEL SIGN (14"x 36") 2860868 | \$**129**99



POLARIS° ALUMINUM SIGN (22") 2860867 | \$**129**99

OUTERWEAR & PROTECTION

LIFESTYLE & CAPS

CAMO & GIFTS

# FIND YOUR NEXT ADVENTURE

GENERIA

V OF POLARIS INDUSTRIES INC 509" is a





 $\square W$ 🗆 Da 🗆 Ro  $\Box Cc$ 

□ St 🗆 Lig 

> 🗌 Oi  $\square M$

 $\Box A$  $\square H$ 

## **BUILD THE** MACHINE **TO TAKE YOU THERE**

Customize your POLARIS GENERAL® with exactly what you need to ride comfortably and explore farther than you've ever gone before.









## CHOOSE

ACCESSORIES

## EXPERIENCE OFF-ROAD LUXURY

| /indshield & Rear Panel | P. 08 |
|-------------------------|-------|
| oors                    | P. 10 |
| oof                     | P. 12 |
| ab Comfort              | P. 16 |
|                         |       |

## NEXT LEVEL VERSATILITY

| torage         | P. 14 |
|----------------|-------|
| ighting        | P. 22 |
| /heels & Tires | P. 24 |
| linches        | P. 30 |
|                |       |

## THE RIGHT STUFF TO MAINTAIN YOUR POLARIS GENERAL®

| il & Lubricants | P. 32 |
|-----------------|-------|
| laintenance     | P. 34 |

## **EVERYTHING YOU NEED TO GEAR UP**

| pparel  | P. 46 |
|---------|-------|
| lelmets | P. 48 |

## BUILD YOUR OWN AT **POLARIS**.com/GENERAL



MY20 GENERAL APP ACCUS · 9931024