

2 0 2 1



RANGER | RZR | GENERAL | SPORTSMAN

POLARIS
OFF ROAD



LET THE OUTSIDE CHALLENGE
WHAT'S INSIDE YOU.





Exploration, accomplishment, adventure—all are waiting off the beaten path. That's why every day you're pursuing new experiences and discoveries. Wherever you ride, and whatever your passion, there's a Polaris off-road vehicle ready to help you explore every inch of the world.



TABLE OF CONTENTS

POLARIS ADVENTURES	4
RIDE COMMAND	5
RANGER	6
RZR	12
GENERAL	18
SPORTSMAN	22
YOUTH	30
ACCESSORIES	31
SPECIFICATIONS	32



EXPERIENCE THE WORLD LEADER IN OFF-ROAD ADVENTURE.

When you take a seat on a Polaris off-road vehicle, you're joining the largest community of riders in the world. And whether it's industry-leading technology, an unmatched dealer network, the largest offering of accessories, or try-before-you-buy and destination riding programs, we go beyond the mechanical to make your off-road experiences the most complete they can possibly be.

DEALER NETWORK

Made up of nearly 3,000 dealers worldwide, our dealer network is second to none. And our commitment to them has resulted in strong relationships with people who are as dedicated as we are to exceptional customer service that educates riders and keeps you where you want to be—out on the off-road.

POLARIS ADVENTURES

Much more than a vehicle rental program, Polaris Adventures takes riders to incredible destinations for an unforgettable experience far beyond the everyday. Suitable for every riding level, these premier adventures partner you with certified experience Outfitters who are experts in Polaris vehicles—giving riders approachable, safe and memorable adventures of a lifetime.



POLARIS RIDECOMMAND

PLAN. TRACK. SHARE. CONNECT.

RIDE IN CONFIDENCE WITH INDUSTRY-LEADING TECHNOLOGY SHOWING THE WAY.



PLAN YOUR RIDE

RIDE COMMAND makes confidently planning and navigating your routes easy by adding multiple stops and waypoints, and you can even share your planned route with friends.

KEEP YOUR GROUP IN SIGHT

With Group Ride you can ride at your own speed and still keep fellow riders in sight, even if you get split up—because rides are meant to be shared.

STAY THE COURSE

With a wealth of over 750,000 miles of downloaded maps and trails available offline, you'll know just where to go, whether you have cellular coverage or not.

RELIVE YOUR RIDE

With 3D flyovers you can track and go over your completed rides, and share your favorite routes with friends even after the ride is over.

LEARN MORE AND DOWNLOAD AT
RIDECOMMAND.POLARIS.COM




7" TOUCH-SCREEN DISPLAY

AVAILABLE ON RIDE COMMAND MODELS



CONFIGURABLE GAUGES

Customize the riding experience by choosing which features you want to see on your in-dash display.



BLUETOOTH® CONNECTIVITY

Seamlessly pair to your display via Bluetooth® to wirelessly stream music and stay connected with call and text alerts.



FRONT AND REAR CAMERAS

Whether navigating over rocky terrain or connecting a trailer, you'll know how to navigate with full view of your surroundings.



PLOW MODE

Plow Mode makes plowing quick and easy by automatically adjusting the plow position depending on the gear you're in. Drop, drag and push to remove snow easier than ever before.

FEATURES VARY BASED ON MODEL.



AS RELIABLE AND HARDWORKING AS YOU ARE.



RANGER

WORLD'S #1 SELLING UTILITY SIDE-BY-SIDE

You always give 100%, and RANGER is built the same way. Which is why RANGER has been the world's most-trusted utility side-by-side for farmers, ranchers, hunters and homeowners for more than a decade.





HARDEST WORKING, SMOOTHEST RIDING



STRONGEST

Enduring quality and durability you can rely on each and every day. With ease-of-service, less downtime and quiet operation that's made to last.

MOST CAPABLE

The confidence to work hard and play hard, with the ability to handle any terrain, get tough jobs done, ride harder and go further.

MOST COMFORTABLE

A legendary smooth ride and plush seating keep you comfortable all day long with purposeful storage for work and play.



A RANGER FOR EVERY OCCASION.

No matter the job, no matter the trail, there's a Polaris RANGER for you with an unmatched combination of strength, capability and comfort.

RANGER 1000

THE PERFECT COMBINATION OF PRICE & PERFORMANCE

For those who value getting things done, [RANGER 1000](#) is optimized for work with a smooth 61HP and 55lb-ft of low-end torque. And with 2,500lbs of towing capacity and a full-body skid plate for added durability and protection, you get more capability, confidence and value for your dollar than ever before.

CONTROL IN CHALLENGING TERRAIN

6-Ply 26" Tires, 12" Wheels

RIDE OVER OBSTACLES IN YOUR WAY

12" Ground Clearance

PERFECTLY BALANCED POWER

61 Horsepower

THE TRACTION YOU NEED, WHEN YOU NEED IT

True On-Demand All-Wheel Drive

HAUL MORE CARGO WITH CONFIDENCE

1,000lb Box Capacity,
2,500lb Towing Capacity

RANGER XP 1000

THE ULTIMATE UTILITY SIDE-BY-SIDE

Defined by uncompromising toughness, the [RANGER XP 1000](#) over delivers in every way. The industry's ultimate utility side-by-side has the highest ground clearance, the most box capacity and new premium features to help you outlast even the longest days.

ASSURED GRIP & STYLE IN ANY TERRAIN

6-Ply 27" Tires, 14" Wheels

RIDE UP OVER IT ALL

13" Ground Clearance

MORE POWER TO WORK AND PLAY

82 Horsepower

THE TRACTION YOU NEED, WHEN YOU NEED IT

True On-Demand All-Wheel Drive

HAUL MORE CARGO WITH CONFIDENCE

1,000lb Box Capacity,
2,500lb Towing Capacity

RANGER XP 1000 NORTHSTAR EDITION

THE ULTIMATE IN OFF-ROAD CLIMATE CONTROL

No matter the weather, NORTHSTAR's sealed cab and factory-installed HVAC system will give you the confidence to go forward. And with 82HP and an industry-leading 2,500lbs of towing capacity, you'll enjoy unrivaled productivity with unmatched comfort.



CREW MODEL AVAILABLE



CREW MODEL AVAILABLE
Specs May Vary

NORTHSTAR PREMIUM

ALL FEATURES FROM XP 1000 PLUS:

PREMIUM PROTECTION FROM THE ELEMENTS
Pro Shield™ Cab System

CONFIDENCE TO OVERCOME ANY SITUATION
4,500lb Winch

NORTHSTAR ULTIMATE

ALL FEATURES FROM PREMIUM PLUS:

CLEARANCE IN RUGGED TERRAIN
29" Maxxis Tires, 14" Ground Clearance

PLAN & TRACK RIDES, EASIER TRAILER HOOKUP
Factory-Installed RIDE COMMAND with GPS and Backup Camera

EXTEND YOUR DAY WITH BRIGHTER LIGHTING
LED Headlights with 90% More Output



HEATING & AIR CONDITIONING

Keeps you comfortable in any and all conditions.

FEATURED ON BOTH MODELS



PROSHIELD FULL TIP-OUT WINDSHIELD

Quick and easy adaptability and venting.

FEATURED ON ULTIMATE MODELS



POWER WINDOW DOORS

Convenient push-button door window operation.

FEATURED ON ULTIMATE MODELS

RANGER

RZR

GENERAL

SPORTSMAN

YOUTH

SPECIFICATIONS

POLARIS



LIMITED EDITION



SPECIAL EDITION

RANGER XP 1000 TRAIL BOSS

HEAVY-DUTY CAPABILITY. PREMIUM REFINEMENT.

The [Trail Boss](#) does more than just work hard—it sets the bar for heavy-duty capability and premium refinement. With all-new 29" tires for added clearance and traction and high-powered LED headlights to conquer the darkest nights, Trail Boss puts you firmly in charge.

Available in XP 1000 Premium and XP 1000 Northstar Ultimate

**ASSURED TRACTION TO
CONFIDENTLY NAVIGATE
DOWNHILL TERRAIN**
Active Descent Control

**PREMIUM TRACTION
& GROUND CLEARANCE IN
ROUGH TERRAIN**
29" Tires, 14" Ground Clearance

**POWERFUL LIGHTING TO
RIDE OR WORK LONGER**
LED Headlights with 90% More Output

**MAINTAIN CLEARANCE AND
CONTROL WHEN LOADED**
Self-Leveling Suspension

RANGER XP 1000 HIGH LIFTER

THE KING OF MUD

Step up to the [RANGER XP 1000 High Lifter](#), the undisputed leader in mud performance. This machine is purpose-built with features like the new massive 30" Outlaw 2 tires to help you dominate the mud with assured confidence and look great while doing.

**CONQUER THE
SWAMP**
30" Mud-Specific
Outlaw 2 Tires

**CHURN
THROUGH
THE MUD**
82 Horsepower

**TAKE ON THE
DEPTHS**
15" Ground Clearance,
Arched A-Arm
Suspension

**CLEAN AIR TO THE
ENGINE AND CLUTCHES**
High-Mount Air Intakes and Venting

**STRENGTH TO BACK OUT
OF TOUGH SITUATIONS**
Geared Reverse

WINTER PREP PACKAGE

AVAILABLE ON
RANGER 1000

THE POWER TO PLOW
4,500lb Winch

**HIGH-CAPACITY CHARGING
FOR ADDED ACCESSORIES**
900W Charging System

COMFORT FROM THE COLD
Cab Seal & Heater Kit



POLARIS
FACTORY INSTALLED
PACKAGES

RIDE COMMAND PACKAGE

AVAILABLE ON
RANGER XP 1000

**DETAILED ROUTE PLANNING
AND DIRECTIONS**
GPS Navigation

**INTUITIVE TOUCH SCREEN
AND CLEAR SOUND**
7" Display with In-Dash Speakers

**CONFIDENCE AND INCREASED
VISIBILITY AFTER DARK**
LED Headlights



POLARIS
FACTORY INSTALLED
PACKAGES

MB QUART AUDIO PACKAGE

AVAILABLE ON
RANGER XP 1000
NORTHSTAR ULTIMATE

FULL-CAB SOUND
Rear Roof Speakers

ROBUST, DIRECTIONAL AUDIO
300W Overhead Audio Visor Speakers

RICH LOW-END BASS
Max Boost 10" 250W Subwoofer



POLARIS
FACTORY INSTALLED
PACKAGES

THE INDUSTRY'S MOST COMPLETE UTILITY SXS LINEUP

2-SEAT

A compact, trusted work partner that also offers recreational capability.



MODEL SHOWN:
RANGER 570

3-SEAT

Maximum performance and capability, with versatility and comfort.



MODEL SHOWN:
RANGER XP
1000 PREMIUM

CREW

The performance you expect, plus seating for six.



MODEL SHOWN:
RANGER CREW
1000 PREMIUM



OUTRUN THE ORDINARY.

RZR

WORLD LEADER IN RECREATION SXs

Continuously breaking new ground with innovative performance to help you push boundaries. With superior control for unmatched confidence, we don't just deliver the ultimate riding experience—we define it.





SUPERIOR CONFIDENCE AND CONTROL



PERFORMANCE TO TAKE YOU ANYWHERE

Proven in the world's most dynamic, challenging and competitive environments, RZR has captured more wins, podiums and championships than any other side-by-side.



SMOOTHEST, MOST COMFORTABLE RIDE

The best ride in the roughest terrain, RZR continues to lead the way with unrivaled ride and handling, and the industry's fastest engaging all-wheel drive system.



INDUSTRY-LEADING TECHNOLOGY

Unlock an unprecedented riding experience with the connectivity of RIDE COMMAND and the intelligent control of on-the-fly adjustments of DYNAMIX active suspension.



A RZR FOR EVERY KIND OF RIDE.

With the most complete lineup, Polaris RZR gives you more ways to accelerate your outdoor world. Whether you're chasing what's around the next corner or what's over the next rise, RZR will take you there.



RZR PRO XP

THE NEXT LEVEL IN XTREME PERFORMANCE

Take your off-road experience to the next level with the most capable vehicle in the Xtreme Performance class. [RZR Pro XP](#) delivers the perfect blend of performance, design, and strength for any trail or terrain.

AGILE & VERSATILE PERFORMANCE

181HP, 22" Suspension Travel, 64" Stance,
DYNAMIX Active Suspension

STRENGTH TO PUSH BOUNDARIES

Rigid One-Piece Chassis, 2x Longer Belt
Life*, 3x Stronger Isolated Front Drive*

RIDER-CENTRIC DESIGN FOR OPTIMUM CONTROL & COMFORT

Tilting and Telescoping Steering Wheel, Upright Driving Position, RIDE COMMAND



RZR TURBO S

THE KING OF WIDE-OPEN SPACES

Experience front-of-the-pack performance across the most challenging terrain with the long travel [RZR Turbo S](#). With unmatched stability, instant turbocharged acceleration, and precision handling, nothing else measures up.

PERFORMANCE FOR THE ROUGHEST TERRAIN

168HP, 25" Suspension Travel, 72" Stance, 16" Ground Clearance, DYNAMIX Active Suspension

RACE-PROVEN STRENGTH

Stock 32" Tires, 16" Ground Clearance, 3x Stronger Isolated Front Drive*

RACE-INSPIRED COCKPIT

Upright Driving Position, 4-Point Harness, Flat-Bottom Steering Wheel, RIDE COMMAND

RZR 900 AND RZR S 1000

ULTIMATE TRAIL PERFORMANCE

Dissect the tightest trails and lead with confidence. The ultimate trail capability of [RZR 900](#) and [RZR S 1000](#) delivers unmatched agility, corner-to-corner quickness and a narrowed stance for the freedom of limitless performance.

PRECISION AND AGILITY ON TIGHT TRAILS

Available in 50" and 60" Stance, True High-Performance On-Demand All-Wheel Drive

CORNER-TO-CORNER ACCELERATION

Up to 100HP, Class-Leading Power-to-Weight

ALL DAY TRAIL COMFORT

Up to 13.2" of Travel, 12.5" Ground Clearance and 27" Tires



THE WORLD'S SMARTEST SUSPENSION.

TERRAIN SHIFTS HAPPEN FAST. BE READY.

Experience the ultimate in off-road ride and handling. DYNAMIX active suspension control uses multiple inputs to automatically make shock adjustments on-the-fly, for an optimum ride in every situation. No matter the terrain, DYNAMIX gives you more control and delivers the highest level of comfort.



ACCELERATION | AIRBORNE | CORNERING | BRAKING

ULTIMATE CONTROL IN EVERY SITUATION



YOU CHOOSE THE PERFECT RIDE, EVERY TIME

Select one of three ride modes and DYNAMIX does the rest, with ride calculations optimized over 200-times per second for the ultimate in comfort and control.

COMFORT

Enjoy maximum comfort with plush suspension settings for all-day rides.

SPORT

Ride everywhere with the perfect balance of stability, control and handling.

FIRM

Tackle the toughest terrain, and anything else that stands in your way with the most aggressive suspension.



X BUTTON

The industry's only steering-wheel mounted ride adjustment allows you to stay in control when unexpected terrain hits. Instantly attain full-firm suspension settings for one full second by hitting the "X" Button.

Featured only on Pro XP Ultimate and Pro XP 4 Ultimate

THE INDUSTRY'S MOST COMPLETE PERFORMANCE SXS LINEUP

TRAIL

Agility for Tight Trails



MODEL SHOWN:
RZR S 900
PREMIUM

XTREME PERFORMANCE

Conquer Any Terrain



MODEL SHOWN:
RZR PRO XP
ULTIMATE

WIDE OPEN

Performance for the
Roughest Terrain



MODEL SHOWN:
RZR TURBO S 4



ADVENTURE SEEKER SEEKS RIDER.

GENERAL

OFF-ROAD'S PREMIER FAMILY OF CROSSOVER SXS

For those seeking adventure, Polaris GENERAL is your key to unlocking all the possibilities of the outdoors. With a premium combination of performance, comfort and versatility, no other crossover side-by-side gives you more confidence to pursue your outdoor passion.





ELEVATE YOUR ADVENTURE



UNSTOPPABLE PERFORMANCE

An ideal combination of class-leading power, terrain-smoothing suspension and ground clearance for unlimited adventure.



UNMATCHED COMFORT AND STYLE

Surround yourself with premium cab features, the convenience of advanced technology and on-trend colors and graphics.



UNRIVALED VERSATILITY

You're always ready for anything with the one machine that can do it all with the ability to haul, carry and store more gear and cargo.



GENERAL 1000 SPORT

MOST ACCESSIBLE CROSSOVER SIDE-BY-SIDE

Find adventure wherever it lives with the industry's premier, value-packed crossover side-by-side. A four-wheeled force of nature, [GENERAL 1000 Sport](#) offers more performance, comfort and versatility for less.

SMOOTH, CLASS-LEADING COMFORT TO RIDE LONGER

12" Ground Clearance,
12.25" Suspension Travel

BRING YOUR GEAR WITH YOU

600lb Cargo Space

INSTANT RESPONSE AND TRACTION

True On-Demand All-Wheel
Drive with Turf Mode

PREMIUM CAB SURROUNDINGS

Wide-Bolstered Seats, Premium
Half Doors, Adjustable Steering Wheel



GENERAL XP 1000

THE BEST IN OFF-ROAD ADVENTURE

With [General XP 1000](#), you get a class-leading machine that will give you the versatility and confidence to take on the outdoors. The ultimate in performance, comfort and utility, General XP 1000 can do everything, which will have you ready for anything.

SURE-FOOTED CONFIDENCE & STABILITY

64" Stance, 30" Pro Armor
XG Tires, 15" Wheels

HAUL MORE ON YOUR ADVENTURE

1,500lb Towing Capacity

SMOOTH ROUGH TERRAIN & RIDE OVER OBSTACLES

14" Suspension Travel, Walker Evans Velocity
Shocks, 13.5" Ground Clearance

**OPTIMIZED SOUND
FOR OFF-ROAD RIDES**
Rockford Fosgate® Stage 1 Audio



LIMITED EDITION

GENERAL XP 1000 PURSUIT

ULTIMATE BACKCOUNTRY ADVENTURE

Set your sights on the ultimate outdoor experience with the GENERAL XP 1000 Pursuit Edition, with class-leading capability and factory-equipped hunt-focused accessories engineered to support you in your pursuit of game big or small.

**KEEP FIREARMS
SAFE AND SECURE**
Kolpin Gun Mount & Boot

**EXTEND YOUR
PURSUIT IN LOW LIGHT**
Pro Armor Light Bar

**CLEAR OBSTACLES
IN YOUR PATH**
4,500lb Winch

**KEEP GEAR
ORGANIZED**
Rear Cargo Bed Rack

RIDE COMMAND 8 STAGE 4 AUDIO PACKAGE

AVAILABLE ON
GENERAL XP 1000 8
GENERAL 1000 DELUXE

PLAN, TRACK, SHARE
Factory-Installed RIDE COMMAND

**CUSTOM OFF-ROAD
TUNED PREMIUM AUDIO**
Factory-Installed Rockford Fosgate®
Stage 4 Audio



THE OFF-ROAD'S PREMIER FAMILY OF CROSSOVER SXS

1000

Class-leading performance and utility with unmatched comfort mile after mile.

SPORT

Easiest way to enjoy a premier crossover side-by-side with competition beating performance, comfort and versatility.



PREMIUM

Premium features and finishes with best-in-class power and performance. (4-Seat Model Available)



DELUXE

Elevated experience with enhanced comfort, high-end audio and premium accessories. (4-Seat Model Available)



XP 1000

The world's best and most capable crossover side-by-side with unrivaled performance and versatility.

DELUXE

Elevated experience with enhanced comfort, high-end audio and premium accessories. (4-Seat Model Available)





GRAB HOLD OF THE OUTDOORS.

SPORTSMAN

WORLD'S TOUGHEST ATV

The ATV that defined the industry, SPORTSMAN combines legendary smoothness, unstoppable versatility and an ease of use that the competition continues to chase. With over one million sold, it's the world's #1 automatic 4x4 ATV for trail and adventure riders, hunters, ranchers and anyone who wants to explore the outdoors.





LEGENDARY TOUGH



SMOOTHEST

All-day comfort, stability and control through class-leading suspension and the unmatched traction of the industry's quickest engaging all-wheel drive.



STRONGEST

The toughness and confidence that come from uncompromising build quality and rock-solid durability, giving you the strength to take any terrain.



MOST VERSATILE

Convenient storage, built-in accessory integration and ease of ownership give you the ability to ride any trail and take on any task.



THE ICON. BETTER THAN EVER.

INTRODUCING THE ALL-NEW SPORTSMAN 450 H.O. AND 570

The evolution of the world's most-trusted ATV is here. These completely redesigned machines offer more performance, capability and versatility than ever before, putting adventure and confidence right where they belong—firmly in your grasp.





SMOOTH, UNSURPASSED RIDE

The most stable suspension. Class-leading travel and more clearance. And intuitive, one-touch True On-Demand All-Wheel Drive and electronic power steering, all providing you with an unmatched ride.

MOST RELIABLE ATV EVER

A more powerful battery. Stronger tires. And automotive style rubber bushings for increased durability and minimal maintenance, all combining to give you the most trustworthy ATV out there.

MORE VERSATILITY, MORE VALUE

Class-leading storage. The most accessories. And the best user interface with a single-lever brake, fastest-engaging All Wheel Drive and Electronic Braking System, all giving you the best value in the off-road category.

THE NEXT GENERATION OF THE
WORLD'S MOST TRUSTED ATV IS HERE





SPORTSMAN 450 H.O.

FULL-SIZE CAPABILITY AND ULTIMATE VALUE

The redesigned [Sportsman 450 H.O.](#) delivers more for your hard-earned dollar than ever before. You get legendary toughness, versatility and rideability that more than one-million riders have relied on for decades.

ON-DEMAND TRACTION & CONTROL WHEN YOU NEED IT

LEGENDARY

Industry's Fastest-Engaging All-Wheel Drive System

IMPROVED VIEWS WITH DIRECTIONAL TRAIL LIGHTING

LEGENDARY

Steerable Pod Headlight

MORE STABILITY FOR CONFIDENT CONTROL

LEGENDARY

48" Stance

EASY AND INTUITIVE BRAKING RESPONSE

LEGENDARY

Innovative Single Lever Braking

LOAD IT UP AND TOW EVEN MORE

UPGRADED

Class-Leading 1,350lb Towing Capacity

QUICKER, SMOOTHER & MORE PREDICTABLE DECELERATION

UPGRADED

Engine Braking System (EBS)
(On Equipped Models)

EASIER ACCESSORY INSTALLATION

UPGRADED

Pre-Wired for Hand/Thumb Warmers and Winch

CAPABILITY OF ADDED TRACTION & CLEARANCE

NEW

Larger 25" 6-Ply Tires, 11.5" Ground Clearance

MORE POWERFUL, MORE ACCESSIBLE, MORE RELIABLE

NEW

Larger Battery with 78% More Cold Cranking Amps

REDUCE MAINTENANCE & DELIVER A QUIETER RIDE

NEW

Automotive Sealed Rubber Suspension Bushings

SPORTSMAN 450 H.O. & 570 LINEUP



450 H.O.

33HP
True On-Demand AWD
12" Steel Wheels
Front Rack Extenders
Single Taillight



450 H.O. EPS

Twin Taillights
Front/Rear Rack Extender
Electronic Power Steering



570

44HP
True On-Demand AWD
12" Steel Wheels
Front Rack Extenders
Single Taillight



570 EPS

Twin Taillights
Front Bumper
Front/Rear Rack Extenders
Electronic Power Steering



570 EPS PREMIUM

Active Descent Control
12" Aluminum Wheels
Automotive Paint



570 HUNT EDITION

Dual A-Arms
Front & Rear Bumper
Front & Rear Rack Extenders
26" Duro Tires
14" Aluminum Wheels
2,500lb Polaris HD Winch
Kolpin Gun Boot/Mount
& Rhino Grips



UTILITY PACKAGE

AVAILABLE ON
SPORTSMAN 450, 570 & 570 EPS

**ADDED TOUGHNESS
FOR BIG LOADS**
Front & Back Utility Racks

**MORE CONVENIENCE
ON THE JOB**
Integrated Front Receiver Hitch

CONFIDENCE FROM MAXIMUM PROTECTION
Front Utility Bumper



LIMITED EDITION

SPORTSMAN 570 UTILITY HD

THE DEFINITION OF A WORKHORSE ATV

The ATV that works as hard as you do, [SPORTSMAN 570 UTILITY HD](#) has added utility and durability so you can work hard early and play hard later.

**EASY
ACCESS TO
POWER**
Switchable Rear
Power Port

**THE DURABILITY
TO KEEP GOING**
Heavy Duty Bearings,
Longer-lasting Driveline
Seals

**THE RUGGED
UTILITY YOU NEED**
Durable Bumpers,
Front & Rear Metal Racks

**RIDE-CONTROL
PACKAGE**
Low-Effect Throttle,
3-Way Drive Modes,
Speed Limiter,
Geofencing



TRAIL PACKAGE

AVAILABLE ON
SPORTSMAN 570 EPS PREMIUM

**TRAIL-READY
PERFORMANCE**
Dual Arched A-Arms

**PULLING POWER TO
CLEAR THE WAY**
2,500lb Polaris HD Winch

**ADDITIONAL
PROTECTION AND STYLE**
Front & Rear Bumpers

**IMPROVED CONTROL
AND STANDOUT STYLE**
14" Aluminum Wheels,
26" Duro Grip Tires



LIMITED EDITION

SPORTSMAN 570 ULTIMATE TRAIL

THE ATV THAT TAKES YOU ANYWHERE

With factory-installed trail-specific features to enhance your trail-riding experience, this ATV is ready for any terrain, helping you take your passion further than ever before.

**GRIP RUGGED
GROUND & CLEAR
OBSTACLES**
26" Duro Grip Tires,
Dual Arched A-Arms

**INCREASED
VISIBILITY FOR
DAYS & NIGHTS**
High-Intensity
LED Headlights

**FREE YOURSELF
& REMOVE
OBSTACLES**
2,500lb Polaris HD
Winch

**RIDE-CONTROL
PACKAGE**
Low-Effect Throttle,
3-Way Drive Modes,
Speed Limiter,
Geofencing



UNCOMPROMISING AND UNSTOPPABLE.

When the outdoors is calling, there's no better way to answer than with SPORTSMAN. Packed with incredible power, class-leading capability and industry-leading comfort thanks to their renowned suspension and handling, these kings of ATV will have you riding in confidence.

SPORTSMAN 850

LEGENDARY TOUGHNESS AND SUPERIOR PERFORMANCE

The performance ATV that defined a category, [SPORTSMAN 850](#) features renowned riding and handling, unrelenting power and improved capabilities, so there's no job or trail you can't handle.

**SMOOTH POWER
FOR WORK OR PLAY**
78 Horsepower

**CONFIDENCE OVER
ROUGH TERRAIN**
11.5" Clearance

TAKE ON THE LARGEST LOADS
Front and Rear Racks with 360lb Capacity,
1,500lb Towing Capacity

WORRY-FREE PERFORMANCE
Largest battery for powerful starts

SPORTSMAN XP 1000

WORLD'S MOST CAPABLE PERFORMANCE ATV

Engineered with class-leading capabilities, unrelenting power and legendary suspension and handling, [SPORTSMAN XP 1000](#) delivers premium performance that gives you the confidence to live outdoors on your terms.

**CARRY AND SECURE
BIG LOADS**
575lb Payload Capacity,
6 Rack Extenders

**MAXIMUM STABILITY
AND CONTROL**
47.6" Stance

**CONQUER OBSTACLES
AND RUTS**
12" Clearance

**POWER AND ACCELERATION
FOR ANY SITUATION**
90 Horsepower

**MAXIMUM TERRAIN
CONTROL**
Active Descent Control

POLARIS
FACTORY INSTALLED
PACKAGES



TRAIL PACKAGE

AVAILABLE ON
SPORTSMAN 850 & XP 1000

**ADDED TOUGHNESS
FOR BIG LOADS**
3,500lb Polaris HD Winch

**STYLE TO STAND
APART**
Painted Springs

PROTECT YOUR MACHINE FROM TRAIL RASH
Front & Rear Trail Bumper

WORLD'S MOST TRUSTED LINEUP OF ATVS

RECREATION & UTILITY

Go more places and get more done with unstoppable confidence and unmatched value.

MODEL SHOWN:
SPORTSMAN 570 EPS



TOURING

Share the legendary Sportsman ride experience with our 2-Up models.

MODEL SHOWN:
SPORTSMAN 850
TOURING



SPORT

Premium high-performance sport ATVs.

MODEL SHOWN:
SCRAMBLER
XP 1000 S



SPECIAL EDITIONS

Purpose-built ATVs with enhanced capabilities for work and extreme terrains.

MODEL SHOWN:
SPORTSMAN XP 1000
HIGH LIFTER



RANGER

RZR

GENERAL

SPORTSMAN

YOUTH

SPECIFICATIONS

POLARIS



THE INDUSTRY'S LARGEST YOUTH LINEUP.



Give your kids an adventure of their very own. Polaris has key safety features, fun ATVs and SxS for ages 6+, and all come equipped with adjustable speed control and a custom safety package including a helmet and flag. Industry-leading tech like geofencing capability is also available.

YOUTH LINEUP

ATV



PHOENIX 200
AGES 14+



OUTLAW 110 EFI
AGES 10+



SPORTSMAN 110 EFI
AGES 10+



OUTLAW 70 EFI
AGES 6+



ACE 150 EFI
AGES 10+

SXS



RZR 170
AGES 10+



RANGER 150 EFI
AGES 10+



ACCESSORIES TO CUSTOMIZE YOUR RIDE.

Choose from hundreds of factory-engineered and -tested accessories to customize your vehicle and complement how you ride. Each one designed to fit perfectly, mount effortlessly and perform to the highest standards for every task, every adventure and every ride.

MBQUART

Rockford Fosgate

KOLPIN
OUTDOORS

PRO ARMOR



RIGID

POLARIS ENGINEERED



DESIGNED

By the same engineers who designed your vehicle.



TESTED

Proven in the toughest conditions for absolute confidence.



TRUSTED

Over 65 years of excellence and the world's off-road leader.

POLARIS.COM/SHOP | 31

RANGER
RZR
GENERAL
SPORTSMAN
YOUTH
SPECIFICATIONS

POLARIS



2-SEAT, 3-SEAT & CREW



RANGER EV



RANGER 500



RANGER 570
RANGER CREW 570



RANGER 570 PREMIUM
RANGER CREW 570 PREMIUM



RANGER 570 FULL-SIZE
RANGER CREW 570 FULL-SIZE



RANGER 1000
RANGER CREW 1000
RANGER CREW 1000



RANGER 1000 PREMIUM
RANGER CREW 1000 PREMIUM

ENGINE & DRIVETRAIN

SUSPENSION

TIRES & WHEELS

DIMENSIONS & CAPACITIES

FEATURES

Engine Type	Single 48-Volt, High Efficiency, AC-Induction Motor	500cc, 4-Stroke Single-Cylinder	567cc, 4-Stroke Single-Cylinder DOHC	567cc, 4-Stroke Single-Cylinder DOHC	567cc, 4-Stroke Single-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder SOHC	999cc, 4-Stroke Twin-Cylinder SOHC
Horsepower	35HP	32HP	44HP	44HP	44HP	61HP	61HP
Drive System	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Front Suspension	MacPherson Strut 9" (22.9cm) Travel	MacPherson Strut 9" (22.9cm) Travel	MacPherson Strut 9" (22.9cm) Travel	MacPherson Strut 9" (22.9cm) Travel	MacPherson Strut 9" (22.9cm) Travel	Dual A-Arm 10" (25.4cm) Travel	Dual A-Arm 10" (25.4cm) Travel
Rear Suspension	Dual A-Arm, IRS 9" (22.9cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel
Front Tires	25 x 9-12; Carlisle	25 x 8-12; Carlisle 489	25 x 8-12; Carlisle 489	25 x 8-12; Carlisle 489	25 x 8-12; Carlisle 489	25 x 10-12; Carlisle 489	26 x 9-12; PXT 2.0
Rear Tires	25 x 9-12; Carlisle	25 x 10-12; Carlisle 489	25 x 10-12; Carlisle 489	25 x 10-12; Carlisle 489	25 x 10-12; Carlisle 489	25 x 11-12; Carlisle 489	26 x 11-12; PXT 2.0
Wheels	Stamped Steel	Stamped Steel	Stamped Steel	Aluminum Black Xcelerator	Stamped Steel	Stamped Steel	Aluminum Black Xcelerator 2.0
Wheelbase	72" (182.9cm)	73" (185.4cm)	73" (185.4cm) 105" (266.7cm)	73" (185.4cm) 105" (266.7cm)	79" (201cm) 107" (272cm)	81" (206cm) (1000 & EPS) 113" (287cm)	81" (206cm) 113" (287cm)
Dry Weight	1,762lb (799kg)	1,066lb (483kg)	1,073lb (487kg) 1,326lb (603kg)	1,102lb (500kg) 1,351lb (614kg)	1,070.9lb (486kg) 1,393lb (632kg)	1,437lb (652kg) 1,485lb (674kg) 1,640lb (744kg)	1,537lb (697kg) 1,794lb (814kg)
Overall Vehicle Size (L x W x H)	110 x 58 x 73" (279 x 147 x 185cm)	110 x 58 x 73" (279 x 147 x 185cm)	110 x 58 x 73" (279 x 147 x 185cm) 142 x 60 x 73" (361 x 152 x 185cm)	110 x 58 x 73" (279 x 147 x 185cm) 142 x 60 x 73" (361 x 152 x 185cm)	114 x 60 x 74" (290 x 152 x 188cm) 146 x 60 x 74" (370 x 152 x 188cm)	120 x 62.5 x 76" (305 x 158 x 193cm) 152 x 62.5 x 76" (385 x 158 x 193cm)	120 x 62.5 x 76" (305 x 158 x 193cm) 152 x 62.5 x 76" (385 x 158 x 193cm)
Ground Clearance	10" (25.4cm)	10" (25.4cm)	10" (25.4cm)	10" (25.4cm)	10.5" (26.7cm)	12" (30.5cm)	12.5" (31.75cm)
Seating Capacity	2	2	2 / 4	2 / 4	3 / 6	3 / 6	3 / 6
Fuel Capacity	N.A.	9gal (34.1L)	9gal (34.1L)	9gal (34.1L)	9gal (34.1L)	11.35gal (43L)	11.35gal (43L)
Bed Box Dimensions (L x W x H)	32 x 42 x 11.5" (81 x 107 x 29cm)	32 x 42 x 11.5" (81 x 107 x 29cm)	32 x 42 x 11.5" (81 x 107 x 29cm)	32 x 42 x 11.5" (81 x 107 x 29cm)	36.5 x 54 x 11.5" (93 x 137 x 29cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)
Box Capacity	500lb (226.8kg)	500lb (226.8kg)	500lb (226.8kg)	500lb (226.8kg)	800lb (363kg)	1,000lb (453kg)	1,000lb (453kg)
Payload Capacity	1,000lb (453.6kg)	1,000lb (453.6kg)	1,000lb (453.6kg) 1,250lb (567kg)	1,000lb (453.6kg) 1,250lb (567kg)	1,500lb (680.4kg)	2,070lb (939kg) 2,020lb (916kg)	2,070lb (939kg) 2,020lb (916kg)
Hitch Towing Rating	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)
Electronic Power Steering	Not Equipped	Accessory Optional	Accessory Optional	Standard	Not Equipped	Not Equipped Standard Available	Standard
Adjustable Driver's Seat	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Standard
Tilt Steering	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Packages							Winter Prep
Color	Avalanche Gray, Polaris Pursuit Camo	Sage Green, Solar Red	Sage Green, Polaris Pursuit Camo	Bronze Mist	Solar Red, Sage Green Sage Green	Sage Green, Solar Red Sage Green	Steel Blue Metallic, Stealth Gray, Matte Sunset Red, Polaris Pursuit Camo

SPECIAL EDITION



RANGER XP 1000 PREMIUM
RANGER CREW XP 1000 PREMIUM



RANGER XP 1000 NORTHSTAR PREMIUM
RANGER CREW XP 1000
NORTHSTAR PREMIUM



RANGER XP 1000 NORTHSTAR ULTIMATE
RANGER CREW XP 1000
NORTHSTAR ULTIMATE



RANGER XP 1000 TRAIL BOSS
RANGER CREW XP 1000 TRAIL BOSS



RANGER XP 1000 TEXAS EDITION
RANGER CREW XP 1000 TEXAS EDITION



RANGER XP 1000 NORTHSTAR TRAIL BOSS
RANGER CREW XP 1000
NORTHSTAR TRAIL BOSS



RANGER XP 1000 HIGH LIFTER EDITION
RANGER CREW XP 1000
HIGH LIFTER EDITION

999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC
82HP	82HP	82HP	82HP	82HP	82HP	82HP
High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD
Dual A-Arm 11" (27.94cm) Travel	Dual A-Arm 11" (27.94cm) Travel	Dual A-Arm 10" (25.4cm) Travel	Independent, Arched Lower A-Arm, 10" (25.4cm) of Travel	Independent, Arched Lower A-Arm, 10" (25.4cm) of Travel	Independent, Arched Lower A-Arm, 10" (25.4cm) of Travel	Independent Arched Lower A-Arm 10" (25.4cm) Travel
Dual A-Arm, IRS 11" (27.94cm) Travel	Dual A-Arm, IRS 11" (27.94cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Independent, Arched Lower A-Arm, Nivomat Load-Adaptive, 10" (25.4cm) of Travel	Independent, Arched Lower A-Arm, 10" (25.4cm) of Travel	Independent, Arched Lower A-Arm, Nivomat Load-Adaptive, 10" (25.4cm) of Travel	Independent Arched Lower A-Arm 10" (25.4cm) Travel
27 x 9-14; Maxxis MU511	27 x 9-14; Maxxis MU511	29 x 9-14; Maxxis MU511	29 x 9-14; Maxxis MU511	29 x 9-14; Maxxis MU511	29 x 9-14; Maxxis MU511	30 x 9.5-14; Outlaw 2
27 x 11-14; Maxxis MU521	27 x 11-14; Maxxis MU521	29 x 11-14; Maxxis MU521	29 x 11-14; Maxxis MU521	29 x 11-14; Maxxis MU521	29 x 11-14; Maxxis MU521	30 x 11-14; Outlaw 2
14" Black Aluminum with Machined Accents 14" Black Aluminum*	14" Black Aluminum with Machined Accents 14" Black Aluminum*	14" Black Aluminum with Machined Accents 14" Black Aluminum*	14" Black Aluminum with Machined Accents	14" Black Aluminum with Machined Accents	14" Black Aluminum with Machined Accents	14" Black Aluminum
81" (206cm) 113" (287cm)	81" (206cm) 113" (287cm)	81" (206cm) 113" (287cm)	81" (206cm) 113" (287cm)	81" (206cm) 113" (287cm)	81" (206cm) 113" (287cm)	81" (206cm) 113" (287cm)
1,593lb (723kg) 1,928lb (875kg)	1,922lb (872kg) 2,359lb (1,070kg)	1,937lb (878kg) 2,371lb (1,076kg)	1,607lb (729kg) 1,942lb (881kg)	1,684lb (764kg) 1,932lb (876kg)	1,955lb (887kg) 2,405lb (1,091kg)	1,775lb (805kg) 2,135lb (969kg)
120 x 62.5 x 77" (305 x 158 x 196cm) 152 x 62.5 x 77" (386 x 158 x 196cm)	120 x 65 x 78" (305 x 165 x 198cm) 152 x 65 x 78" (386 x 165 x 198cm)	120 x 65 x 79.5" (305 x 165 x 202cm) 152 x 65 x 79.5" (386 x 165 x 202cm)	120 x 62.5 x 78" (305 x 158 x 198cm) 152 x 62.5 x 78" (386 x 158 x 198cm)	120 x 62.5 x 79.5" (305 x 158 x 202cm) 152 x 62.5 x 79.5" (386 x 158 x 202cm)	120 x 65 x 79.5" (305 x 165 x 202cm) 152 x 65 x 79.5" (386 x 165 x 202cm)	122 x 65 x 78" (309 x 165 x 198cm) 152 x 65 x 78" (309 x 165 x 198cm)
13" (33cm)	13" (33cm)	14" (35.5cm) 13" (33cm)	14" (35.5cm)	14" (35.5cm)	14" (35.5cm) 13" (33cm)	15" (38.1cm)
3 / 6	3 / 6	3 / 6	3 / 6	3 / 6	3 / 6	3 / 6
11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)
36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)
1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)
1,920lb (871kg) 1,730lb (785kg)	1,590lb (721kg) 1,300lb (590kg)	1,575lb (714kg) 1,290lb (585kg)	1,920lb (871kg) 1,730lb (785kg)	1,980lb (898kg) 1,730lb (785kg)	1,560lb (708kg) 1,250lb (560kg)	1,880lb (849kg) 1,520lb (689kg)
2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
RIDE COMMAND		MB Quart® Audio Package				
Matte Navy, Ghost White, Burgundy Metallic, Polaris Pursuit Camo*	Matte Navy, Ghost White, Burgundy Metallic, Polaris Pursuit Camo*	Matte Navy, Ghost White, Burgundy Metallic, Polaris Pursuit Camo*	Ghost White	Black Pearl	Ghost White	Ghost Gray



T R A I L

X T R E M E P E R F O R M A N C E



RZR 570 SPORT



RZR 570 PREMIUM



RZR 900



RZR 900 PREMIUM



RZR 900 FOX EDITION



RZR S 900



RZR S 900 PREMIUM



RZR S 1000



RZR RS1

RZR XP 1000 SPORT
RZR XP 4 1000 SPORT

ENGINE & DRIVETRAIN

SUSPENSION

TIRES & WHEELS

DIMENSIONS & CAPACITIES

	Engine Type	4-Stroke DOHC Single-Cylinder	4-Stroke DOHC Single-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder
	Horsepower	45HP	45HP	75HP	75HP	75HP	75HP	75HP	100HP	110HP
	Drive System	True On-Demand AWD/2WD	True On-Demand AWD/2WD	True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD/ VersaTrac Turf Mode	True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD
	Engine Braking System	Not Equipped	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Not Equipped
	Front Suspension	Dual A-Arm with Stabilizer Bar & 9" (22.9cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 9" (22.9cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 12.25" (31.1cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 12.25" (31.1cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 21" (53.4cm) Usable Travel** 16" (40.6cm) of Wheel Travel
	Front Shocks	ZF Twin Tube	ZF Twin Tube	ZF Twin Tube	ZF Twin Tube	FOX 2.0 Podium X (External Reservoir Shock with 24-Position Adjustable Clickers)	FOX 2.0 PODIUM	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers
	Rear Suspension	Dual A-Arm with Stabilizer Bar 9.5" (24cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 9.5" (24cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 13.2" (33.5cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 13.2" (33.5cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 13.2" (33.5cm) Wheel Travel	Trailing Arm with Stabilizer Bar & 21" (53.3cm) Usable Travel** 18" (45.7cm) Wheel Travel
	Rear Shocks	ZF Twin Tube	ZF Twin Tube	ZF Twin Tube	ZF Twin Tube	FOX 2.0 Podium X (External Reservoir Shock with 24-Position Adjustable Clickers)	FOX 2.0 PODIUM	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2.5" Walker Evans Needle Shocks with 16-Position Adjustable Clickers
	Front Tires	25 x 8-12	25 x 8-12	26 x 8-12; PXT	26 x 8-12; PXT	26 x 8-12; PXT	27 x 9-12; GBC Dirt Commander	27 x 9-12; GBC Dirt Commander	27 x 9-12; GBC Dirt Commander	29 x 9-14; Radial
	Rear Tires	25 x 10-12	25 x 10-12	26 x 9-12; PXT	26 x 9-12; PXT	26 x 9-12; PXT	27 x 11-12; GBC Dirt Commander	27 x 11-12; GBC Dirt Commander	27 x 11-12; GBC Dirt Commander	29 x 11-14; Radial
	Wheels	Stamped Steel	Cast Aluminum	Stamped Steel	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum
	Wheelbase	77" (196cm)	77" (196cm)	79" (200.7cm)	79" (200.7cm)	79" (200.7cm)	79" (200.7cm)	79" (200.7cm)	79" (200.7cm)	83" (210.8cm)
	Dry Weight	996lb (452kg)	1,077lb (489kg)	1,150lb (522kg)	1,176lb (533kg)	1,186lb (538kg)	1,204lb (546kg)	1,230lb (558kg)	1,255lb (560kg)	1,383lb (627kg)
	Overall Vehicle Size (L x W x H)	107.5 x 50 x 69" (273 x 127 x 175.2cm)	107.5 x 50 x 69" (273 x 127 x 175.2cm)	107 x 50 x 69.5" (271.8 x 127 x 176.5cm)	107 x 50 x 69.5" (271.8 x 127 x 176.5cm)	107 x 50 x 69.5" (271.8 x 127 x 176.5cm)	108 x 60 x 72" (274.3 x 152.4 x 182.9cm)	108 x 60 x 72" (274.3 x 152.4 x 182.9cm)	108 x 60 x 72" (274.3 x 152.4 x 182.9cm)	112" x 64" x 73.7" (284.5 x 162.6 x 187.3cm)
	Ground Clearance	10.5" (26.7cm)*	10.5" (26.7cm)*	11" (27.9cm)*	11" (27.9cm)*	11" (27.9cm)*	12.5" (31.8cm)	12.5" (31.8cm)	12.5" (31.8cm)	13" (33cm)
	Fuel Capacity	7.25gal (27.4L)	7.25gal (27.4L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)
	Bed Box Dimensions (L x W x H)	20 x 40 x 9" (51 x 102 x 23cm)	20 x 40 x 9" (51 x 102 x 23cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20 cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.5" x 23" x 4.1 (52.5 x 58 x 10.4 x 3cm)
	Rear Rack Capacity	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	50lb (22.7kg)
	Payload Capacity	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	300lb (136.1kg)
	Lighting	Halogen, 50W	Halogen, 55W Low/60W High	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	White LED Low/High w/ Accent Lights & Red LED Tail/Brake Lights	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	Signature Blacked Out White LED Low/High & Red LED Tail/Brake Lights
	Color	White Lightning	Cruiser Black	White	Black Pearl, Matte Nara Bronze	Stealth Gray	White	Burgundy Metallic, Turbo Silver	Turbo Silver	Indy Red, Stealth Black

*With adjustable suspension. See owner's manual for details. ** Usable Travel is measured, with the vehicle in full droop, from the bottom of the tire to the bottom of the skid plate.

**RZR XP 1000 PREMIUM
RZR XP 4 1000 PREMIUM**

4-Stroke DOHC Twin-Cylinder

110HP

High-Performance True
On-Demand AWD/2WD

Not Equipped

**RZR XP TURBO
RZR XP 4 TURBO**4-Stroke DOHC Twin-Cylinder
Turbocharged

168HP

High-Performance
True On-Demand AWD/2WD

Not Equipped

**RZR PRO XP SPORT
RZR PRO XP 4 SPORT**4-Stroke DOHC Twin-Cylinder
Turbocharged

181HP

Isolated Xtreme Performance
True On-Demand AWD/2WD

Not Equipped

**RZR PRO XP PREMIUM
RZR PRO XP 4 PREMIUM**4-Stroke DOHC Twin-Cylinder
Turbocharged

181HP

Isolated Xtreme Performance
True On-Demand AWD/2WD

Not Equipped

**RZR PRO XP ULTIMATE
RZR PRO XP 4 ULTIMATE**4-Stroke DOHC Twin-Cylinder
Turbocharged

181HP

Isolated Xtreme Performance
True On-Demand AWD/2WD

Not Equipped

**RZR TURBO S VELOCITY
RZR TURBO S 4 VELOCITY**4-Stroke DOHC Twin-Cylinder
Turbocharged

168HP

Isolated Xtreme Performance
True On-Demand AWD/2WD

Not Equipped

**RZR TURBO S
RZR TURBO S 4**4-Stroke DOHC Twin-Cylinder
Turbocharged

168HP

Isolated Xtreme Performance
True On-Demand AWD/2WD

Not Equipped

**RZR XP 1000
TRAILS & ROCKS**

4-Stroke DOHC Twin-Cylinder

110HP

Xtreme Performance True On-Demand
Close Ratio AWD/2WD with Enhanced
Low Gear Throttle Driveability

Not Equipped

**RZR XP 1000 HIGH LIFTER
RZR XP 4 1000 HIGH LIFTER**

4-Stroke DOHC Twin-Cylinder

110HP

Xtreme Performance True On-Demand
Close Ratio AWD/2WD

Not Equipped

Dual A-Arm with Stabilizer Bar
& 20" (50.8cm) Usable Travel**
16" (40.6cm) of Wheel TravelHigh-Clearance Dual A-Arm with
Stabilizer Bar & 20" (50.8cm) Usable
Travel** 17" (43.2cm) Wheel TravelHigh-Clearance Dual A-Arm with
Stabilizer Bar & 20" (50.8cm) Usable
Travel** 17" (43.2cm) Wheel TravelHigh-Clearance Dual A-Arm with
Stabilizer Bar & 20" (50.8cm) Usable
Travel** 17" (43.2cm) Wheel TravelDual A-Arm with Stabilizer Bar
& 25" (63.5cm) Usable Travel**
19" (48.2cm) of Wheel TravelHigh-Clearance Dual A-Arm with Stabilizer
Bar & 25" (63.5cm) Usable Travel**
19" (48.2cm) Wheel TravelHigh-Clearance Lower Control Arms, Dual
A-Arm & 20.5" (52.1cm) Usable Travel**
16" (40.6cm) Wheel TravelHigh-Clearance Lower Control Arms,
Dual A-Arm with Stabilizer Bar & 20.5"
(52.1cm) Usable Travel** 16" (40.6cm)
Wheel Travel2" Walker Evans Needle with
16-Position Adjustable Clickers2" Walker Evans Needle with
16-Position Adjustable Clickers2" Walker Evans Needle with
16-Position Adjustable Clickers2" Walker Evans Needle with
16-Position Adjustable ClickersFOX 2.5 Podium Shocks with Live Valve
(Electronically Controlled Damping)Walker Evans 2.5" Velocity Needle Shock
with 16-Position Adjustable ClickersFOX 2.5 Podium Internal Bypass Shocks
with Live Valve (Electronically Controlled
Damping)2" Walker Evans Needle with
16-Position Adjustable Clickers2" Walker Evans with 16-Position
Adjustable ClickersTrailing Arm with Stabilizer Bar
& 20" (50.8cm) Usable Travel**
18" (45.72cm) Wheel TravelTrailing Arm with Stabilizer Bar
& 20" (50.8cm) Usable Travel**
18" (45.72cm) Wheel TravelTrailing Arm & High-Clearance Radius Rods
with Stabilizer Bar & 22" (55.9cm) Usable
Travel** 20" (50.8cm) Wheel TravelTrailing Arm & High-Clearance Radius Rods
with Stabilizer Bar & 22" (55.9cm) Usable
Travel** 20" (50.8cm) Wheel TravelTrailing Arm & High-Clearance Radius Rods
with Stabilizer Bar & 22" (55.9cm) Usable
Travel** 20" (50.8cm) Wheel TravelTrailing Arm & High-Clearance Radius
Rods with Stabilizer Bar & 25"
(63.5cm) Usable Travel** 21" (53.3cm)
of Wheel TravelTrailing Arm & High-Clearance Radius
Rods with Stabilizer Bar, 25" (63.5cm)
Usable Travel** 21" (53.3cm) TravelHigh-Clearance Radius Rods,
Trailing Arm with Stabilizer Bar & 20.5"
(52.1cm) Usable Travel** 18" (45.7cm)
Wheel TravelHigh-Clearance Radius Rods, Trailing
Arm with Stabilizer Bar & 20.5"
(52.1cm) Usable Travel** 18" (45.7cm)
Wheel Travel2.5" Walker Evans Needle with
16-Position Adjustable Clickers2.5" Walker Evans Needle
with 16-Position Adjustable Clickers2.5" Walker Evans Needle with
16-Position Adjustable Clickers2.5" Walker Evans Needle
with 16-Position Adjustable ClickersFOX 2.5 Podium Shocks with Live Valve
(Electronically Controlled Damping)Walker Evans 3.0" Velocity Needle Shock
with 16-Position Adjustable ClickersFOX 3.0 Podium Internal Bypass Shocks
with Live Valve (Electronically Controlled
Damping)2.5" Walker Evans Needle with
16-Position Adjustable Clickers2.5" Walker Evans with 16-Position
Adjustable Clickers

29 x 9-14; Radial

29 x 9-14; Radial

30 x 10-14 Maxis Carnivore;
Wheel Size 14x630 x 10-14 Maxis Carnivore;
Wheel Size 14x630 x 10-14 Maxis Carnivore;
(8-ply rated); Wheel Size 14x632 x 10-15; ITP COYOTE
(8-Ply Rated)32 x 10-15; ITP COYOTE
(8-Ply Rated)

30 x 10-14; Pro Armor Crawler XG

29.5 x 9.5-14; High Lifter Outlaw II

29 x 11-14; Radial

29 x 11-14; Radial

30 x 10-14 Maxis Carnivore;
Wheel Size 14x730 x 10-14 Maxis Carnivore;
Wheel Size 14x730 x 10-14 Maxis Carnivore;
(8-ply rated); Wheel Size 14x732 x 10-15; ITP COYOTE
(8-Ply Rated)32 x 10-15; ITP COYOTE
(8-Ply Rated)

30 x 10-14; Pro Armor Crawler XG

29.5 x 11-14; High Lifter Outlaw II

Cast Aluminum

Cast Aluminum

Cast Aluminum

Cast Aluminum

Cast Aluminum

Cast Aluminum

Cast Aluminum

Cast Aluminum

Cast Aluminum

90" (228.6cm)
117" (297.2cm)90" (228.6cm)
117" (297.2cm)96" (243.8cm)
125" (317.5cm)96" (243.8cm)
125" (317.5cm)96" (244cm)
125" (317.5cm)90" (228.6cm)
117" (297.2cm)90" (228.6cm)
117" (297.2cm)

90" (228.6cm)

90" (228.6cm)
117" (297.2cm)1,470lb (667kg)
1,681lb (762kg)1,528lb (693kg)
1,737lb (788kg)1,759lb (798kg)
2,020lb (916kg)1,784lb (809kg)
2,056lb (933kg)1,795lb (814kg)
2,066lb (937kg)1,725lb (782kg)
1,943lb (881kg)1,779lb (807kg)
1,987lb (901kg)

1,573lb (715kg)

1,545lb (702kg)
1,752lb (783kg)119 x 64 x 73.7"
(302.2 x 162.6 x 187.3cm)
146 x 64 x 73.8"
(370.8 x 162.6 x 187.3cm)119 x 64 x 73.7"
(302.2 x 162.6 x 187.3cm)
146 x 64 x 73.8"
(370.8 x 162.6 x 187.3cm)126 x 64 x 71.7"
(320 x 162.6 x 182.1cm)
155 x 64 x 73.8"
(393.7 x 162.6 x 186.9cm)126 x 64 x 71.7"
(320 x 162.6 x 182.1cm)
155 x 64 x 73.8"
(393.7 x 162.6 x 186.9cm)126.1 x 64 x 71.7"
(320 x 162.6 x 182.1cm)
155 x 64 x 73.8"
(393.7 x 162.6 x 186.9cm)122" x 72" x 75"
(309.9 x 182.8 x 190.5cm)
149" x 72" x 76"
378.5 x 182.8 x 193cm)122" x 72" x 75"
(309.9 x 182.8 x 190.5cm)
149" x 72" x 76"
378.5 x 182.8 x 193cm)120 x 64 x 74.3"
(304.8 x 162.6 x 188.6cm)122 x 64 x 75.3"
(309.9 x 162.6 x 190.5cm)
149 x 64 x 75.3"
(378.4 x 162.6 x 191.1cm)

14" (35.6cm)

14" (35.6cm)

14.5" (36.8cm)

14.5" (36.8cm)

14.5" (36.8cm)

16" (40.6cm)

16" (40.6cm)

14.5" (36.8cm)

15" (38.1cm)

9.5gal (36.0L)

9.5gal (36.0L)

12gal (45.4L)
13gal (49.2L)12gal (45.4L)
13gal (49.2L)12gal (45.4L)
13gal (49.2L)

9.5gal (36.0L)

9.5gal (36.0L)

9.5gal (36.0L)

9.5gal (36.0L)

28 x 22 x 7"
(72 x 57 x 17.8cm)28 x 22 x 7"
(72 x 57 x 17.8cm)26 x 17.7 x 11.5"
(66 x 45 x 29.2cm)26 x 17.7 x 11.5"
(66 x 45 x 29.2cm)26 x 17.7 x 11.5"
(66 x 45 x 29.2cm)28 x 22 x 7"
(72 x 57 x 17.8cm)28 x 22 x 7"
(72 x 57 x 17.8cm)28 x 22 x 7"
(72 x 57 x 17.8cm)28 x 22 x 7"
(72 x 57 x 17.8cm)

300lb (136.1kg)

300lb (136.1kg)

300lb (136.1kg)

300lb (136.1kg)

300lb (136.1kg)

300lb (136.1kg)

300lb (136.1kg)

300lb (136.1kg)

300lb (136.1kg)

740lb (335.6kg)
900lb (408kg)740lb (335.6kg)
900lb (408kg)740lb (335.6kg)
900lb (408.2kg)740lb (335.6kg)
900lb (408.2kg)740lb (335.6kg)
900lb (408kg)740lb (335.6kg)
900lb (408.2kg)740lb (335.6kg)
900lb (408kg)

740lb (336kg)

740lb (335.6kg)
900lb (408kg)Front Blacked Out Signature White LED
Low/High with Accent Lights & Red LED
Tail/Brake LightsSignature Blacked Out White LED Low/
High & Red LED Tail/Brake LightsWhite LED, Low/High & Red LED Tail/
Brake Lights
Signature White LED, Low/High & Red
LED Tail/Brake LightsSignature White LED, Low/High & Red
LED Tail/Brake Lights; Front, Rear &
Interior Accent LightingSignature White LED, Low/High & Red
LED Tail/Brake Lights; Front, Rear &
Interior Accent LightingSignature Blacked Out White LED Low/
High & Red LED Tail/Brake LightsFront Blacked Out White LED Low/High w/
Accent Lights & Rear Red LED Tail/Brake/
Accent LightsFront Blacked Out White LED Low/
High w/ Accent Lights & Red LED Tail/
Brake LightsFront Blacked Out White LED Low/
High w/ Accent Lights & Red LED Tail/
Brake Lights

Stealth Gray, Matte Navy Blue

Ghost Gray, Sands Metallic

Performance Red

Onyx Black

Matte Titanium Metallic

Radar Blue, Orange Madness

Onyx Black

Polaris Blue

Ghost Gray



RECREATIONAL & UTILITY

TOURING

SPORTSMAN 450 H.O.
SPORTSMAN 450 H.O. EPSSPORTSMAN 570
SPORTSMAN 570 EPS

SPORTSMAN 570 PREMIUM

SPORTSMAN 570
HUNT EDITION

SPORTSMAN 850

SPORTSMAN 850 PREMIUM

SPORTSMAN XP 1000

SPORTSMAN XP 1000
HUNT EDITIONSPORTSMAN TOURING 570
SPORTSMAN TOURING 570 EPS

ENGINE & DRIVETRAIN

Engine Type	ProStar 499cc, 4-Stroke SOHC Single-Cylinder	ProStar 567cc, 4-Stroke DOHC Single-Cylinder	ProStar 567cc, 4-Stroke DOHC Single-Cylinder	ProStar 567cc, 4-Stroke DOHC Single-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Single-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 567cc, 4-Stroke DOHC Single-Cylinder
Horsepower	33HP	44HP	44HP	44HP	78HP	78HP	90HP	90HP	44HP
Drive System	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD
Engine Braking System/ Active Descent Control	Not Equipped/Not Equipped	Not Equipped/Not Equipped	Standard/Standard	Standard/Standard	Standard/Not Equipped	Standard/Standard	Standard/Standard	Standard/Standard	Not Equipped/Not Equipped

SUSPENSION

Front Suspension	Sealed MacPherson Strut, 8.2" (20.8cm) Travel	Sealed MacPherson Strut, 8.2" (20.8cm) Travel	Sealed MacPherson Strut, 8.2" (20.8cm) Travel	Sealed Dual A-Arm, IRS 8.2" (20.8cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Straight Dual A-Arm 9" (22.9cm) Travel	Sealed Arched Dual A-Arm 9" (22.9cm) Travel	MacPherson Strut, 8.2" (20.8cm) Travel
Rear Suspension	Sealed Dual A-Arm, IRS 9.5" (24.1cm) Travel	Sealed Dual A-Arm, IRS 9.5" (24.1cm) Travel	Sealed Dual A-Arm, IRS 9.5" (24.1cm) Travel	Sealed Dual A-Arm, IRS 9.5" (24.1cm) Travel	Straight Dual A-Arm, Rolled IRS 10.25" (26cm) Travel	Straight Dual A-Arm, Rolled IRS 10.25" (26cm) Travel	Straight Dual A-Arm, Rolled IRS, 10.25" (26cm) Travel	Sealed Arched Dual A-Arm, Rolled IRS, 10.25" (26cm) Travel	Dual A-Arm, IRS 9.5" (24.1cm) Travel

TIRES & WHEELS

Front Tires	25 x 8-12; P373; 6 Ply	25 x 8-12; P373; 6 Ply	25 x 8-12; P373; 6 Ply	26 x 8-14; PXT; 6 Ply Radial	26 x 8-14; CST	26 x 8-14; CST	26 x 8-14; CST	26 x 8-14; PXT	25" x 8-12; 489
Rear Tires	25 x 10-12; P373; 6 Ply	25 x 8-12; P373; 6 Ply	25 x 10-12; P373; 6 Ply	26 x 11-14; PXT; 6 Ply Radial	26 x 10-14 CST	26 x 10-14; CST	26 x 10-14; CST	26 x 11-14; PXT	25" x 10-12; 489
Wheels	Steel	Steel	Aluminum Black Xcelerator	Aluminum	Stamped Steel	Aluminum	14" Aluminum	14" Aluminum	12" Steel

DIMENSIONS & CAPACITIES

Wheelbase	50.5" (128.3cm)	50.5" (128.3cm)	50.5" (128.3cm)	50.5" (128.3cm)	53" (134.6cm)	53" (134.6cm)	53" (134.6cm)	53" (134.6cm)	56" (142.2cm)
Dry Weight	700lb (318kg) 721lb (327kg)	705lb (320kg) 753lb (342kg)	746lb (338kg)	866lb (393kg)	772lb (350kg)	785lb (357kg)	801lb (363kg)	886lb (402kg)	728lb (330kg) 739lb (336kg)
Overall Vehicle Size (L x W x H)	83 x 48 x 47" (210.8 x 121.9 x 119.4cm)	83 x 48 x 47" (210.8 x 121.9 x 119.4cm)	83 x 48 x 47" (210.8 x 121.9 x 119.4cm)	83 x 48 x 47" (210.8 x 121.9 x 119.4cm)	83.25 x 47.6 x 50.75" (211.4 x 120.9 x 128.9cm)	83.25 x 47.6 x 50.75" (211.4 x 120.9 x 128.9cm)	83.25 x 47.6 x 50.75" (211.4 x 120.9 x 128.9cm)	83.25 x 47.6 x 50.75" (211.4 x 120.9 x 128.9cm)	86 x 48 x 48" (218.4 x 121.9 x 121.9cm)
Ground Clearance	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11" (27.9cm)
Seat Height	33.25" (84.5cm)	33.25" (84.5cm)	33.25" (84.5cm)	33.25" (85cm)	37" (94cm)	37" (94cm)	37" (94cm)	37" (94cm)	33.75" (85.7cm)
Fuel Capacity	4.5gal (17.0L)	4.5gal (17.0L)	4.5gal (17.0L)	4.5gal (17.0L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	6.75gal (26.3L)
Front/Rear Rack Capacity	90lb (40.8kg)/180lb (81.6kg)	90lb (40.8kg)/180lb (81.6kg)	90lb (40.8kg)/180lb (81.6kg)	90lb (40.8kg)/180lb (81.6kg)	120lb (55kg)/240lb (110kg)	120lb (55kg)/240lb (110kg)	120lb (55kg)/240lb (110kg)	120lb (55kg)/240lb (110kg)	90lb (40.8kg)/180lb (81.6kg)
Payload Capacity	485lb (220kg)	485lb (220kg)	485lb (220kg)	485lb (220kg)	575lb (261kg)	575lb (261kg)	575lb (261kg)	575lb (261kg)	485lb (220kg)
Hitch Towing Rating	1,350lb (612.3kg)	1,350lb (612.3kg)	1,350lb (612.3kg)	1,350lb (612.3kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,225lb (555.7kg)

Standard Accessories & Features

Front Rack Extender, In-Pod Battery Charge Port Front & Rear Rack Extender, In-Pod Battery Charge Port	Front Rack Extender, In-Pod Battery Charge Port Front Trail Bumper, Front & Rear Rack Extenders, In-Pod Battery Charge Port	Front Trail Bumper, Front & Rear Rack Extenders, Painted Plastics, In-Pod Battery Charge Port	Hunt Accessories Standard Front & Rear Trail Bumper, Front & Rear Rack Extenders, 2,500lb Polaris Winch, Hand & Thumb Warmers, Gun Scabbard & Mount, Kolpin Ratchet Claws, In-Pod Battery Charge Port, Dipped Plastics	Four Rear Rack Extenders, In-Pod Battery Charge Port	Six Rear Rack Extenders, Painted Plastics, In-Pod Battery Charge Port	Six Rack Extenders, Painted Plastics, In-Pod Battery Charge Port	Hunt Accessories Standard LED Pod Light, In-Pod Battery Charge Port, Dipped Plastics, Front & Rear Bumper, Front & Rear Rack Extenders, 3,500lb Polaris Winch, Hand & Thumb Warmers, Gun Scabbard & Mount, Kolpin Ratchet Claws, In-Pod Battery Charge Port	N.A.
---	--	---	---	--	---	--	--	------

Packages

Utility Package	Utility Package	Trail Package	-	-	Trail Package	Trail Package	-	-
-----------------	-----------------	---------------	---	---	---------------	---------------	---	---

Color

Zenith Blue, Sagebrush Green	Zenith Blue, Sagebrush Green, Desert Sand, Indy Red, Polaris Pursuit Camo	Radar Blue, Titanium Metallic	Polaris Pursuit Camo	Sage Green, Fury Red	Orange Rust, Steely Blue, Polaris Pursuit Camo	Stealth Gray	Polaris Pursuit Camo	Sonic Blue Titanium Metallic
------------------------------	---	-------------------------------	----------------------	----------------------	--	--------------	----------------------	---------------------------------

SPORT

SPECIAL EDITION



SPORTSMAN TOURING 570 PREMIUM	SPORTSMAN TOURING 850	SPORTSMAN TOURING XP 1000	SPORTSMAN XP 1000 S	SCRAMBLER 850	SCRAMBLER XP 1000 S	SPORTSMAN 850 HIGH LIFTER	SPORTSMAN XP 1000 HIGH LIFTER	SPORTSMAN X2 570	SPORTSMAN 6X6 BIG BOSS
ProStar 567cc, 4-Stroke DOHC Single-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 567cc, 4-Stroke SOHC Single-Cylinder	ProStar 567cc, 4-Stroke SOHC Single-Cylinder
44HP	78HP	88HP	89HP	78HP	89HP	78HP	85HP	44HP	44HP
One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD
Standard/Standard	Standard/Standard	Standard/Standard	Standard/Standard	Standard/Not Equipped	Not Equipped/Not Equipped	Not Equipped/Not Equipped	Standard/Not Equipped	Standard/Standard	Standard/Standard
Straight Dual A-Arm, 8.2" (20.8cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Sealed Arched Dual A-Arm, 11.6" (29.5cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Sealed High Clearance Arched Dual A-Arm 12.5" (29.2cm) Travel	Sealed High-Clearance Arched Dual A-Arm, 7.4" (18.8cm) Travel	Sealed High-Clearance Arched Dual A-Arm, 7.4" (18.8cm) Travel	MacPherson Strut, 8.2" (20.8cm) Travel	MacPherson Strut, 8.2" (20.8cm) Travel
Dual A-Arm, IRS, 9.5" (24.1cm) Travel	Straight Dual A-Arm, IRS, 10.25" (26cm) Travel	Straight Dual A-Arm, IRS, 10.25" (26cm) Travel	Sealed Straight Dual A-Arm, Rolled IRS, 14" (35.6cm) Travel	Straight Dual A-Arm, Rolled IRS, 10.25" (26cm) Travel	Sealed Straight Dual A-Arm, Rolled IRS, 14" (35.6cm) Travel	Sealed High-Clearance Arched Dual A-Arm, Rolled IRS, 6.7" (17cm) Travel	Sealed High-Clearance Arched Dual A-Arm, Rolled IRS, 6.7" (17cm) Travel	Dual A-Arm, IRS, 9.5" (24.1cm) Travel	Dual A-Arm, IRS, 9.5" (24.1cm) Travel
26 x 8-14; CST	26 x 8 -14; CST	26 x 9-14; PXT	27 x 9-14; Duro PowerGrip V2	26 x 8-14; CST	27 x 9-12; Duro PowerGrip II	30 x 9.5; Outlaw 2	30 x 9.5; Outlaw 2	25 x 8 - 12; 489	26 x 8; PXT
26 x 10-14; CST	26 x 10-14; CST	26 x 11-14; PXT	27 x 11-14; Duro PowerGrip V2	26 x 10-14; CST	27 x 10-14; Duro PowerGrip II	30 x 9.5; Outlaw 2	30 x 9.5; Outlaw 2	25 x 10- 12; 489	26 x 10; PXT
14" Cast Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Steel	12" Aluminum	14" Steel	14" Aluminum	12" Stamped Steel	12" Stamped Steel
56" (142.2cm)	57" (144.8cm)	57" (144.8cm)	57.4" (145.8cm)	53" (134.6cm)	57.4" (144.3cm)	53" (134.6cm)	53" (134.6cm)	56" (142.2cm)	56" (142.2cm)
773lb (351kg)	804lb (365kg)	886lb (403kg)	970lb (440kg)	735lb (333kg)	881lb (400kg)	921lb (417kg)	974lb (441kg)	788lb (358kg)	1,075lb (489kg)
86 x 48 x 48" (218.4 x 121.9 x 121.9cm)	84.3 x 48.2 x 48.4" (214 x 123 x 124cm)	84.3 x 48.2 x 48.8" (214 x 123 x 124cm)	83.25 x 55 x 49" (211 x 140 x 124.5cm)	82.3 x 48.6 x 48.4" (209 x 123 x 123cm)	82.5 x 55 x 49.5" (209.5 x 140 x 125.7cm)	84.6 x 50 x 50.4" (215 x 127 x 128cm)	88 x 50 x 50.4" (224 x 127 x 128cm)	89 x 48 x 48" (218.4 x 121.9 x 121.9cm)	116 x 48 x 4" (295 x 121.9 x 124.5cm)
11" (27.9cm)	11.25" (28.5cm)	11.25" (28.5cm)	14.5" (37cm)	11.5" (29cm)	14.5" (37cm)	13.5" (34.3cm)	13.5" (34.3cm)	11" (27.9cm)	11.5" (29cm)
34.25" (87cm)	35.75" (90.8cm)	35.75" (90.8cm)	37" (94cm)	35" (89cm)	37" (94cm)	39" (99cm)	39" (99cm)	33.75" (85.7cm)	37" (94cm)
6.75gal (26.3L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	6.75gal (25.5L)	6.75gal (25.5L)
90lb (40.8kg)/180lb (81.6kg)	120lb (55kg)/240lb (110kg)	120lb (55kg)/240lb (110kg)	200lb (91kg)/300lb (136kg)	25lb (11.3kg)/50lb (22.7kg)	25lb (11.3kg)/50lb (22.7kg)	N.A./75lb (34kg)	N.A./75lb (34kg)	90lb (41kg)/400lb (180kg)	90lb (41kg)/800lb (363kg)
485lb (220kg)	575lb (261kg)	575lb (261kg)	715lb (324kg)	290lb (132kg)	290lb (132kg)	290lb (132kg)	290lb (132kg)	705lb (320kg)	1,115lb (507kg)
1,225lb (555.7kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,750lb (794kg)	1,500lb (680.4kg)	N.A.	1,500lb (680.4kg)	1,500lb (680.4kg)	1,225lb (555.7kg)	1,500lb (680.4kg)

Painted Plastics	Painted Plastics	Painted Plastics	Front Bumper, Rear Bumper, 3,500LB Winch, Cut & Sew Seat, Painted Plastics, In Pod Battery Charge Port	N.A.	N.A.	Painted Plastics	Painted Plastics	N.A.	Bed Box
-	-	-	-	-	-	Trail Package	-	-	-
Nara Bronze	Navy Blue	Pearl White	Orange Madness	Orange Burst	Gloss Black Pearl	Orange Rust, Steely Blue, Polaris Pursuit Camo	Ghost Gray	Sage Green	Sage Green



2-SEAT & 4-SEAT



GENERAL 1000 SPORT



GENERAL 1000 PREMIUM
GENERAL 41000 PREMIUM



GENERAL 1000 DELUXE
GENERAL 41000 DELUXE



GENERAL XP 1000 DELUXE
GENERAL XP 41000 DELUXE



GENERAL XP 1000 PURSUIT EDITION
GENERAL XP 41000 PURSUIT EDITION

ENGINE & DRIVETRAIN

SUSPENSION

TIRES & WHEELS

DIMENSIONS & CAPACITIES

	GENERAL 1000 SPORT	GENERAL 1000 PREMIUM GENERAL 41000 PREMIUM	GENERAL 1000 DELUXE GENERAL 41000 DELUXE	GENERAL XP 1000 DELUXE GENERAL XP 41000 DELUXE	GENERAL XP 1000 PURSUIT EDITION GENERAL XP 41000 PURSUIT EDITION
Engine Type	ProStar 1000; 4-Stroke DOHC Twin-Cylinder	ProStar 1000; 4-Stroke DOHC Twin-Cylinder	ProStar 1000; 4-Stroke DOHC Twin-Cylinder	ProStar 1000; 4-Stroke DOHC Twin-Cylinder	ProStar 1000; 4-Stroke DOHC Twin-Cylinder
Horsepower	100HP	100HP	100HP	100HP	100HP
Drive System	On-Demand True AWD/2WD/ VersaTrac Turf Mode	On-Demand True AWD/2WD/ VersaTrac Turf Mode	On-Demand True AWD/2WD/ VersaTrac Turf Mode	On-Demand True AWD/2WD/ VersaTrac Turf Mode	On-Demand True AWD/2WD/ VersaTrac Turf Mode
Front Suspension	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Travel	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Travel	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Travel	Long Travel, High-Clearance Dual A-Arm with Stabilizer Bar, 14" (35.6cm) Travel	Long Travel, High-Clearance Dual A-Arm with Stabilizer Bar, 14" (35.6cm) Travel
Front Shocks	ZF Sachs Twin Tube	ZF Sachs Twin Tube FOX 2.0 PODIUM QS3	FOX 2.0 PODIUM X QS3	Walker Evans Velocity Series Shocks	Walker Evans Velocity Series Shocks
Rear Suspension	Dual Arm IRS with Stabilizer Bar & 13.2" (33.5cm) Travel	Dual Arm IRS with Stabilizer Bar & 13.2" (33.5cm) Travel	Dual Arm IRS with Stabilizer Bar & 13.2" (33.5cm) Travel	Long Travel, High-Clearance Dual Arm IRS with Stabilizer Bar, 14" (35.6cm) Travel	Long Travel, High-Clearance Dual Arm IRS with Stabilizer Bar, 14" (35.6cm) Travel
Rear Shocks	ZF Sachs Twin Tube	ZF Sachs Twin Tube FOX 2.0 PODIUM QS3	FOX 2.0 PODIUM X QS3	Walker Evans Velocity Series Shocks	Walker Evans Velocity Series Shocks
Front Tires	27 x 9-12 NHS; CST Clincher	27 x 9-14; Maxxis Coronado 27 x 9-14; Dirt Commander	27 x 9-14; Maxxis Coronado 27 x 9-14; Dirt Commander	30 x 10-15; Pro Armor Crawler XG	30 x 10-15; Pro Armor Crawler XG
Rear Tires	27 x 11-12 NHS; CST Clincher	27 x 11-14; Maxxis Coronado 27 x 11-14; Dirt Commander	27 x 11-14; Maxxis Coronado 27 x 11-14; Dirt Commander	30 x 10-15; Pro Armor Crawler XG	30 x 10-15; Pro Armor Crawler XG
Wheels	12" Aluminum	14" Aluminum	14" Aluminum	15" Cast Aluminum	15" Cast Aluminum
Wheelbase	81" (206cm)	81" (206cm) 113" (287cm)	81" (206cm) 113" (287cm)	83" (211cm) 115" (292cm)	83" (211cm) 115" (292cm)
Dry Weight	1,422lb (645kg)	1,491lb (676kg) 1,857lb (842kg)	1,544lb (700kg) 1,860lb (842kg)	1,712lb (776.5kg) 2,058lb (933.5kg)	1,712lb (776.5kg) 2,058lb (933.5kg)
Overall Vehicle Size (L x W x H)	116.4 x 62.5 x 73.8" (295.6 x 158.7 x 187cm)	118.2 x 62.5 x 73.8" (300 x 158.7 x 187cm) 150.2 x 62.5 x 75" (381.5 x 158.7 x 190.5cm)	118.2 x 62.5 x 75" (300 x 158.7 x 190.5cm) 150.2 x 62.5 x 75" (381.5 x 158.7 x 190.5cm)	118.2 x 64 x 75" (300 x 162.5 x 190.5cm) 150.2 x 77 x 64" (381.5 x 195.6 x 162.6cm)	118.2 x 64 x 75" (300 x 162.5 x 190.5cm) 150.2 x 77 x 64" (381.5 x 195.6 x 162.6cm)
Ground Clearance	12" (30.5cm)	12" (30.5cm)	12" (30.5cm)	13.5" (34.3cm)	13.5" (34.3cm)
Fuel Capacity	9.5gal (35.9L)	9.5gal (35.9L)	9.5gal (35.9L)	9.5gal (35.9L)	9.5gal (35.9L)
Bed Box Dimensions (L x W x H)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)
Rear Rack Capacity	600lb (272kg)	600lb (272kg)	600lb (272kg)	600lb (272kg)	600lb (272kg)
Payload Capacity	1,100lb (499kg)	1,100lb (499kg) 1,280lb (580kg)	1,100lb (499kg) 1,280lb (580kg)	1,100lb (499kg) 1,280lb (580kg)	1,100lb (499kg) 1,280lb (580kg)
Electronic Power Steering	Standard	Standard	Standard	High Output EPS	High Output EPS
Other Features		Polaris HD 4,500lb Winch, Sport Low-Profile Front Bumper	Stage 1 Rockford Fosgate® Audio, Polaris HD 4,500lb Winch, Sport Low- Profile Front Bumper, Poly Sport Roof, Convex Rearview Mirror	Stage 1 Rockford Fosgate® Audio, Polaris HD 4,500lb Winch, Sport Low- Profile Front Bumper, Poly Sport Roof, Convex Rearview Mirror	Stage 1 Rockford Fosgate® Audio, Polaris HD 4,500lb Winch, Sport Low-Profile Color-Matched Front Bumper, Poly Sport Roof, Convex Rearview Mirror, Pro Armor 11" Light Bar, Kolpin Gun Mount & Boot, NEW Rear Box Rack
Packages			RIDE COMMAND + Rockford Fosgate® Stage 4 Audio	RIDE COMMAND + Rockford Fosgate® Stage 4 Audio	
Color	Ghost Gray	Titanium Metallic	Burgundy Metallic, White Lightning Burgundy Metallic	Super Graphite, Matte Military Tan	Stealth Black

YOUTH



OUTLAW 70 EFI



OUTLAW 110 EFI



SPORTSMAN 110 EFI



PHOENIX 200



RZR 170 EFI



ACE 170 EFI



RANGER 150 EFI

	Age	6+	10+	10+	14+	10+	10+	10+
Engine Type		70cc, 4-Stroke Single-Cylinder	112cc, 4-Stroke Single-Cylinder	112cc, 4-Stroke Single-Cylinder	196cc, 4-Stroke Single-Cylinder	169cc, 4-Stroke Single-Cylinder	149cc, 4-Stroke Single-Cylinder	150cc, 4-Stroke, Single-Cylinder
Fuel System		EFI	EFI	EFI	Carbureted	EFI	EFI	EFI
Cooling		Air	Air	Air	Air	Fan	Air/Oil	Air/Oil
Transmission/Final Drive		Automatic, Forward only, CVT	Automatic PVT F/N/R; O-Ring Chain	Automatic PVT F/N/R; O-Ring Chain	Automatic PVT F/N/R; Shaft	Automatic PVT F/N/R; O-Ring Chain	Automatic PVT F/N/R; Chain	Automatic PVT F/N/R; Chain
Drive System		2WD, Chain	2WD	2WD	2WD	2WD	2WD	2WD
Front Suspension		Single A-Arm with 4" (10.2cm) Travel	Single A-Arm with 5" (12.7cm) Travel	Single A-Arm with 5" (12.7cm) Travel	Dual A-Arm with 7" (17.8cm) Travel	Single A-Arm with 5" (12.7cm) Travel	Single A-Arm with 5" (12.7cm) Travel	Single A-Arm with 5.1" (13cm) Travel
Rear Suspension		Mono-Shock Swingarm with 4" (10.2cm) Travel	Mono-Shock Swingarm with 6" (15.2cm) Travel	Mono-Shock Swingarm with 6" (15.2cm) Travel	Mono-Shock Swingarm with 6.5" (16.5cm) Travel	Dual-Shock Swingarm with 5" (12.7cm) Travel	Dual-Shock Swingarm with 5" (12.7cm) Travel	Dual-Shock Swingarm with 6" (15.2cm) Travel
Front Tires		18 x 7-8; Obor	19 x 7-8; Duro	19 x 7-8; Duro	21 x 7-10; Duro	19 x 7-8; Duro	22 x 7-10; Wanda	22 x 7-10; Wanda
Rear Tires		18 x 8-8; Obor	18 x 9.5-8; Duro	18 x 9.5-8; Duro	20 x 10-9; Duro	20 x 10-9; Duro	22 x 10-10; Wanda	22 x 10-10; Wanda
Wheels		Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel
Wheelbase		37.75" (95.9cm)	41.5" (105.4cm)	41.5" (105.4cm)	45" (114.3cm)	65" (165.1cm)	65" (165.1cm)	65" (165.1cm)
Dry Weight		278lb (126kg)	278lb (126kg)	289lb (131kg)	420lb (191kg)	532lb (241kg)	556lb (252kg)	673lb (305kg)
Overall Vehicle Size (L x W x H)		56 x 35.5 x 35.25" (142.2 x 90.2 x 89.5cm)	61.3 x 36.8 x 38.5" (155.6 x 93.3 x 97.8cm)	61.8 x 36.8 x 38.5" (156.8 x 93.3 x 97.8cm)	65 x 42 x 42" (165.1 x 106.7 x 106.7cm)	85 x 48 x 55" (215.9 x 121.9 x 139.7cm)	85 x 48 x 58" (215.9 x 121.9 x 147.3cm)	85 x 48 x 58" (215.9 x 121.9 x 147.3cm)
Ground Clearance		4" (10.2cm)	4" (10.2cm)	4" (10.2cm)	5.7" (14.5cm)	6" (15.2cm)	9" (22.9cm)	8" (20.3cm)
Seat Height		25.75" (65.4cm)	27" (68.6cm)	27" (68.6cm)	32" (81.3cm)	N.A.	N.A.	N.A.
Fuel Capacity		1.5gal (5.8L)	1.6gal (5.9L)	2.9gal (11L)	2.5gal (9.5L)	2.5gal (9.5L)	2.5gal (9.5L)	2.5gal (9.5L)
Rear Box Dimensions (L x W x H)		N.A.	N.A.	N.A.	N.A.	N.A.	17 x 32 x 3" (43.2 x 81.3 x 7.6cm)	21 x 42 x 5" (53.3 x 106.7 x 12.7cm)
Front/Rear Rack or Box Capacity		N.A./25lb (11.3kg)	N.A.	15lb/30lb (6.8kg/13.6kg)	N.A.	N.A.	N.A./50lb (22.7kg)	N.A./50lb (22.7kg)
Payload Capacity		140lb (63.5kg)	180lb (82kg)	225lb (102kg)	215lb (97.5kg)	300lb (136kg)	230lb (104.3kg)	375lb (170kg)
Color		White/Red, White/Pink	Avalanche Gray/Pink Power, Avalanche Gray/Lime Squeeze	Velocity Blue	Avalanche Gray	Lime Squeeze/Cruiser Black, Bright White/Indy Red	White Lightning/Sky Blue	White Lightning/Sky Blue, Sage Green

ENGINE

DRIVETRAIN & SUSPENSION

TIRES & WHEELS

DIMENSIONS & CAPACITIES

RANGER RZR GENERAL SPORTSMAN YOUTH SPECIFICATIONS

POLARIS



WARNING: Polaris off-road vehicles can be hazardous to operate and are not intended for on-road use. Driver must be at least 16 years old with a valid driver's license to operate. ALL riders should always wear helmets, eye protection and protective clothing. Always use seat belts and cab nets or doors (as equipped). Never engage in stunt driving, and avoid excessive speeds and sharp turns. Riding and alcohol/drugs don't mix. All riders should take a safety training course. Call 800-342-3764 for additional information. Check local laws before riding on trails. ©2020 Polaris Industries Inc. Youth models have special age restrictions. The Polaris Outlaw 70 EFI is intended for operators ages 6 and older. The Polaris Outlaw 110 EFI, Sportsman 110 EFI, RZR 170 EFI, ACE 170 EFI and Ranger 150 EFI are intended for operators ages 10 and older. The Polaris Phoenix 200 is intended for operators ages 14 and older. All Polaris youth vehicles require adult supervision at all times for operators under age 16. Bluetooth® is a registered trademark of Bluetooth Sig, Inc. Rockford Fosgate® is a registered trademark of Rockford Corporation.

PART NO. 9948074