

INDIAN MOTORCYCLE SERVICE PRODUCTS AND LUBRICANTS**MAINTENANCE PRODUCT PART NUMBERS**

PRODUCT		PART NUMBER
All Purpose Grease	14 oz	2872187
Anti-Freeze, 50/50 Extended Life (Scout)	1 quart (32 oz)	2880966
Brake Fluid, DOT 4	12 oz	2880016
Carbon Cleaner, Fuel	12 oz	2881911
Crankcase Sealant (Loctite Ultra Black 598)		Commercially Available
Fork Oil	quart	2880015
Starter Grease	2 oz	2871460
Oil Change Kit (Thunder Stroke Engines)	20W-40	2880067
Oil Change Kit (Scout/Thunder Stroke Engines)	15W-60	2880191
Synthetic 15W-60 Engine Lubricant (Scout/Thunder Stroke Engines)	quart	2880187
	55 gal drum	2880188
Semi-Synthetic 20W-40 Engine Lubricant (Thunder Stroke Engines)	quart	2880012
	55 gal drum	2880013
Synthetic Transmission Oil (Pre 2013)	quart	2880014

CHAPTER 4

INDIAN MOTORCYCLE LUBE CHART

INDIAN MOTORCYCLE LUBE CHART 2020	4.2
INDIAN MOTORCYCLE LUBE CHART 2019	4.3
INDIAN MOTORCYCLE LUBE CHART 2018	4.4
INDIAN MOTORCYCLE LUBE CHART 2017	4.4
INDIAN MOTORCYCLE LUBE CHART 2016	4.5
INDIAN MOTORCYCLE LUBE CHART 2015	4.5
INDIAN MOTORCYCLE LUBE CHART 2014	4.6
INDIAN MOTORCYCLE LUBE CHART 2013	4.6
INDIAN MOTORCYCLE LUBE CHART 2012	4.6
INDIAN MOTORCYCLE LUBE CHART 2011	4.7
INDIAN MOTORCYCLE LUBE CHART 2010	4.7
INDIAN MOTORCYCLE LUBE CHART 2009	4.7

**INDIAN MOTORCYCLE LUBE CHART
2020**

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	OIL FILTER	OIL CHANGE KIT
Full-Size (Thunderstroke 111)	capacity	Refer to Team Tip I- 19-09-01	—	—	*20.3 oz (599 cc) per leg (Chief, Classic, Vintage, Chieftan / Darkhorse) *18.8 oz (557 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			
Scout / Scout Sixty	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*10.65 oz (315 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		
Scout Bobber	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*Left-Hand: 9.37 oz (277 cc) Right-Hand: 9.23 oz (273 cc) Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		

INDIAN MOTORCYCLE LUBE CHART 2019

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Full-Size (Thunderstroke 111)	capacity	Refer to Team Tip I-19-09-01	—	—	*20.3 oz (599 cc) per leg (Chief, Classic, Vintage, Chieftan / Darkhorse) *18.8 oz (557 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			
Scout / Scout Sixty	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*10.65 oz (315 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		
Scout Bobber	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*Left-Hand: 9.37 oz (277 cc) Right-Hand: 9.23 oz (273 cc) Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		

4

INDIAN MOTORCYCLE LUBE CHART 2018

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Full-Size (Thunderstroke 111)	capacity	Refer to Team Tip I-19-09-01	—	—	*20.3 oz (599 cc) per leg (Chief, Classic, Vintage, Chieftan / Darkhorse) *18.8 oz (557 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			
Scout / Scout Sixty	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*10.65 oz (315 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		
Scout Bobber	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*Left-Hand: 9.37 oz (277 cc) *Right-Hand: 9.23 oz (273 cc) Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		

INDIAN MOTORCYCLE LUBE CHART 2017

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Full-Size (Thunderstroke 111)	capacity	Refer to Team Tip I-19-09-01	—	—	*20.3 oz (599 cc) per leg (Chief, Classic, Vintage, Chieftan / Darkhorse) *18.8 oz (557 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			
Scout / Scout Sixty	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*11.2 oz (335 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		

INDIAN MOTORCYCLE LUBE CHART 2016

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Full-Size (Thunderstroke 111)	capacity	Refer to Team Tip I-19-09-01	—	—	*20.3 oz (599 cc) per leg (Chief, Classic, Vintage, Chieftan / Darkhorse) *18.8 oz (557 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			
Scout / Scout Sixty	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*11.2 oz (335 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		

INDIAN MOTORCYCLE LUBE CHART 2015

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Full-Size (Thunderstroke 111)	capacity	Refer to Team Tip I-19-09-01	—	—	*20.3 oz (599 cc) per leg (Chief, Classic, Vintage, Chieftan / Darkhorse) *18.8 oz (557 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			
Scout / Scout Sixty	capacity	4.5 qt (4.25 L) dry engine (3.0-4.0 qt (2.8-3.8 L) at oil/filter change)	—	—	*11.2 oz (335 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	2.93 qt (2.78 L) including recovery bottle	2520799	2880191
	interval	10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)	5 years / 50000 miles (80000 km)		

INDIAN MOTORCYCLE LUBE CHART 2014

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Chief / Chieftain	capacity	Refer to Team Tip I-19-09-01	—	—	Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			

INDIAN MOTORCYCLE LUBE CHART 2013

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	TRANSMISSION OIL SYNTHETIC 80W90 GEAR OIL	PRIMARY DRIVE OIL SYNTHETIC 80W90 GEAR OIL	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Chief	capacity	3.5 qt (3.31 L)	—	20–24 oz (600–720 cc)	20–22 oz (591–650 cc)	—	*11 oz (325 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	5000 miles (8000 km)	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			

INDIAN MOTORCYCLE LUBE CHART 2012

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	TRANSMISSION OIL SYNTHETIC 80W90 GEAR OIL	PRIMARY DRIVE OIL SYNTHETIC 80W90 GEAR OIL	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Chief	capacity	3.5 qt (3.31 L)	—	20–24 oz (600–720 cc)	20–22 oz (591–650 cc)	—	*11 oz (325 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	5000 miles (8000 km)	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			

INDIAN MOTORCYCLE LUBE CHART 2011

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	TRANSMISSION OIL SYNTHETIC 80W/90 GEAR OIL	PRIMARY DRIVE OIL SYNTHETIC 80W/90 GEAR OIL	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Chief	capacity	3.5 qt (3.31 L)	—	20–24 oz (600–720 cc)	20–22 oz (591–650 cc)	—	*10.5 oz (310 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	5000 miles (8000 km)	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			

4

INDIAN MOTORCYCLE LUBE CHART 2010

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	TRANSMISSION OIL SYNTHETIC 80W/90 GEAR OIL	PRIMARY DRIVE OIL SYNTHETIC 80W/90 GEAR OIL	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Chief	capacity	3.5 qt (3.31 L)	—	20–24 oz (600–720 cc)	20–22 oz (591–650 cc)	—	*10.5 oz (310 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	5000 miles (8000 km)	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			

INDIAN MOTORCYCLE LUBE CHART 2009

MODEL		ENGINE OIL SEMI-SYNTHETIC 20W-40 SYNTHETIC 15W-60	CLUTCH FLUID DOT 4 BRAKE FLUID	TRANSMISSION OIL SYNTHETIC 80W/90 GEAR OIL	PRIMARY DRIVE OIL SYNTHETIC 80W/90 GEAR OIL	BRAKE FLUID DOT 4 BRAKE FLUID	FRONT FORK OIL FORK OIL	ANTIFREEZE 50/50 EXTENDED LIFE ANTI-FREEZE	OIL FILTER	OIL CHANGE KIT
Chief	capacity	3.5 qt (3.31 L)	—	20–24 oz (600–720 cc)	20–22 oz (591–650 cc)	—	*10.5 oz (310 cc) per leg Refer to Front Fork Assembly section in service manual for proper filling	N/A	2521421	2880067
	interval	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	5000 miles (8000 km)	5000 miles (8000 km)	2 years / 10000 miles (16000 km)	2 years / 15000 miles (24000 km)			

