



Lube Specifications Chart Service Manual

Publication Printed 4/28/2025

© Copyright Polaris Inc. All information contained within this publication is based on the latest product information at the time of publication. Due to constant improvements in the design and quality of production components, some minor discrepancies may result between the actual vehicle and the information presented in this publication. Depictions and/or procedures in this publication are intended for reference use only. No liability can be accepted for omissions or inaccuracies. Any reprinting or reuse of the depictions and/or procedures contained within, whether whole or in part, is expressly prohibited. Printed in U.S.A.

SLINGSHOT SERVICE PRODUCTS AND LUBRICANTS

MAINTENANCE PRODUCT PART NUMBERS

PRODUCT		PART NUMBER
Engine Lubricant		
<i>MY20 to Current</i>		
PS-4 SAE 5W-50, Full Synthetic Engine Oil	Quart	2884536
PS-4 SAE 5W-50, Full Synthetic Engine Oil	Gallon	2884537
Engine Oil Filter	—	2521728
<i>MY19 and Prior</i>		
SS-4 SAE 5W-30, Full Synthetic Engine Oil	Quart	2879409
SS-4 SAE 5W-30, Full Synthetic Engine Oil	Gallon	2879410
Engine Oil Filter	—	12605565
Transmission / Angle Drive Lubricants		
GL-3 Full Synthetic Transmission Fluid	Quart	2879440
SAE 85W-250 Full Synthetic Angle Drive Fluid	Quart	2889023
Pentosin® CHF 11S Synthetic Hydraulic Fluid	1.06 qt (1.0 L)	Commercially Available
Grease / Specialized Lubricants		
Grease Gun Kit	—	2871312
Premium All Season Grease	3 oz. cartridge (24 Count)	2871322
Premium All Season Grease	14 oz. cartridge (10 Count)	2871423
Premium U-Joint Lube	3 oz. (24 Count)	2871515
Premium U-Joint Lube	14 oz. (10 Count)	2871551
Dielectric Grease (Nyogel™)	—	Commercially Available
Coolant		
<i>MY20 to Current</i>		
50/50 Extended Life Pre-mixed Antifreeze for ProStar engines	1 Gallon (3.8 L)	2884538
<i>MY19 and Prior</i>		
50/50 Extended Life Pre-mixed Antifreeze	1 Gallon (3.8 L)	2879411
Additives / Sealants / Thread Agents / Misc.		
Loctite™ Threadlock 242	6 ml. (12 count)	2871950
Loctite™ Threadlock 680	—	Commercially Available
Premium Carbon Clean	12 oz. (12 count)	2881413
Fuel Stabilizer	16 oz. (12 count)	2881416
DOT 4 Brake Fluid	12 oz. (12 count)	2872189
Crankcase Sealant, 3-Bond 1215	5 oz.	2871557

CHAPTER 5

SLINGSHOT

SLINGSHOT LUBE CHART 2025 5.2

SLINGSHOT LUBE CHART 2024 5.2

SLINGSHOT LUBE CHART 2023 5.2

SLINGSHOT LUBE CHART 2022 5.3

SLINGSHOT LUBE CHART 2021 5.3

SLINGSHOT LUBE CHART 2020 5.3

SLINGSHOT LUBE CHART 2019 5.4

SLINGSHOT LUBE CHART 2018 5.4

SLINGSHOT LUBE CHART 2017 5.4

SLINGSHOT LUBE CHART 2016 5.5

SLINGSHOT LUBE CHART 2015 5.5

SLINGSHOT LUBE CHART 2025

MODEL		ENGINE OIL PS-4 5W-50 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	AUTODRIVE SYSTEM FLUID (IF EQUIPPED) PENTOSIN CHF 11S	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	6.0 qt (5.68 L)	—	—	—	2.75 qt (2.6 L)	4.75 qt (4.5 L)	0.78 qt (700 mL)	2521728
	interval	5000 miles (8000 km)	Every 2 Years	—	Every 2 Years	50000 miles (80000 km)	30000 miles (18000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2024

MODEL		ENGINE OIL PS-4 5W-50 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	AUTODRIVE SYSTEM FLUID (IF EQUIPPED) PENTOSIN CHF 11S	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	6.0 qt (5.68 L)	—	—	—	2.75 qt (2.6 L)	4.75 qt (4.5 L)	0.78 qt (700 mL)	2521728
	interval	5000 miles (8000 km)	Every 2 Years	—	Every 2 Years	50000 miles (80000 km)	30000 miles (18000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2023

MODEL		ENGINE OIL PS-4 5W-50 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	AUTODRIVE SYSTEM FLUID (IF EQUIPPED) PENTOSIN CHF 11S	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	6.0 qt (5.68 L)	—	—	—	2.75 qt (2.6 L)	4.75 qt (4.5 L)	0.78 qt (700 mL)	2521728
	interval	5000 miles (8000 km)	Every 2 Years	—	Every 2 Years	50000 miles (80000 km)	30000 miles (18000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2022

MODEL		ENGINE OIL PS-4 5W-50 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	AUTODRIVE SYSTEM FLUID (IF EQUIPPED) PENTOSIN CHF 11S	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	6.0 qt (5.68 L)	—	—	—	2.75 Qt (2.6 L)	4.75 Qt (4.5 L)	0.78 qt (700 mL)	2521728
	interval	5000 miles (8000 km)	Every 2 Years	—	Every 2 Years	50000 miles (80000 km)	30000 miles (18000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2021

MODEL		ENGINE OIL PS-4 5W-50 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	AUTODRIVE SYSTEM FLUID (IF EQUIPPED) PENTOSIN CHF 11S	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	6.0 qt (5.68 L)	—	—	—	2.75 Qt (2.6 L)	4.75 Qt (4.5 L)	0.78 qt (700 mL)	2521728
	interval	5000 miles (8000 km)	Every 2 Years	—	Every 2 Years	50000 miles (80000 km)	30000 miles (18000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2020

MODEL		ENGINE OIL PS-4 5W-50 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	AUTODRIVE SYSTEM FLUID (IF EQUIPPED) PENTOSIN CHF 11S	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	6.0 qt (5.68 L)	—	—	—	2.75 Qt (2.6 L)	4.75 Qt (4.5 L)	0.78 qt (700 mL)	2521728
	interval	5000 miles (8000 km)	Every 2 Years	—	Every 2 Years	50000 miles (80000 km)	30000 miles (18000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2019

MODEL		ENGINE OIL SAE 5W-30 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	5.0 qt (4.8 L)	—	—	2.75 Qt (2.6 L)	5.8 Qt (5.5 L)	0.78 qt (700 mL)	12605565
	interval	5000 miles (8000 km)	Every 2 Years	Every 2 Years	50000 miles (80000 km)	100000 Miles (160000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2018

MODEL		ENGINE OIL SAE 5W-30 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	5.0 qt (4.8 L)	—	—	2.75 Qt (2.6 L)	5.8 Qt (5.5 L)	0.78 qt (700 mL)	12605565
	interval	5000 miles (8000 km)	Every 2 Years	Every 2 Years	50000 miles (80000 km)	100000 Miles (160000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2017

MODEL		ENGINE OIL SAE 5W-30 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	5.0 qt (4.8 L)	—	—	2.75 Qt (2.6 L)	5.8 Qt (5.5 L)	0.78 qt (700 mL)	12605565
	interval	5000 miles (8000 km)	Every 2 Years	Every 2 Years	50000 miles (80000 km)	100000 Miles (160000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2016

MODEL		ENGINE OIL SAE 5W-30 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	5.0 qt (4.8 L)	—	—	2.75 Qt (2.6 L)	5.8 Qt (5.5 L)	0.78 qt (700 mL)	12605565
	interval	5000 miles (8000 km)	Every 2 Years	Every 2 Years	50000 miles (80000 km)	100000 Miles (160000 km)	30000 miles (18000 km)	

SLINGSHOT LUBE CHART 2015

MODEL		ENGINE OIL SAE 5W-30 SYNTHETIC	CLUTCH FLUID DOT 4 BRAKE FLUID	BRAKE FLUID DOT 4 BRAKE FLUID	TRANSMISSION FLUID GL-3	ANTIFREEZE 50/50 PRE-MIXED EXTENDED LIFE ANTI- FREEZE	ANGLE DRIVE FLUID SAE 85W-250	OIL FILTER
Slingshot (All Models)	capacity	5.0 qt (4.8 L)	—	—	2.75 Qt (2.6 L)	5.8 Qt (5.5 L)	0.78 qt (700 mL)	12605565
	interval	5000 miles (8000 km)	Every 2 Years	Every 2 Years	50000 miles (80000 km)	100000 Miles (160000 km)	30000 miles (18000 km)	