

FRONT UTILITY RACK KIT



P/N 2884842

BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference and parts ordering information.


APPLICATION

Verify accessory fitment at www.polaris.com.

IMPORTANT

Front Utility Rack is not compatible with Front Rack Extender Kit P/N 2884840.

KIT CONTENTS



REF	QTY	PART DESCRIPTION	P/N AVAILABLE SEPARATELY	AVAILABLE SERVICE KIT
1	1	Front Utility Rack	1026224	n/a
2	2	Plug, Barbed	7081085	n/a
3	6	Screw - Torx® Truss Head, M6 x 1.0 x 25	n/a	2208765
4	6	Washer, 6.4 mm x 18 x 1.6	n/a	2208765

TOOLS REQUIRED

- Safety Glasses
- Socket Set, Torx® Bit
- Torque Wrench

IMPORTANT

Your Front Utility Rack Kit is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.

INSTALLATION INSTRUCTIONS

VEHICLE PREPARATION


GENERAL

1. Park vehicle on a flat surface.
2. Push engine stop switch to the OFF position.
3. Turn key to the OFF position and remove key.

ACCESSORY INSTALLATION

UTILITY RACK ASSEMBLY


1. Install two barbed plugs (2) in the center rear standoffs on the underside of the rack (1).



2. Open front box cover and align utility rack pins with holes in cover.

NOTICE

Vehicle hidden for clarity of images.





3. Loosely install six washers (4) and six screws (3) through underside of front box cover into utility rack.

TIP

Have a second person hold the utility rack in place during this step.

UTILITY RACK INSTALLATION

1. Remove six plugs from front box cover.



4. Torque all screws ③ to specification.

TORQUE

Utility Rack Screws ③:
84 in-lbs (9 N·m)

INSTRUCTION FEEDBACK FORM

A feedback form has been created for the installer to provide any comments, questions or concerns about the installation instructions. The form is viewable on mobile devices by scanning the QR code or by clicking [HERE](#) if viewing on a PC.

