

# AUDIO ADAPTER KIT



**P/N 2882534, 2883232**

## APPLICATION

Verify accessory fitment at [Polaris.com](http://Polaris.com).


## BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference and parts ordering information.

## KIT CONTENTS

This kit contains parts for installation of the audio adapter only. Prior installation of the RIDE COMMAND™ Display Harness (included in kit PN 2882069, or equivalent) is also required (sold separately).

This Kit includes:



REF	QTY	PART DESCRIPTION	PART NUMBER
1	1	Harness, Audio Adapter	-
	1	Instructions	9927803

## TOOLS REQUIRED

None

## IMPORTANT


Your Audio Adapter Kit is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.

## ASSEMBLY TIME

Approximately 5 minutes

# HARNESS DETAIL

## AUDIO ADAPTER HARNESS ①:



REF	PART DESCRIPTION	WIRE COLOR	PIN QTY/ GENDER	CONNECTS TO
1A	Connector, Bullet, Remote On	Blue	1 male	Audio Pod Kit (PN 2881227*) or Door Panel Speaker Amplifier Kit (PN 2882122*)
1B	Connector, Audio Out	-	4 male	
1C	Connector, Display	-	8 male	Display harness audio amp connector; included in RIDE COMMAND™ 7" Display Mount Kit (PN 2882069*)

\* Or compatible kit.

## INSTALLATION INSTRUCTIONS

1. Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.
2. Gain access (as required; see instructions included with audio accessory).
3. Join display connector 1C on audio adapter harness ① to appropriate AUDIO AMP connector on RIDE COMMAND™ Display Mount Harness (included in accessory kit PN 2882069, or equivalent).

See previous section, **HARNES DETAIL**, for connector identification.

IF you are connecting this accessory (sold separately):	THEN join display connector 1C to:
Audio Pod Kit (PN 2881227, 2882304), Door Panel Speaker Amplifier Kit (PN 2882122), or equivalent	AUDIO AMP 1 or AUDIO AMP 2
Subwoofer Kit (PN 2882063) or equivalent	AUDIO AMP 3

### NOTE

AUDIO AMP 1, AUDIO AMP 2, and AUDIO AMP 3 connectors are located in the upper dash compartment.  
AUDIO AMP 1 and AUDIO AMP 2 connectors are interchangeable.

4. Join **REMOTE ON** bullet connector 1A and **AUDIO OUT** connector 1B on audio adapter harness ① to corresponding connectors on accessory.
5. Restore access.

## FEEDBACK FORM

A feedback form has been created for the installer to provide any comments, questions or concerns about the installation instructions. The form is viewable on mobile devices by scanning the QR code or by clicking [HERE](#) if viewing on a PC.

### FEEDBACK FORM

