

TITAN™ EXPANDABLE COVER KIT



P/N 2882800

APPLICATION


Verify accessory fitment at Polaris.com.

BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference and parts ordering information.

KIT CONTENTS

This Kit includes:



REF	QTY	PART DESCRIPTION	PART NUMBER
1	1	Cover, Expandable - Titan	2687799
	1	Instructions	9927954

TOOLS REQUIRED

None

IMPORTANT

Your Titan™ Expandable Cover Kit is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.

ASSEMBLY TIME

Approximately 12 minutes

NOTE


Additional time may be required for optional steps, or to accommodate other installed accessories.

INSTALLATION INSTRUCTIONS

The Titan Expandable Cover has two sections, ⑤ and ⑥ (highlighted for clarity), that can be zipped open to accommodate the Versa Touring Passenger Seat (PN 2882791) and the Versa Rear Cargo Box (PN 2882793).

⚠ WARNING

If transporting the vehicle on a non-enclosed trailer ensure that the cover is properly secured to the vehicle. If the vehicle is not equipped with either of the aforementioned accessories ensure that the expandable sections, ⑤/⑥, are zipped closed to minimize the amount of extra material exposed. Failure to comply may allow airflow, vibration, or other factors to cause damage to the cover or vehicle and may cause the cover to separate from the vehicle causing an accident resulting in personal injury or death.



NOTE

Refer to above image for steps 2-4.

1. Before installing the cover onto the vehicle, secure the cover hold down hooks ⑧ into the sewn-in hook loops on the cover to prevent the hooks from damaging the vehicle while installing. See image below.




2. Place the cover over the windshield and handle bars ①.
3. Next, place the cover over the front bumper ② and spindles ③.
4. Stretch the cover over the rear of the vehicle ④.


NOTE

Open the expandable section(s), ⑤/⑥, per your vehicles requirements for proper fit on the vehicle.


5. Once the cover is fitted to the vehicle, secure the spindle straps ⑥, around the inside of the spindle on both sides of the vehicle as shown below.



7. Move to the rear of the vehicle and secure the rear strap ⑩ as shown.



6. Next, attach the four cover hold down hooks ⑧, two on each side, located in the approximate locations below to the vehicle.



8. Lastly, adjust the front handle bar/windshield strap ⑫ (highlighted for clarity) to take up any excess material between the handlebars and windshield.



FEEDBACK FORM

A feedback form has been created for the installer to provide any comments, questions or concerns about the installation instructions. The form is viewable on mobile devices by scanning the QR code or by clicking [HERE](#) if viewing on a PC.

FEEDBACK FORM

