

Prepared according to Global Harmonized System (GHS) standards

SECTION 1

CHEMICAL PRODUCT IDENTIFICATION

Polaris Sales Inc. 2100 Highway 55 Medina, MN 55340 Tel: 763-542-0500

Product Trade Name:

Polaris Chain Lube

CAS Number: Synonyms/Other: Part Number(s): Recommended Use: Restrictions on Use: Created Date: Preparation/Revision Date: Emergency Phone Number: SDS CODE: Mixture N/A N/A Chain Lubricant Not Determined. 5/19/2015 5/19/2015 1-800-424-9300 (CHEMTREC) 13351

SECTION 2

HAZARD IDENTIFICATION

| Appearance: | Clear, Amber |
|---------------------|--|
| Odor: | Solvent |
| Classification: | Carcinogen category 2 |
| | Single target organ toxicant – repeated exposure category 2 |
| Target Organs: | Not applicable. |
| Pictogram(s): | |
| | |
| | |
| Signal Word: | WARNING |
| Hazard Statement: | H351 - Suspected of causing cancer |
| | H373 - May cause damage to organs through prolonged or repeated exposure |
| Other Hazards: | Not determined. |
| Prevention: | P260 - Do not breathe dust/fume/gas/mist/vapours/spray |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protectionP281 - |
| | Use personal protective equipment as required |
| Response: | P314 - Get Medical advice/attention if you feel unwell |
| | P308+P313 - IF exposed or concerned: Get medical advice/attention |
| Storage Procedures: | P405 - Store locked up |
| Disposal: | P501 - Dispose of contents and container in accordance with federal, state, and local |
| | regulations |
| Other: | See section 11 for complete health hazard information. |
| | |

SECTION 3

COMPOSITION OF INGREDIENTS

| Component | CAS Number | Percentage (by weight) |
|--------------------------------------|------------|------------------------|
| Petroleum Gases, liquefied, sweetend | 68476-86-8 | 10 - 25% |
| Xylene, mixed isomers, pure | 1330-20-7 | 2.5 - 10% |
| Ethylbenzene | 100-41-4 | < 2.5% |

The balance of components do not contribute to the overall classification of the fluid, according to the GHS Standard.



| SECTION 4 | FIRST AID MEASURES |
|--------------------------------------|--|
| Eye Contact: | If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the eyelids open. If eye irritation persists: Get medical advice/attention. |
| Skin Contact: | Call a doctor if you feel unwell. |
| Inhalation: | Get medical advice or attention if you feel unwell or are concerned. |
| Ingestion: | If you feel unwell or concerned: Get medical advice/attention. Rinse mouth. Do NOT |
| | induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position. |
| Other: | If exposed or concerned: Get medical advice/attention (carcinogen). |
| | |
| SECTION 5 | FIRE FIGHTING MEASURES |
| | |
| Flash Point: | Not determined. |
| Flammable limits: | Not determined. |
| Extinguishing media: | Use dry chemical, alcohol foam, all purpose AFFF or carbon dioxide to extinguish fire. |
| | DO NOT direct a solid stream of water or foam into hot, burning pools of liquid since this may cause frothing and increase fire intensity. Frothing can be violent and possibly endanger any firefighter standing too close to the burning liquid. Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). |
| Unusual fire & explosion hazards: | Dense smoke may be generated while burning. Toxic fumes, gases or vapors may evolve on burning. High temperatures may create heavy flammable vapors that may settle along ground level and low spots to create an invisible fire hazard. |
| Byproducts of combustion: | Fires involving this product may release oxides of carbon, phosphorus, nitrogen and sulfur; reactive hydrocarbons and irritating vapors. |
| Autoignition temperature: | Not determined. |
| Explosion data: | Not determined. Care should always be exercised in dust/mist areas. |
| Other: | Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. |
| SECTION 6 | ACCIDENTAL RELEASE MEASURES |
| SECTION 8 | ACCIDENTAL RELEASE MEASORES |
| Spill control procedures (land): | Immediately turn off or isolate any source of ignition (pilot lights, electrical equipment, flames, heaters, etc.). Evacuate area and ventilate. Personnel wearing proper protective equipment should contain spill immediately with inert materials (sand, earth, chemical spill pads of cotton) by forming dikes. Dikes should be placed to contain spill in a manner that will prevent material from entering sewers and waterways. Large spill, once contained, may be picked up using explosion proof, non-sparking vacuum pumps, shovels, or buckets, and disposed of in suitable containers for disposal. Clean up residue with an appropriate solvent. If a large spill occurs notify appropriate authorities. In case of road spill or accident contact Chem-Trec (800-424-9300). |
| Spill control procedures (water): | Try to contain large spills with floating booms to prevent spill from spreading. Remove from surface by skimming or with suitable adsorbents. If a large spill occurs notify appropriate authorities (normally the National Response Center or Coast Guard at 800-424-8802). |
| Waste disposal method: | Do not empty into drains. All disposals must comply with federal, state, and local regulations. The material, if spilled or discarded may be a regulated waste. Refer to state and local regulations. Department of Transportation (DOT) regulations may apply for transporting this material when spilled. See Section 14. |
| Othern | CALITION. If an illust material is also and up using a negulated ash and the resulting upsets |

Other: CAUTION - If spilled material is cleaned up using a regulated solvent, the resulting waste mixture will be regulated.



| SECTION 7 | HANDLING AND STORAGE |
|-------------------------|---|
| Handling procedures: | Keep containers closed when not in use. Do not transfer to unmarked containers. Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld, or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse. Handling temperatures should not exceed 60°C (140°F) to min imize danger of burns. Open containers carefully in a well ventilated area or use appropriate respiratory protection. Wash thoroughly after handling. |
| Storage procedures: | Store containers away from heat, sparks, open flame, or oxidizing materials. Extended storage at excessive temperatures may produce odorous and toxic fumes from product decomposition. |
| Additional information: | No additional information. |

| SECTION 8 | EXPOSURE CONTROUS | / PERSONAL PROTECTION |
|-----------|-------------------|-----------------------|
| JECHONO | | |

Exposure limits/standards for materials that can be formed when handling this product:

| | 0 | SHA TWA | OSHA STEL | ACGIH TWA |
|-------------------------|---|---|--|---|
| Contains highly refir | ed petroleum oil | *5 mg/m³ | *10 mg/m³ | *5 mg/m³ |
| | * Exposure limits not defined. | je is ine empio nour work week | yee 5 averaye am which shall not h | e evreeded |
| Personal protection: | Applicable mainly to persons in service/maintenance, and clea | | | ch as packaging of product, |
| Respiratory protection: | None required if ventilation i meeting OSHA 1910.134 and may occur, wear an MSHA/NI purifying respirator. | ANSI Z88.2 re | quirements must t | be followed. Where misting |
| Eye protection: | Eye protection is strongly re vented/splash proof goggles (<i>k</i> | | | |
| Hand protection: | Impervious, chemically resistant gloves such as neoprene or nitrile rubber to avoid skin sensitization and absorption. | | | |
| Other protection: | Use of an apron and overboo nitrile rubber is recommended material use insulated protecti contaminated leather articles a | d based on lev ve equipment. | vel of activity and Launder soiled c | exposure. If handling hot lothes. Properly dispose of |
| Local control measures: | Use adequate ventilation whe methods such as fume hoods areas. If vapor or mist is gen accordance with good engined below the specified exposure areas where this material is us | s or area fans herated when t ering practice e. Eyewash st | may be used to r the material handl must be provided tations and show | educe localized vapor/mist ed, adequate ventilation in to maintain concentrations |
| Other: | Consumption of food and drink Always wash hands and face v | | | |

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Clear, Amber



| Odor threshold:Not determined.pH:Not applicable. |
|---|
| pH: Not applicable. |
| I 11 |
| Melting/Freezing point: Not determined. |
| Initial boiling point: Not determined. |
| Boiling range: Not determined. |
| Flash point: 30°C (86°F) |
| Evaporation rate: Not determined. |
| Flammability: Not determined. |
| Upper flammable limit: Not determined. |
| Lower flammable limit: Not determined. |
| Vapor pressure: Not determined. |
| Vapor density: Not determined. |
| Relative density: Not determined. |
| Solubility: Negligible in water, miscible in most petroleum solvents. |
| Partition Coefficient: Not determined. |
| Auto-ignition temperature: Not determined. |
| Decomposition temperature: Not determined. |
| Viscosity: Not determined. |
| Other Not applicable. |

SECTION 10

STABILITY AND REACTIVITY

Reactivity Chemical stability: Hazardous polymerization: Conditions to avoid: Incompatibility with other materials:

Decomposition products:

Material is chemically stable at room temperatures and pressure. Will not occur. Avoid high temperatures and product contamination. Avoid contact with acids and strong oxidizing materials.

Smoke, carbon monoxide, carbon dioxide, and other aldehydes of incomplete combustion. Oxides of carbon, nitrogen, and sulfur; reactive hydrocarbons and irritating vapors. Not applicable.

Other:

SECTION 11

TOXICOLOGICAL INFORMATION

Acute toxicity (LD50) *See note at the bottom of the section

| | , | |
|---|----------------------------|--|
| | Oral: | >5000 mg/kg |
| | Dermal: | >5000 mg/kg |
| | Inhalation: | >20.0 mg/l |
| | Skin irritation: | Non-irritant |
| | Eye irritation: | Non-irritant |
| | Dermal sensitization: | Not expected to have a sensitizing effect. |
| | Respiratory sensitization: | Not expected to have a sensitizing effect. |
| | Aspiration Hazard: | Not applicable |
| (| Chronic Toxicity | |
| | Mutagenicity: | Not suspected of causing genetic defects |
| | Carcinogenicity: | Suspected of causing cancer. |
| | Reproductive toxicity: | Not expected to have adverse effects on reproduction. |
| | STOT-single exposure: | Not expected to have adverse effects. |
| | STOT-repeated exposure: | May cause damage to organs through prolonged or repeated exposure. |
| | | |



SECTION 12

Safety Data Sheet Polaris Chain Lube Revision Date: 5/19/15

Other:

*All data in this section is based off calculations from Part 3 of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) utilizing information from the constituent components.

| SECTION 12 | |
|----------------------------|---|
| Environmental toxicity | |
| Fish: | > 100 mg/l. |
| Invertebrates: | > 100 mg/l. |
| Aquatic plants: | > 100 mg/l. |
| Microorganism: | > 100 mg/l. |
| Persistence/Degradability: | This product is not expected to be readily biodegradable. |
| Bioaccumulation: | Not determined. |
| Mobility in soil: | Not determined. |
| Other: | All classifications are based on calculations in Part 4 of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) utilizing information from the constituent components. |
| SECTION 13 | DISPOSAL CONSIDERATIONS |

ECOLOGICAL INFORMATION

Waste disposal:This product unadulterated by other materials can be classified as a non-hazardous
waste. Depending on use, used product may be regulated. Dispose of in a licensed
facility. Do not discharge product in to sewer system. Dispose of containers by crushing
or puncturing, so as to prevent unauthorized use of used containers. Waste management
should be in full compliance with federal, state, and local laws.OtherThe transportation, storage, treatment and disposal of RCRA waste material must be

The transportation, storage, treatment and disposal of RCRA waste material must be conducted in compliance with 40 CFR 262, 263, 264, 268 and 270. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate.

| SECTION 14 | TRANSPORT INFORMATION |
|-----------------------|---|
| Land Transport (DOT): | UN 1950 |
| Proper Shipping Name: | Aerosols |
| Land Transport (TDG): | UN 1950 |
| Proper Shipping Name: | 1950 Aerosols |
| Sea Transport (IMDG): | UN 1950 |
| Proper Shipping Name: | AEROSOLS |
| Air Transport (IATA): | UN 1950 |
| Proper Shipping Name: | AEROSOLS |
| Other: | Not applicable. |
| | |
| SECTION 15 | REGULATORY INFORMATION |
| | |
| Federal Regulation | |
| Clean water act/oil: | Under Section 311 of the Clean Water Act (40 CFR 110) and the Oil Pollution Control Act of 1990, this material is considered an oil. Any spill or discharges that produce a visible sheen or film on surface of water, or in waterways, ditches, or sewers leading to surface water must be reported. Contact the National Response Center at 800-424-8802. |
| TSCA: Other TSCA: | All components of this material are listed in the U.S. TSCA Inventory. Not applicable. |



| SARA title III: | Section 302/304 extremely hazardous substances: | |
|-------------------|---|---|
| | None. | |
| | Section 311, 312 hazard categorization: | |
| | Acute (immediate health effects): | NO |
| | Chronic (delayed health effects): | YES |
| | Fire (hazard): | NO |
| | Reactivity (hazard): | NO |
| | Pressure (sudden release hazard): | NO |
| | Section 313 toxic chemicals: | |
| | Xylene, mixed isomers, pure - 1330-20-7 Ethylbenzene - 100-41-4 | |
| CERCLA: | For stationary/moving sources – reportable quantity (du petroleum exclusion. | e to): Not hazardous due to the |
| State Regulations | | |
| Right-to-know | Not determined. | |
| Other: | A release of this product, as supplied, is exempt from rep Environmental Response Compensation and Liability Ac may be reportable to the Nation Response Center under 1321(b)(3) and (5) - see head of Section 15. Failure to civil and criminal penalties. | t (CERCLA). However, releases the Clean Water Act, 33 U.S.C. |
| | Recommend contacting the local authorities in the event local reporting requirements and also to aid in the cleanu | , |

| SECTION 16 | OTHER INFORMATION | | |
|-------------------|-------------------|-----------|--------------|
| | NFPA 704 | NPCA-HMIS | KEY |
| HEALTH: | 0 | 0 | 0 = Minimal |
| FIRE: | 3 | 3 | 1 = Slight |
| REACTIVITY: | 1 | 1 | 2 = Moderate |
| SPECIFIC HAZARD: | None | N/A | 3 = Serious |
| PROTECTION INDEX: | N/A | В | 4 = Severe |
| | | | |

Version: I

INFORMATION PROVIDED IN THIS SDS IS CONSIDERED ACCURATE AND RELIABLE BASED ON INFORMATION ISSUED FROM INTERNAL AND OUTSIDE SOURCES TO THE BEST OF THE AUTHORS' KNOWLEDGE. HOWEVER, THE AUTHOR'S MAKE NO REPRESENTATIONS, GUARANTEES OR WARRANTIES, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, REGARDING THE ACCURACY OF SUCH INFORMATION OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF, OR AS TO THE SUFFICIENCY OF THE INFORMATION HEREIN PRESENTED. THE AUTHORS ASSUME NO RESPONSIBILITY FOR INJURY TO RECIPIENT OR TO THIRD PERSONS OR FOR ANY DAMAGE TO ANY PROPERTY AND RECIPIENT ASSUMES ALL SUCH RISKS.

Revisions / Comments:

None.