





INTRODUCING THE ALL-NEW WIDE OPEN LINEUP

POWER. STRENGTH. CONTROL.





provides thrilling acceleration and rapid response. The 74" stance, 28" of rear travel and all-new DYNAMIX DV suspension system maximize maneuverability and control. All of that in a machine built with rugged components engineered to last and to help you confidently tackle the toughest terrain. Take your riding beyond the ordinary with RZR Turbo R.



With an industry-leading 225HP engine you can put more power to the ground than ever before. Twenty-nine inches of rear travel coupled with the all-new DYNAMIX DV suspension system and a wide 74" stance give you next-level control in the wildest terrain. From its massive a-arms to its one-piece roll cage, RZR Pro R is bigger, stronger and smarter than anything in its class. Push the limits of adrenalinefueled excitement with the all-new, all-powerful, all-inspiring RZR Pro R.





CHOOSE

YOUR SUPERPOWER

RZR TURBO



DRIVER APPROVED.

Powering RZR Turbo R over dunes, trail and rock is a factory-installed turbo engine proven to perform and engineered to last. Prepare to be thrilled.



THE RIGHT POWER. RIGHT WHEN YOU NEED IT.

Designed for instant corner-to-corner acceleration so you'll always have the power you need to stay out in

181 Horsepower

PROSTAR 925CC TURBO ENGINE 2-CYLINDER

LOWER LOW GEAR

MORE TORQUE FOR TOUGH TERRAIN

Low and slow is the way to go when you're tackling the wildest, most technical trails. RZR Turbo R offers plenty of low gear to capably crawl around, through or over demanding terrain.





225 HORSEPOWER

PROSTAR FURY 2.0 L ENGINE 4-CYLINDER

THE MOST POWERFUL SIDE-BY-SIDE ENGINE EVER

RZR PROR

At the heart of the all-new RZR Pro R lies the industry's first naturally aspirated 2.0 L, 4-cylinder engine boasting more cylinders and more horsepower than any engine ever dropped in a factory side-by-side. With the incredible power to climb, crawl or race your way to more amazing moments on the trail or in the sand, get ready for a ride like never before.

STAYS COOLER IN HOT ENVIRONMENTS

SPEND MORE TIME IN THE SAND, DIRT AND ROCKS.

With a large front fascia and massive radiator, the RZR Pro R is designed to keep your engine running at optimal temperatures. So you can ride on and on.

THROTTLE CONTROL MODES

OPTIMIZED POWER FOR EVERY CONDITION

No matter what challenges the terrain has in store, you'll always have the optimal throttle response for the conditions.

Offers touch-sensitive response that puts power straight to the ground for the fastest hook-up and straight-line

A slower, more controlled pedal response provides the best slow-speed throttle accuracy - just what you want when rock climbing or maneuvering over tight, technical trails.

This versatile mode is a great balance of throttle response and control across almost all terrains. It's perfect for your everyday driving situations.



UNDENIABLY

DURABILITY YOU CAN TRUST

Engineered to keep up with your desire to push limits, RZR Turbo R and RZR Pro R deliver true quality and strength. Stronger chassis, shafts, suspension components, hubs, bearings and more mean they're ready for you to put them through their paces.

STANDARD ON RZR TURBO R AND RZR PRO R

ONE-PIECE CHASSIS

A STABLE FOUNDATION

You'll find a one-piece chassis in all of our Wide Open machines. Built to last, they keep everything firmly in place and allow the machine's superior suspension components to do their part, so you can keep riding across the roughest terrain.

MASSIVE SUSPENSION COMPONENTS

ENGINEERED TO GO BEYOND

Hit the whoops and the rocks with confidence, knowing that your RZR Turbo R or RZR Pro R is engineered with the industry's most robust suspension system featuring huge boxed steel front a-arms, double-shear joints, M14 bolts and

UNITIZED HUBS

BRINGING ONROAD TECHNOLOGY OFF-ROAD

Unitized hubs protect your bearings from dust, sand and dirt. Your RZR will operate at its prime longer, and you'll have the freedom to ride even farther off-road.

ONLY AVAILABLE ON RZR PRO R



ONE-PIECE FULLY WELDED ROLL CAGE

SURROUND YOURSELF WITH STRENGTH

RZR Pro R features an all-new one-piece, fully welded roll cage that delivers next-level strength. In addition to giving you greater confidence, the cage adds additional rigidity to the chassis, helping to efficiently deliver more power to the ground and you to the front of the pack.

THE INCREDIBLE STRENGTH OF THE RZR PRO R



DUAL PATH CLUTCH COOLING

LESS MAINTENANCE AND MORE RIDE TIME

The CVT on the RZR Pro R is redesigned to include bigger clutches, an increased center distance, a larger belt and enhanced air flow to minimize heat for longer belt life.

This means improved performance and more epic time in the dunes and on the trails.



STRONGER DRIVELINE

MORE STRENGTH TO DELIVER BIG POWER

Push the limits knowing that the driveshafts, prop shafts, half shafts and knuckles in your RZR Pro R are stronger than ever before and that a new torque limiter is there to help protect your front drive from sudden surges during power-on landings.



TAKE CONTROL OVER THE WILDEST TERRAIN The all-new RZR Wide Open family is designed to give you ultimate control. To deliver the feedback

The all-new RZR Wide Open family is designed to give you ultimate control. To deliver the feedback and response you need to confidently tackle steep dunes, the most challenging trails and the biggest rocks. Venture into the wildest terrain knowing that next-level technology and engineering are helping maintain your speed, your line and your smile every inch of the way.





CONFIDENTLY GO WHERE OTHERS ONLY DREAM

ABSORBS WHATEVER THE TERRAIN HAS UP ITS SLEEVE

RZR Turbo R and RZR Pro R couple the revolutionary MaxLink Suspension System with the widest stance, the highest clearance and the longest travel ever offered on a RZR - giving you ultimate and unrivaled control.

STANDARD ON RZR TURBO R AND RZR PRO R

16" GROUND CLEARANCE

RIDE ABOVE IT ALL

Take advantage of epic ground clearance to overcome whatever the path ahead throws at you.

74" STANCE

MAXIMUM STABILITY AND CONTROL

The widest stance we've ever offered provides more stability when you're taking on the most challenging terrain.

OPTIMIZED WHEELBASE

SURE-FOOTED STABILITY

Each vehicle in the RZR Wide Open family features a wheelbase specifically designed to give you greater control and confidence and help you get the most from your machine.



RZR TURBO R

The long wheelbase and wide stance work together to deliver the perfect blend of maneuverability and control for crawling rocks and cornering.



RZR PRO R

With the longest wheelbase we've ever offered in a sideby-side, you get more stability and control for navigating large whoops and deep



STANDARD ON RZR TURBO R AND RZR PRO R

MAXLINK SUSPENSION SYSTEM

SMOOTH OUT ROUGH TERRAIN AND NAVIGATE AROUND AND OVER OBSTACLES

The all-new MaxLink Suspension System brings revolutionary strength to recreational side-by-sides, straight from the factory. Attaching the front shocks directly to the lower arms allows for the use of longer shocks. In back, the patented thru-arm rear toe link helps minimize bump steer throughout the massive travel so you can stay in control.

ADD PEACE OF MIND ON ANY PIECE OF TERRAIN



UNRIVALLED USABLE TRAVEL

RANGE TO SOAK UP TERRAIN

RZR TURBO R

A massive 28" of usable suspension travel means greater stability, more comfort and less lean as you navigate the trickiest trails.

RZR PRO R

No other factory-built recreational side-by-side has ever offered as much usable travel. With an amazing 29" you get all you need to maximize control and float comfortably over the wildest terrain.



NEXT-GENERATION





OUR SMARTEST SUSPENSION YET

DYNAMIX DV is the next generation of off-road suspension control. Like previous DYNAMIX systems, it monitors input from the driver and machine 200 times per second and automatically adjusts each shock to reduce corner lean, soak up bumps and handle almost anything in your way. And now, with FOX® Live Valve X2 shocks, it's the first in the industry to provide electronic independent compression and rebound control, providing you with a ride that is as smooth as possible throughout the system's

THE INDUSTRY'S ONLY INDEPENDENTLY CONTROLLED

COMPRESSION AND ELECTRIC REBOUND SUSPENSION SYSTEM

massive usable travel.

*DYNAMIX DV AVAILABLE ONLY ON RZR TURBO R ULTIMATE AND RZR PRO R ULTIMATE

SUSPENSION MODES REVOLUTIONARY RIDE CONTROL



MODE 1 COMFORT

SOAK UP BUMPS

Enjoy maximum comfort with plush suspension settings for all-day rides.

COMPRESSION/REBOUND DAMPING

Low compression damping and low rebound damping for maximum absorption. Perfect for a long day of riding.



M O D E 2: TRACK

OPTIMAL CORNERING PERFORMANCE

Perfect for twisty trails or short-course racing tracks.

COMPRESSION/REBOUND DAMPING

Medium compression damping and high rebound damping maximize handling performance to corner like you're running on rails.



M O D E 3: ROCK

CRAWL OVER ROCKS AND BOULDERS

High ride height ideal for rock crawling or off-camber driving situations.

COMPRESSION/REBOUND DAMPING

When traversing rocks and slopes, the vehicle measures the angle and adjusts compression and rebound damping to lean the vehicle into the slope and maximize stability.



MODE 4 BAJA

FLOAT THROUGH THE WHOOPS

This aggressive tuning provides trophytruck feel in rough desert.

COMPRESSION/REBOUND DAMPING

High compression damping and low rebound damping allows the shocks to extend for maximum travel and ground contact. In corners, it lowers the front end for aggressive cornering.



COMPRESSION AND REBOUND

SEMI-ACTIVE DAMPING CONTROL SYSTEM

DYNAMIX DV utilizes both a compression valve and a rebound valve to independently control damping across the suspension system's full range of motion — an industry first. This revolutionary system controls everything from shock reaction to vehicle height for the ideal ride in any situation.



BUTTON

AN ANSWER TO THE UNEXPECTED

Also known as the "Oh (Bleep) Button," it's the ultimate answer for ugly surprises. It lets you instantly take all four shocks to Full Firm Compression Damping and keeps them there until you release the button. You can control your suspension without ever having to take vour hands off the wheel.



AUTO-ADJUSTED POWER STEERING

MORE CONTROL IN YOUR HANDS

In addition to monitoring and controlling the suspension system, DYNAMIX DV reacts to vehicle inputs to automatically adjust power steering. By dampening the impact the wildest terrain has on the wheel, your hands and your body, the system gives you greater comfort, control and confidence.



AVAILABLE ON RZR TURBO R AND RZR PRO R

ADJUSTABLE DRIVER POSITIONING

FIND YOUR PERFECT FIT

The cockpits in both the RZR Turbo R and RZR Pro R are complete with adjustable seats and a steering wheel that both tilts and telescopes. Together they provide the ergonomics to keep you in control and one with your machine.

*ONLY AVAILABLE ON PREMIUM AND ULTIMATE TWO- AND FOUR-SEAT MODELS.

MACHINES THAT WILL FIT YOU LIKE A GLOVE.

AVAILABLE ON RZR TURBO R 4 AND RZR PRO R 4

FOLD FLAT STORAGE

TRANSFORM YOUR VEHICLE

Configure your machine in seconds. Fold the seats flat to carry more gear or keep them in the upright position to share the ride with friends or family.


*ONLY AVAILABLE ON PREMIUM AND ULTIMATE FOUR-SEAT MODELS.

DESIGNED TO KEEP YOU RIDING LONGER

UNRIVALED

Slide into the bolstered, one-piece bucket seats and find your perfect driving position. No matter your size, the extended sliders and three-position tilt control will help you settle into the RZR Turbo R or RZR Pro R to enjoy the best ride of your life.







INTERACTIVE AND INTUITIVE



CONFIGURABLE GAUGES

Customize the riding experience by choosing which features you want to see on your in-dash display.



PERSONALIZED AUDIO EXPERIENCE

Stream music via Bluetooth® and stay connected with call and text alerts. Automatic volume control adjusts your volume with your speed so your machine never overpowers your



CAMERA INTEGRATION

See what's behind your rear tires with an integrated rear camera — whether that's backing up in technical terrain or unloading from a trailer without a spotter. FRONT CAMERA AVAILABLE AS ACCESSORY ADD-ON



TAKE THE PATH LESS TRAVELED.



ROCKFORD FOSGATE®

AVAILABLE ON RZR TURBO R AND RZR PRO R

PREMIUM AUDIO

OPTIMIZED SOUND FOR OFF-ROAD RIDES

The exclusive, factory-installed Stage 2 audio system provides audio that is perfectly tuned for off-road enjoyment, with strategic speaker orientation that directs sound to every passenger.

AVAILABLE ON RZR TURBO R AND RZR PRO R

GO EVERYWHERE WITH RIDE COMMAND

PLAN, TRACK, SHARE, CONNECT.

PLAN YOUR RIDE

RIDE COMMAND makes planning and navigating your routes easy by adding multiple stops and waypoints. You can even share your planned route with friends.

GAME-CHANGING

TECHNOLOGY

*Only available on Premium and Ultimate two- and four-seat models.

DISCOVER NEW TRAILS

With over 750,000 miles of predownloaded maps available offline and through GPS navigation, you'll know just where to go, whether or not you have cellular coverage.

FOLLOW THE GROUP

With Group Ride you can ride at your own speed and keep fellow riders in sight on your map screen, even if you get split up.

RIDECOMMAND.POLARIS.COM

RELIVE YOUR RIDE

review completed rides, and share

*Only available on North American models.

With 3D flyovers you can track and favorite routes with friends after the

ride is over.

ACCESSORY OLLECTIONS



YOUR RIDE CUSTOMIZED

MAKE IT YOURS

Choose from a variety of designed, engineered and tested accessories to customize your vehicle for how you ride. Each one is built to fit perfectly, mount effortlessly and perform to the highest standards every time.







BEST RIDER EXPERIENCE

Personalize your comfort level with custom windshields, doors and rear panels built specifically for your machine.

BUILT FOR THE WAY YOU RIDE

There are even more reasons to get out and stay riding by adding storage and Pro Armor wheels and tires.

STYLE IT YOUR WAY

Customize your machine to reflect your unique riding style with Rockford Fosgate audio, Rigid or Pro Armor lighting and much more.


ACCESSORY COLLECTIONS

RZR TURBO

DUNE

Lock & Ride Half Windshield — Hard Coat Poly Light Pocket Aluminum Roof Aluminum Doors Front Pre-Runner Bumper Stage 4 Audio Upgrade by Rockford Fosgate Rigid® SR-Series 28" Combo LED Light Bar Rigid Chase Light Lock & Ride 42 QT Rear Cargo Box Polaris Northstar® 30 QT Cooler Pro Armor Wheel & Tire Set: Sand 16XT





DESERT

Full Vented Windshield — Glass Glass Windshield Wiper Kit Front Pre-Runner Winch Bumper Rear Pre-Runner Bumper **HD Extreme Kick-Out Rock Sliders** Stage 5 Audio Upgrade by Rockford Fosgate Rigid® SR-Series 32" Combo LED Light Bar Pivoting Spare Tire Carrier Polaris Pro HD 6,000 LB Winch Pro Armor Wheel & Tire Set: Crawler XR



ACCESSORY COLLECTIONS

RUGGED TRAIL

Lock & Ride Full Vented Windshield — Hard Coat Poly Lock & Ride Poly Rear Panel Front/Rear High-Coverage Bumpers Stage 4 Audio Upgrade by Rockford Fosgate Pro Armor 33" Combo LED Light Bar Lock & Ride 73 QT Forward Cargo Box Lock & Ride 42 QT Rear Cargo Box 10 QT Shoulder Storage Bag Polaris Pro HD 4,500 LB Winch Pro Armor Wheel & Tire Set: Pro Runner

RZR PROR



DUNE

Lock & Ride Half Windshield — Hard Coat Poly **Aluminum Doors** Front Pre-Runner Bumper Assault Grill Stage 3 Audio Upgrade by Rockford Fosgate Rear Speaker Pods by Rockford Fosgate Rigid® SR-Series 32" Combo LED Light Bar Lock & Ride 60 QT Forward Cargo Box Lock & Ride 23 QT Rear Cooler Pro Armor Wheel & Tire Set: Sand 16XT



DESERT

Lock & Ride Full Vented Windshield — Hard Coat Poly Aluminum Doors Front Pre-Runner Winch Bumper Rear Pre-Runner Bumper HD Extreme Kick-Out Rock Sliders Rigid® SR-Series 32" Combo LED Light Bar Rigid Chase Light Pivoting Spare Tire Carrier Polaris Pro HD 6,000 LB Winch Pro Armor Wheel & Tire Set: Pro Runner



RUGGED TRAIL

Full Vented Windshield — Glass Lock & Ride Poly Rear Panel Aluminum Roof Front/Rear High-Coverage Bumpers Full-Coverage Fender Flares Stage 3 Audio Upgrade by Rockford Fosgate Pro Armor 30" Dual-Row LED Light Bar Lock & Ride 60 QT Forward Cargo Box 10 QT Shoulder Storage Bag Pro Armor Wheel & Tire Set: Crawler XR



PREMIUM



ULTIMATE



SPORT FEATURES

181 HP ProStar 925cc Turbo Engine
74" Width
96"/125" Wheelbase*
32" Tires
MaxLink 28" Suspension

16" Ground Clearance
Signature LED Lights

4-Point Harnesses

Tilt Steering

5-Lug Painted Cast Aluminum Rims
Walker Evans Racing 2.5"/3.0" Velocity Needle Shocks

Vented Full Doors/Full Doors*
Isolated Xtreme Performance

True On-Demand AWD/2WD

*2/4 SEAT MODELS

PREMIUM FEATURES

RIDE COMMAND Technology
Rockford Fosgate Premium Audio
Tilt & Telescoping Steering
Accent Lights
6pt Retractor Harnesses
Aluminum Roof
Full Doors
High-Clearance Radius Rods
Fold Flat Storage (4-Seat)

Left-Side Steering Wheel Controls

ULTIMATE FEATURES

INCLUDES ALL SPORT & PREMIUM FEATURES PLUS:

DYNAMIX DV With Integrated EPS Modes

FOX Live Valve X2 Shocks

Right-Side Steering Wheel Controls

Designed to enhance your ride and stoke your passion, RZR Pro R is available in three trims and two launch editions. Find your RZR Pro R and prepare for the ride of your life.

SPORT



PREMIUM



ULTIMATE



SPORT FEATURES

225 HP ProStar Fury 2.0 L

Naturally Aspirated Engine
74" Width

104.5"/133.5" Wheelbase*
32" Tires

MaxLink 29" Suspension
Signature LED Lights
4-Point Harnesses
Tilt Steering
16" Ground Clearance
aug Painted Cast Aluminum Rims
Racing 2.5"/3.0" Velocity Needle Sho

5-Lug Painted Cast Aluminum Rims
Walker Evans Racing 2.5"/3.0" Velocity Needle Shocks
Vented Full Doors/Full Doors*
Pro Performance True 2WD/4WD/4WD Lock

*2/4 SEAT MODELS

PREMIUM FEATURES

RIDE COMMAND Technology
Rockford Fosgate Premium Audio
Tilt & Telescoping Steering
Accent Lights
6pt Retractor Harnesses
Aluminum Roof
Full Doors
Color-Matched Cage
Fold Flat Storage (4-Seat)
Dual Battery Kit

Left-Side Steering Wheel Controls

Premium Color-Matched Rims

ULTIMATE FEATURES

INCLUDES ALL SPORT & PREMIUM FEATURES PLUS:

DYNAMIX DV With Integrated EPS Modes

FOX Live Valve X2 Shocks

Right-Side Steering Wheel Controls

LAUNCH EDITIONS



LIFTED LIME

ONYX BLACK

27

26

w/ Tilt Adjustment

RZR TURBO R SPORT RZR TURBO R PREMIUM RZR TURBO R ULTIMATI ENGINETYPE 4-Stroke DOHC Twin-Cylinder Turbocharged HORSEPOWER/DISPLACEMENT 181 HP/925 CC 181 HP/925 CC 181 HP/925 CC FILE SYSTEM/COULTNS Flectronic Fuel Injection/Liquid Flectronic Fuel Injection/Liquid Electronic Fuel Injection/Liquid Electronic Fuel Injection/Liquid Electronic Fuel Injection/Liquid Electronic Fuel Injection/Liquid TRANSMISSION/FINAL DRIVE Automatic PVT P/R/N/L/H DRIVE SYSTEM Isolated Xtreme Performance True On-Demand AWD/2WD Isolated Xtreme Performance Isolated Xtreme Performance Isolated Xtreme Performance Isolated Xtreme Performanc Isolated Xtreme Performance True On-Demand AWD/2WD ENGINE BRAKING SYSTEM Not Equipped Not Equipped Not Equipped Not Equipped Not Equipped Not Equipped CHARGING SYSTEM Internal 900W Stator Lightweight Boxed Dual A-Arm with 3-Piece Stabilizer Lightweight Boxed Dual A-Arm w/ 3-Piece Stabilizer Lightw FRONT SUSPENSION Bar and 27" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Bar and 27" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Bar and 27" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Bar and 27" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Bar and 27" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Bar and 27" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Walker Evans Racing 2.5" Velocity Needle Shock w/ Walker Evans Racing 2.5" Velocity Needle Shock w/ FOX 3.0 Live Valve X2 Internal Bypass (Electronically Walker Evans Racing 2.5" Velocity Needle Shock w/ Walker Evans Racing 2.5" Velocity Needle Shock w/ FOX 3.0 Live Valve X2 Internal Bypass (Electronically FRONT SHOCKS 16-Position Adjustable Clickers 16-Position Adjustable Clickers 16-Position Adjustable Clickers 16-Position Adjustable Clickers Controlled Compression and Rebound) Controlled Compression and Rebound) Tubular Trailing Arm w/ Boxed Gusseting and Toe Link, High-Clearance Radius Rods and Stabilizer Link, Standard-Clearance Radius Rods and Stabilizer Link, High-Clearance Radius Rods Link, High-Clearance Radius Rods and Stabilizer Link, High-Clearance Radius Rods and Stabilizer Bar and 28.3" (71.9 cm) Usable Travel, 22.4" (56.9 cm) REAR SUSPENSION Link, Standard-Clearance Radius Rods and Stabilizer Bar and 28.3" (71.9 cm) Usable Travel, 22.4" (56.9 cm) Bar and 28.3" (71.9 cm) Usable Travel, 22.4" (56.9 cm) Walker Evans Racing 3.0" Velocity Needle Shock w/ Walker Evans Racing 3.0" Velocity Needle Shock w/ FOX 3.0 Live Valve X2 Internal Bypass (Electronically Walker Evans Racing 3.0" Velocity Needle Shock w/ Walker Evans Racing 3.0" Velocity Needle Shock w/ FOX 3.0 Live Valve X2 Internal Bypass (Electronically REAR SHOCKS 16-Position Adjustable Clickers 16-Position Adjustable Clickers Controlled Compression and Rebound) Controlled Compression and Rebound) 4-Wheel Hydraulic Disc w/ Triple-Bore Front & FRONT/REAR BRAKES Dual-Bore Rear Calipers; Aluminum Top Hat Rotor PARKING BRAKE Park in Transmission 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; FRONT TIRES Wheel Size 15x7 REAR TIRES 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7 Wheel Size 15x7 Wheel Size 15x7 WHEELS Cast Aluminum Rim w/ 5-Lug Pattern WHEELBASE 96" (244 cm) 96" (244 cm) 96" (244 cm) 125" (317.5 cm) 125" (317.5 cm) 125" (317.5 cm) TURNING RADIUS 19.5' (5.9 m) 19.5' (5.9 m) 19.5' (5.9 m) 23.7' (7.2 m) 23.7' (7.2 m) 23.7' (7.2 m) PURPOSEFUL STORAGE 5.4 gal (20.4 L) DRY WEIGHT 1,943 lbs (881 kg) 2,169 lbs (984 kg) 2,286 lbs (1,037 kg) 1,983 lbs (899 kg) 2,013 lbs (913 kg) 2,263 lbs (1,026 kg) OVERALL VEHICLE SIZE (L X W X H) 128 x 74 x 74.4" (325 x 188 x 189 cm) 128 x 74 x 74.4" (325 x 188 x 189 cm) 128 x 74 x 74.4" (325 x 188 x 189 cm) 157 x 74 x 77" (340 x 188 x 196 cm) 157 x 74 x 77" (340 x 188 x 196 cm) 157 x 74 x 77" (340 x 188 x 196 cm) GROUND CLEARANCE 16" (40.6 cm) FUEL CAPACITY 12 gal (45.4 L) 12 gal (45.4 L) 12 gal (45.4 L) 13 gal (49.2 L) 13 gal (49.2 L) 13 gal (49.2 L) RED BOX DIMENSIONS 26 x 17.7 x 11.5" (66 x 45 x 29.2 cm) 26 x 17.7 x 11.5" (66 x 45 x 29.2 cm) 26 x 17.7 x 11.5" (66 x 45 x 29.2 cm) 26 x 17.7 x 11.5" (66 x 45 x 29.2 cm) 26 x 17.7 x 11.5" (66 x 45 x 29.2 cm) 26 x 17.7 x 11.5" (66 x 45 x 29.2 cm) (LXWXH) REAR BOX CAPACITY 300 lb (136.1 kg) PAYLOAD CAPACITY 730 lb (335.6 kg) 730 lb (335.6 kg) 730 lb (335.6 kg) 1160 lb (408.2 kg) 1160 lb (408.2 kg) 1160 lb (408,2 kg) Signature White LED, Low/High & Red LED Tail/ LIGHTING Signature White LED, Low/High & Red LED Tail/ Brake Lights Signature White LED Low/High & Red LED Tail/ Signature White LED, Low/High & Red LED Tail/ Signature White LED Low/High & Red LED Tail/ Signature White LED Low/High & Red LED Tail/Brake Brake Lights; Front, Rear and Interior Accent Brake Lights; Front, Rear and Interior Accent Lighting Brake Lights; Front, Rear and Interior Accent Lighting Lights; Front, Rear and Interior Accent Lighting Brake Lights Bolstered Bucket Seats w/ 4-Way Adjustability Front-Bolstered Bucket Seats w/ 4-Way Adjustability Color-Matched Front-Bolstered Bucket Seats w/ 4-Way Color-Matched Bolstered Bucket Seats w/ 4-Way Bolstered Bucket Seats w/ 4-Way Adjustability (including 6" Front-to-Back Toolless Seat Slider w/ (including 6" Front-to-Back Toolless Seat Slider w/ Adjustability (including 6" Front-to-Back Toolless Seat Adjustability (including 6" Front-to-Back Toolless ATS/SEAT BELTS/ ADJUSTABILITY (including 6" Front-to-Back Toolless Seat Slider w/ Tilt Adjustability) and Sub-Zero 4-Point Harnesses Adjustability) and Retractable Click-6 Harnesses Tilt Adjustability) and Sub-Zero 4-Point Harnesses. Tilt Adjustability) and Retractable Click-6 Harnesses. Slider w/ Tilt Adjustability) and Retractable Click-6 Seat Slider w/ Tilt Adjustability) and Retractable Rear Stadium-Style Seating w/ Sub-Zero 4-Point Rear Stadium-Style Seating w/ Non-Retractable Harnesses, Rear Stadium-Style Seating w/ Non-Click-6 Harnesses 6-Point Harnesses Retractable 6-Point Harnesses Rack-Mounted High-Assist Electronic Power Rack-Mounted High-Assist Electronic Power Steering Rack-Mounted High-Assist Electronic Power Steering w/ Rack-Mounted High-Assist Electronic Power Rack-Mounted High-Assist Electronic Power Steering STEERING w/ Quick-Turn Rack; Race-Inspired Steering Wheel Steering w/ Quick-Turn Rack; Race-Inspired Back-Mounted High-Assist Flectronic Power Steering w/ Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tilt and Telescoping Adjustment; RIDE W Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tift and Telescoping Adjustment; RIDE COMMAND Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tift Tift and Telescoping Adjustment; DYNAMIX DV w/ Integrated Steering w/ Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tilt and Telescoping Adjustment;

DYNAMIX DV w/ Integrated EPS Modes and RIDE

COMMAND Push-Button Controls

COMMAND Push-Button Controls

Steering Wheel w/ Tilt Adjustment

RZR PROR

		RZR PRO R SPORT	RZR PRO R PREMIUM	RZR PRO R ULTIMATE	RZR PRO R 4 SPORT	RZR PRO R 4 PREMIUM	RZR PRO R 4 ULTIMATE
	ENGINE TYPE	4-Stroke DOHC Inline Four Cylinder	4-Stroke DOHC Inline Four Cylinder	4-Stroke DOHC Inline Four Cylinder	4-Stroke DOHC Inline Four Cylinder	4-Stroke DOHC Inline Four Cylinder	4-Stroke DOHC Inline Four Cylinder
AIN	HORSEPOWER/DISPLACEMENT	225 HP/1997 CC	225 HP/1997 CC	225 HP/1997 CC	225 HP/1997 CC	225 HP/1997 CC	225 HP/1997 CC
NGINE & DRIVETRAIN	FUEL SYSTEM/COOLING	Electronic Fuel Injection/Liquid	Electronic Fuel Injection/Liquid	Electronic Fuel Injection/Liquid	Electronic Fuel Injection/Liquid	Electronic Fuel Injection/Liquid	Electronic Fuel Injection/Liquid
8	TRANSMISSION/FINAL DRIVE	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
ENGIN	DRIVE SYSTEM	Pro Performance True 2WD/4WD/4WD Lock	Pro Performance True 2WD/4WD/4WD Lock	Pro Performance True 2WD/4WD/4WD Lock	Pro Performance True 2WD/4WD/4WD Lock	Pro Performance True 2WD/4WD/4WD Lock	Pro Performance True 2WD/4WD/4WD Lock
	ENGINE BRAKING SYSTEM	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped
	CHARGING SYSTEM	External 1700W Alternator	External 1700W Alternator, Dual Battery	External 1700W Alternator, Dual Battery	External 1700W Alternator	External 1700W Alternator, Dual Battery	External 1700W Alternator, Dual Battery
	FRONT SUSPENSION	Lightweight Boxed Dual A-Arm w/ 3-Piece Stabilizer Bar and 270" (69.0 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs	Lightweight Boxed Dual A-Arm w/ 3-Piece Stabilizer Bar and 270" (69.0 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs	Lightweight Boxed Dual A-Arm w/ 3-Piece Stabilizer Bar and 270" (69.0 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs	Lightweight Boxed Dual A-Arm w/ 3-Piece Stabilizer Bar and 27.0" (69.0 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs	Lightweight Boxed Dual A-Arm w/ 3-Piece Stabilizer Bar and 270" (69.0 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs	Lightweight Boxed Dual A-Arm w/ 3-Piece Stabilizer Bar and 27.0" (69.0 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs
	FRONT SHOCKS	Walker Evans Racing 2.5" Velocity Needle Shock w/ 16-Position Adjustable Clickers	Walker Evans Racing 2.5" Velocity Needle Shock w/ 16-Position Adjustable Clickers	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression & Rebound)	Walker Evans Racing 2.5" Velocity Needle Shock w/ 16-Position Adjustable Clickers	Walker Evans Racing 2.5" Velocity Needle Shock w/ 16-Position Adjustable Clickers	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression & Rebound)
,	REAR SUSPENSION	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods and 3-Piece Stabilizer Bar and 29.0" (73.7 cm) Usable Travel, 24.5" (62.2 cm) Wheel Travel, Unitized Hubs	Boxed Trailling Arm with Toe Link, High-Clearance Radius Rods and 3-Piece Stabilizer Bar and 29.0" (73.7 cm) Usable Travel, 24.5" (62.2 cm) Wheel Travel, Unitized Hubs	Boxed Trailling Arm with Toe Link, High-Clearance Radius Rods and 3-Piece Stabilizer Bar and 29.0" (73.7 cm) Usable Travel, 24.5" (62.2 cm) Wheel Travel, Unitized Hubs	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods and 3-Piece Stabilizer Bar and 29.0" (73.7 cm) Usable Travel, 24.5" (62.2 cm) Wheel Travel, Unitized Hubs	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods and 3-Piece Stabilizer Bar and 29.0° (73.7 cm) Usable Travel, 24.5" (62.2 cm) Wheel Travel, Unitized Hubs	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods and 3-Piece Stabilizer Bar and 290" (73.7 cm) Usable Travel, 24.5" (62.2 cm) Wheel Travel, Unitized Hubs
	REAR SHOCKS	Walker Evans Racing 3.0" Velocity Needle Shock w/ 16-Position Adjustable Clickers	Walker Evans Racing 3.0" Velocity Needle Shock w/ 16-Position Adjustable Clickers	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression & Rebound)	Walker Evans Racing 3.0" Velocity Needle Shock w/ 16-Position Adjustable Clickers	Walker Evans Racing 3.0" Velocity Needle Shock w/ 16-Position Adjustable Clickers	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression & Rebound)
	FRONT/REAR BRAKES	4-Wheel Hydraulic Disc w/ Triple-Bore Front & Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc w/ Triple-Bore Front & Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc w/ Triple-Bore Front & Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc w/ Triple-Bore Front & Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc / Triple-Bore Front & Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc w/Triple-Bore Front & Dual-Bore Rear Calipers; Aluminum Top Hat Rotor
HEE	PARKING BRAKE	Park in Transmission	Park in Transmission	Park in Transmission	Park in Transmission	Park in Transmission	Park in Transmission
	FRONT TIRES	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
∄	REAR TIRES	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
	WHEELS	Cast Aluminum Rim w/ 5-Lug Pattern	Cast Aluminum Rim w/ 5-Lug Pattern	Cast Aluminum Rim w/ 5-Lug Pattern	Cast Aluminum Rim w/ 5-Lug Pattern	Cast Aluminum Rim w/ 5-Lug Pattern	Cast Aluminum Rim w/ 5-Lug Pattern
	WHEELBASE	104.5" (265.4 cm)	104.5" (265.4 cm)	104.5" (265.4 cm)	133.5" (339.1 cm)	133.5" (339.1 cm)	133.5" (339.1 cm)
	TURNING RADIUS	20.5' (6.2 m)	20.5' (6.2 m)	20.5' (6.2 m)	24.5' (7.5 m)	24.5' (7.5 m)	24.5' (7.5 m)
	PURPOSEFUL STORAGE	5.4 gal (20.4 L)	5.4 gal (20.4 L)	5.4 gal (20.4 L)	5.4 gal (20.4 L)	5.4 gal (20.4 L)	5.4 gal (20.4 L)
	DRY WEIGHT	2,085 lb (945.7 kg)	2144 lb (972.5 kg)	2,187 (992 kg)	2,365 lb (1,072.7 kg)	2,437 (1,105.4 kg)	2,480 (1,124.9 kg)
	OVERALL VEHICLE SIZE (L X W X H)	136.5 x 74 x 72.8" (347 x 188 x 185 cm)	136.5 x 74 x 72.8" (347 x 188 x 185 cm)	136.5 x 74 x 72.8" (347 x 188 x 185 cm)	165.5 x 74 x 76.5" (420 x 188 x 194 cm)	165.5 x 74 x 76.5" (420 x 188 x 194 cm)	165.5 x 74 x 76.5" (420 x 188 x 194 cm)
	GROUND CLEARANCE	16" (40.6 cm)	16" (40.6 cm)	16" (40.6 cm)	16" (40.6 cm)	16" (40.6 cm)	16" (40.6 cm)
2	FUEL CAPACITY	12 gal (45.4 L)	12 gal (45.4 L)	12 gal (45.4 L)	12.30 gal (46.56 L)	12.30 gal (46.56 L)	12.30 gal (46.56 L)
8 CAPACII	BED BOX DIMENSIONS (L X W X H)	29.5 x 23.8 x 8.1" (75 x 60.5 x 20.6 cm)	29.5 x 23.8 x 8.1" (75 x 60.5 x 20.6 cm)	29.5 x 23.8 x 8.1" (75 x 60.5 x 20.6 cm)	29.5 x 23.8 x 8.1" (75 x 60.5 x 20.6 cm)	29.5 x 23.8 x 8.1" (75 x 60.5 x 20.6 cm)	29.5 x 23.8 x 8.1" (75 x 60.5 x 20.6 cm)
I I I	REAR BOX CAPACITY	300 lb (136.1 kg)	300 lb (136.1 kg)	300 lb (136.1 kg)	300 lb (136.1 kg)	300 lb (136.1 kg)	300 lb (136.1 kg)
T WE W	PAYLOAD CAPACITY	730 lb (335.6 kg)	730 lb (335.6 kg)	730 lb (335.6 kg)	1160 lb (408 kg)	1160 lb (408 kg)	1160 lb (408 kg)
•	LIGHTING	Signature White LED, Low/High & Red LED Tail/ Brake Lights	Signature White LED, Low/High & Red LED Tail/ Brake Lights; Front, Rear & Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail/ Brake Lights; Front, Rear and Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail/ Brake Lights	Signature White LED, Low/High & Red LED Tail/ Brake Lights; Front, Rear & Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail/ Brake Lights; Front, Rear & Interior Accent Lighting
	SEATS/SEAT BELTS/ Adjustability	Color-Matched Bolstered Bucket Seats w/ 4-Way Adjustability (including 6" Front-to-Back Toolless Seat Slider w/ Tilt Adjustability) & Sub-Zero 4-Point Hamesses	Color-Matched Bolstered Bucket Seats w/ 4-Way Adjustability (including 6" Front-to-Back Toolless Seat Slider w/ Tilt Adjustability) & Retractable Click-6 Harnesses	Color-Matched Bolstered Bucket Seats w/ 4-Way Adjustability (including 6" Front-to-Back Toolless Seat Slider w/ Tilt Adjustability) & Retractable Click-6 Harnesses	Color-Matched, Front-Bolstered Bucket Seats w/ 4-Way Adjustability (including 6" Front-to-Back Toolless Seat Slider w/ Tilt Adjustability) & Sub-Zero 4-Point Hamesses, Rear Stadium-Style Seating w/ 4-Point Hamesses	Color-Matched, Front-Bolstered Bucket Seats w/ 4-Way Adjustability (including 6" Front-to-Back Toolless Seat Silder w/ Tilt Adjustability) & Retractable Click-6 Hamesses, Rear Stadium-Style Seating w/ Non-Retractable 6-Point Hamesses	Color-Matched, Front-Bolstered Bucket Seats w/ 4-Way Adjustability (including 6" Front-to-Back Toolless Seat Silder w/ Tilt Adjustability) & Retractable Click-6 Hamsesse, Rear Stadium-Style Seating w/ Non-Retractable 6-Point Hamesses
	STEERING	Rack-Mounted High-Assist Electronic Power Steering w/ Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tilt Adjustment	Rack-Mounted High-Assist Electronic Power Steering w/ Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tilt and Telescoping Adjustment; RIDE COMMAND Push-Britton Controls	Rack-Mounted High-Assist Electronic Power Steering w/ Quick-Tum Rack; Race-Inspired Steering Wheel w/ Tilt and Telescoping Adjustment; DYNAMIX DV w/ Integrated EPS Modes and RIDE COMMAND	Rack-Mounted High-Assist Electronic Power Steering W/ Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tilt Adjustment	Rack-Mounted High-Assist Electronic Power Steering w/ Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tilt and Telescoping Adjustment; RIDE COMMAND Push-Bitton Controls	Rack-Mounted High-Assist Electronic Power Steering w/ Quick-Turn Rack; Race-Inspired Steering Wheel w/ Tilt and Telescoping Adjustment; DYNAMIX DV w/ Integrated EPS Modes & RIDE COMMAND

Push-Button Controls

Push-Button Controls

Push Button Controls

Push-Button Controls



THE INDUSTRY'S MOST COMPLETE PERFORMANCE SXS LINEUP



TRAIL

AGILITY FOR TIGHT TRAILS

Designed to explore width-restricted routes, RZR Trail vehicles deliver uncompromised agility, quick acceleration, class-leading power-to-weight and optimized rider ergonomics so you can ride comfortably and confidently all-day long.



MULTI-TERRAIN

CONQUER ANY TERRAIN

Vehicles engineered to deliver the versatility and high-performance handling you need to confidently tackle the off-road, whatever the terrain, whenever you like.



WIDE OPEN

PERFORMANCE FOR THE TOUGHEST TERRAIN

These game-changing machines offer the perfect fusion of power, strength and control for maximum capability and unmatched out-of-the-box performance – all so you can take on the toughest terrain, keep the thrills coming and your adrenaline flowing.



