



INDY
EVO™





UNLEASH THE NEXT GENERATION ON THE SNOW.

In 1954, the Polaris® family was born, offering a new way to experience the outdoors together. Today, that family continues to grow with an all new sled, built specifically for new riders.



GROW A PASSION THAT LASTS A LIFETIME.

Introducing INDY EVO™, a trail-ready sled perfectly engineered for new riders with performance scaled to what they need, and what they want. Share your passion for the ride, and welcome them to a world where everyone shares in a perfect day spent riding. Because together, you are **BORN FOR MORE.**



INDY
EVO[™]
LEGENDARY PERFORMANCE. SIMPLY FUN.



INDY EVO™

PERFECT FIT FOR NEW RIDERS

The INDY EVO™ features compact ergonomics to accommodate a range of riders without feeling too big or too small. From its optimized seating position to its easy reach throttle - it builds confidence for all new riders.

CONFIDENT HANDLING, EASY STEERING

The INDY EVO™ suspension is engineered for a stable yet effortless ride on trails. The adjustable-stance independent front suspension allows the sled to evolve with the rider, and the sled features shocks and skis designed specifically for the INDY EVO™ chassis for predictable, confident performance.

JUST-RIGHT PERFORMANCE & FUN

The INDY EVO™ is a trail-ready sled with power that's perfectly scaled to new riders' needs. Speed is electronically limited to 50 mph, and an accessory kit is available to make additional power as a rider's skill develops.



NEW 2019 **INDY EVO™ ES**
MODEL

NEW 2019 **INDY EVO™**
MODEL

MODEL SPECS



	MODEL NAME	INDY EVO™	INDY EVO™ ES
DIMENSIONS	Fuel Capacity (gallons/liters)	10 / 37.8	10 / 37.8
	Overall Height (in./cm.)	41 / 104	41 / 104
	Overall Width (in./cm.)	44 / 111	44 / 111
	Ski Center Distance (in./cm.)	39 / 99	39 / 99
	Estimated Dry Weight (lbs./kg.)	409 / 185.5	432 / 196
ENGINE & DRIVETRAIN	Overall Length (in./cm.)	114 / 289	114 / 289
	Disc Brake Type	RMK® Hydraulic	RMK® Hydraulic
	Drive System Type	Chaincase	Chaincase
	Drive/Driven Clutch	CVTech PowerBloc50 / In Vance	CVTech PowerBloc50 / In Vance
	Fuel System	Carbureted	Carbureted
	Engine Type/Cooling	Fan Cooled	Fan Cooled
SUSPENSION	Cylinders-Displacement (cc)	2-544	2-544
	Front Suspension	PRO-RIDE®	PRO-RIDE®
	Rear Suspension	INDY®	INDY®
	Ski Type	INDY EVO™	INDY EVO™
FEATURES	Track Width/Length/Height (in.)	15 x 121 x .91 Shockwave	15 x 121 x .91 Shockwave
	Color/Graphics	INDY® Red	Velocity Blue
	Electric Start	Accessory	Standard
	Reverse	PERC®	PERC®
	Seat Type	INDY EVO™	INDY EVO™ Cut & Sew
Windshield	Low 7" Black	Low 7" Black	

Polaris reserves the right to change specifications at any time without incurring obligation. All performance and/or feature and benefit claims are based upon competitive data available at time of printing.



2100 HIGHWAY 55
MEDINA, MN 55340

**VISIT WWW.POLARIS.COM OR YOUR LOCAL DEALER
TO LEARN MORE ABOUT THE INDY EVO™**

Photographed using highly skilled operators under controlled conditions. Polaris recommends that all riders take a training course. Do not attempt maneuvers beyond your capability. Always wear a helmet and other safety apparel. Never drink and ride. Snowmobiles depicted in this brochure may feature Polaris® parts and accessories and are not standard features of the base model snowmobile they accompany. All performance and/or feature and benefit claims are based upon competitive data available at time of printing. For your nearest dealer, call 1-800-POLARIS or go to www.terrainomination.com. *Unless noted, trademarks are the property of Polaris Industries Inc. All pricing, specifications, claims, and information contained in this brochure are based upon current knowledge and printed material available at time of publication and are subject to change without notice, and Polaris assumes no responsibility for changes in pricing or specifications. Polaris assumes no responsibility for any inaccuracies, opinions, or omissions in this brochure. ©2018 Polaris Industries Inc. Printed in USA